NCLEX-PN Practice Questions

Copyright © 2006 by Que Certification

International Standard Book Number: 0789732661

Warning and Disclaimer

Every effort has been made to make this book as complete and as accurate as possible, but no warranty or fitness is implied. The information provided is on an "as is" basis. The author and the publisher shall have neither liability nor responsibility to any person or entity with respect to any loss or damages arising from the information contained in this book or from the use of the CD or programs accompanying it.

When reviewing corrections, always check the print number of your book. Corrections are made to printed books with each subsequent printing. To determine the print number of your book, view the copyright page. The print number is the right-most number on the line below the "First Printing" line. For example, the following indicates that this is the 1st printing of this title and it was printed in July 2005.

First Printing: July 2005

08 07 06 05 4 3 2 1

First Printing Corrections

	Pg	Error	Correction
'	vii	Added text at end of Contributing Authors list	Should be
			Juanita C. (Nita) Widener, M.Ed (Allied Health) Eastern Kentucky University, BSN Eastern Kentucky University, RN Birmingham Baptist Hospital. Nita is an instructor in the

		nursing program at Bainbridge College.
		Gena Peterson, RN, Associate of Arts, Darton College. Gena is an instructor of practical nursing at Bainbridge College.
76	24.	Should be
	client with bulimia .	client with anorexia .
111	197. Answer C.	Should be
	then inject the Phenergan	then <mark>administer</mark> Phenergan
111	197. Answer D.	Should be
	Question the order because they cannot be given at the same time	Question the order because they cannot be given to the same client
122	44.	Should be
	Hearing aids should be stored in a cool place because the batteries deteriorate in a warm, moist environment.	Hearing aids should be stored in a cool place in order to preserve the life of the battery.
122	44.	Should be
	Answer C is incorrect because the hearing aid should be stored in a warm area to preserve the batteries. A toothpick is inappropriate to use for cleaning the aid.	-
135	128.	Should be
	The positions in answers B and D would lead	The positions in answers B, C, and D would lead

139	157.	Should be
	Answer C is correct. Answer A	Answer C is correct. Answer C is correct because a history of allergies to oysters may indicate a potential allergy to the dye used in the contrast medium. Answer A
139	157.	Should be
	Answer B is incorrect because the answer states that the client has a history. There is no contraindication for having a CAT scan if the client is claustrophobic, but he might need a sedative.	Answer B is incorrect because a history of claustrophobia is not related to having a CAT scan.
141	172.	Should be
	Answer C is correct. The infant who is 32 weeks gestation [replace whole answer]	Answer C is correct. Head lag is associated with the pre-term newborn and is an expected finding in the newborn less than 36 weeks gestation. Answer A is incorrect because the presence of Mongolian spots are not associated with the pre-term newborn. Answers B and D are findings associated with the full-term newborn, therefore they are incorrect.
142	177.	Should be
	Answer A is correct. Rapid, continuous rewarming of a frostbite [replace whole answer]	Answer A is correct. The primary reason for rapid, continuous rewarming of an area affected by frostbite is to lessen cellular damage. Answers B, C, and D are not primary reasons for rapid continuous rewarming,

		therefore they are incorrect.
145	197.	Should be
	Valium (diazepam) is not given with other medications.	Valium (diazepam) is not administered with other medications.
145	197.	Should be
	These medications	Both medications
145	197.	Should be
	Answer C is not necessary. Valium is an antianxiety medication, and Phenergan is used as an antiemetic.	Answer C is not necessary, therefore it is incorrect.
190	16.	Should be
	Answers A, B, and C contain specified time and frequency.	Answers A, B, and D contain specified time and frequency, therefore they do not require further clarification.
194	49.	Should be
	Answer B is incorrect because it will not determine whether the child has completed the medication.	Answer B is incorrect because it will not determine whether the child has taken all the medication.
197	75.	Should be
	Answer B and \in can cause	Answers B and D can cause
198	79.	Should be
	Answers B and D do not relate to the medication	Answers A and D do not relate to the medication

200	99.	Should be
	Answers A, B, and \in are not associated	Answers A, B, and D are not associated
200	100.	Should be
	Answers A, B, and C are not primary objectives	Answers A, C, and D are not primary objectives
206	144.	Should be
	Answer $\ensuremath{\overline{\varTheta}}$ is incorrect because chest percussion should be	Answer C is incorrect because chest percussion should be
208	159.	Should be
	Answers A, B, and € are incorrect	Answers A, B, and D are incorrect
209	169.	Should be
	Answers A, B, and C are untrue statements	Answers A, C, and D are untrue statements
261	44.	Should be
	Answer A is incorrect because it does not indicate	Answer A is incorrect because a positive Babinski sign in the adult is abnormal, therefore it does not indicate
266	80.	Should be
	Answer D is associated with renal cancer; therefore, it is correct .	Answer D is associated with renal cancer; therefore, it is incorrect .
298	78.	Should be
	C. Cellular edema	C. Cerebral edema

318	181.	Should be
	The influenza virus is contraindicated in clients	The influenza vaccine is contraindicated in clients

This errata sheet is intended to provide updated technical information. Spelling and grammar misprints are updated during the reprint process, but are not listed on this errata sheet.