



Official Cert Guide

Learn, prepare, and practice for exam success



Cisco CCENT/ CCNA

ICND1 100-101

Academic Edition

ciscopress.com

WENDELL ODOM, CCIE® No. 1624

FREE SAMPLE CHAPTER



SHARE WITH OTHERS

In addition to the wealth of updated content, this new edition includes a series of free hands-on exercises to help you master several real-world configuration and troubleshooting activities. These exercises can be performed on the CCENT/CCNA ICND1 100-101 Network Simulator Lite software included for free on the DVD that accompanies this book. This software, which simulates the experience of working on actual Cisco routers and switches, contains the following 13 free lab exercises:

1. Configuring IP Addresses I Skill Builder Lab
2. Configuring IP Addresses II Skill Builder Lab
3. Connected Routes Skill Builder Lab
4. Static Routes I Skill Builder Lab
5. Static Routes II Skill Builder Lab
6. Subnet Zero I Skill Builder Lab
7. Loopback Interfaces Skill Builder Lab
8. Subnet ID Calculation I Subnetting Exercise Lab
9. IP Address Rejection I Subnetting Exercise Lab
10. IP Route Selection I Subnetting Exercise Lab
11. Subnetting and Addressing I Configuration Scenario
12. Static Routing I Configuration Scenario
13. Network Discovery II Troubleshooting Scenario

If you are interested in exploring more hands-on labs and practicing configuration and troubleshooting with more router and switch commands, check out our full simulator product offerings at <http://www.pearsonitcertification.com/networksimulator>.

CCENT ICND1 Network Simulator Lite minimum system requirements:

- Microsoft Windows XP (SP3), Windows Vista (32-bit/64-bit) with SP1, Windows 7 (32-bit/64-bit) or Windows 8 (32-bit/64-bit, x86 processors), Mac OS X 10.6, 10.7, or 10.8
- Intel Pentium III 1GHz or faster processor
- 512 MB RAM (1GB recommended)
- 1 GB hard disk space
- 32-bit color depth at 1024x768 resolution
- Adobe Acrobat Reader version 8 and above

Other applications installed during installation:

- Adobe AIR 3.6.0
- Captive JRE 6

Cisco CCENT/CCNA ICND1 100-101 Official Cert Guide, Academic Edition is part of a recommended learning path from Cisco that includes simulation and hands-on training from authorized Cisco Learning Partners and self-study products from Cisco Press. To find out more about instructor-led training, e-learning, and hands-on instruction offered by authorized Cisco Learning Partners worldwide, please visit www.cisco.com/go/authorizedtraining.

Cisco
CCENT/
CCNA
ICND1 100-101
Official Cert Guide
Academic Edition

WENDELL ODOM, CCIE No. 1624

Cisco Press
800 East 96th Street
Indianapolis, IN 46240

Cisco CCENT/CCNA ICND1 100-101 Official Cert Guide, Academic Edition

Wendell Odom, CCIE No. 1624

Copyright © 2013 Pearson Education, Inc.

Published by:

Cisco Press

800 East 96th Street

Indianapolis, IN 46240 USA

All rights reserved. No part of this book may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without written permission from the publisher, except for the inclusion of brief quotations in a review.

Printed in the United States of America

Third Printing: November 2014 with corrections March 2015

Library of Congress Control Number: 2013939886

ISBN-13: 978-1-58714-485-1

ISBN-10: 1-58714-485-9

Warning and Disclaimer

This book is designed to provide information about the Cisco 100-101 ICND1 and 200-120 CCNA exams. Every effort has been made to make this book as complete and as accurate as possible, but no warranty or fitness is implied.

The information is provided on an “as is” basis. The authors, Cisco Press, and Cisco Systems, Inc. shall have neither liability nor responsibility to any person or entity with respect to any loss or damages arising from the information contained in this book or from the use of the discs or programs that may accompany it.

The opinions expressed in this book belong to the author and are not necessarily those of Cisco Systems, Inc.

Trademark Acknowledgments

All terms mentioned in this book that are known to be trademarks or service marks have been appropriately capitalized. Cisco Press or Cisco Systems, Inc., cannot attest to the accuracy of this information. Use of a term in this book should not be regarded as affecting the validity of any trademark or service mark.

Images in Figures 2-7 (2960S-F48TS-L switch), 2-8, and 7-1 used with permission from Cisco Systems, Inc.

Corporate and Government Sales

The publisher offers excellent discounts on this book when ordered in quantity for bulk purchases or special sales, which may include electronic versions and/or custom covers and content particular to your business, training goals, marketing focus, and branding interests. For more information, please contact: **U.S. Corporate and Government Sales** 1-800-382-3419 corpsales@pearsontechgroup.com

For sales outside the United States, please contact: **International Sales** international@pearsoned.com

Feedback Information

At Cisco Press, our goal is to create in-depth technical books of the highest quality and value. Each book is crafted with care and precision, undergoing rigorous development that involves the unique expertise of members from the professional technical community.

Readers' feedback is a natural continuation of this process. If you have any comments regarding how we could improve the quality of this book, or otherwise alter it to better suit your needs, you can contact us through email at feedback@ciscopress.com. Please make sure to include the book title and ISBN in your message.

We greatly appreciate your assistance.

Publisher: Paul Boger

Associate Publisher: Dave Dusthimer

Business Operation Manager, Cisco Press: Jan Cornelissen

Executive Editor: Brett Bartow

Managing Editor: Sandra Schroeder

Development Editor: Andrew Cupp

Senior Project Editor: Tonya Simpson

Copy Editor: John Edwards

Technical Editor: Elan Beer

Editorial Assistant: Vanessa Evans

Book Designer: Mark Shirar

Illustrator: Michael Tanamachi

Composition: Studio Galou

Indexer: Tim Wright

Proofreader: Dan Knott



Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV
Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

CCDE, CCENT, Cisco Eos, Cisco HealthPresence, the Cisco logo, Cisco Lumin, Cisco Nexus, Cisco StadiumVision, Cisco TelePresence, Cisco WebEx, DCE, and Welcome to the Human Network are trademarks; Changing the Way We Work, Live, Play, and Learn and Cisco Store are service marks; and Access Registrar, Aironet, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, CCVP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, EtherFast, EtherSwitch, Event Center, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, iQuick Study, IronPort, the IronPort logo, LightStream, Linksys, MediaTone, MeetingPlace, MeetingPlace Chime Sound, MGX, Networkers, Networking Academy, Network Registrar, PCNow, PIX, PowerPanels, ProConnect, ScriptShare, SenderBase, SMARTnet, Spectrum Expert, StackWise, The Fastest Way to Increase Your Internet Quotient, TransPath, WebEx, and the WebEx logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0812R)

About the Author

Wendell Odom, CCIE No. 1624, has been in the networking industry since 1981. He has worked as a network engineer, consultant, systems engineer, instructor, and course developer; he currently works writing and creating certification tools. He is author of all the previous books in the Cisco Press CCNA Official Certification Guide series, as well as the *CCNP ROUTE 642-902 Official Certification Guide*, the *QoS 642-642 Exam Certification Guide*, coauthor of the *CCIE Routing and Switch Official Certification Guide*, and several other titles. He is also a consultant for the CCNA 640-802 Network Simulator from Pearson and for a forthcoming replacement version of that product. He maintains study tools, links to his blogs, and other resources at www.certskills.com.

About the Technical Reviewer

Elan Beer, CCIE No. 1837, is a senior consultant and Cisco instructor specializing in data center architecture and multiprotocol network design. For the past 25 years, Elan has designed networks and trained thousands of industry experts in data center architecture, routing, and switching. Elan has been instrumental in large-scale professional service efforts designing and troubleshooting internetworks, performing data center and network audits, and assisting clients with their short- and long-term design objectives. Elan has a global perspective of network architectures through his international clientele. Elan has used his expertise to design and troubleshoot data centers and internetworks in Malaysia, North America, Europe, Australia, Africa, China, and the Middle East. Most recently, Elan has been focused on data center design, configuration, and troubleshooting as well as service provider technologies. In 1993, Elan was among the first to obtain the Cisco Certified System Instructor (CCSI) certification, and in 1996, Elan was among the first to attain Cisco System's highest technical certification, the Cisco Certified Internetworking Expert. Since then, Elan has been involved in numerous large-scale data center and telecommunications networking projects worldwide.

Dedication

In memory of William E. York: Mom's dad, Paw Paw, wearing blue-jean overalls, always smiling, tagging along at the water works, fishing on Juliet Lake, the Catawba worm tree, and his big-belly laugh.

Acknowledgments

While this book is published as a first edition for various reasons, this book and the companion *Cisco CCNA Routing and Switching ICND2 200-101 Official Cert Guide* represent the seventh books in a long line of Cisco Press books focused on helping people pass the CCENT and CCNA Routing and Switching certifications. Given the long history, many people have worked on these books from their inception back in 1998. To those many people who have touched these books over these past 15 years—technical edits, development, copyedits, project editing, proofing, indexing, managing the production process, interior design, cover design, marketing, and all the other details that happen to get these books out the door—thanks so much for playing a role in this CCENT/CCNA franchise.

Many of the contributors to the previous editions returned to work on creating these new editions, including Development Editor Drew Cupp. Drew kept all the details straight, with my frequent changes to the outlines and titles, keeping the sequencing on track, while still doing his primary job: keeping the text and features clear and consistent throughout the book. Thanks, Drew, for walking me through the development.

As for the technical editor, Elan Beer did his normal job. That is, he did his usual amazing job of doing every part of the technical edit job well, from finding the tiny little cross-reference errors that sit pages apart, to anticipating how readers might misunderstand certain phrasing, to being all over the details of every technical feature. Fantastic job as usual—thanks, Elan.

Brett Bartow again served as Executive Editor on the book, as he has almost since the beginning of these titles. When my family has asked me over the years about Brett's role with these books, the best single word definition is “teammate.” Brett might be employed at Pearson Education, but he is always working with me and for me, watching out for the business end of the books and finding ways to make the publisher/author relationship work seamlessly. Thanks for another great ride through these books, Brett!

Word docs go in and out come these beautiful finished products. Thanks to Sandra Schroeder, Tonya Simpson, and all the production team for working through the magic that takes those Word docs and makes the beautiful finished product. From fixing all my grammar, crummy word choices, and passive-voice sentences, and then pulling the design and layout together, they do it all—thanks for putting it all together and making it look easy. And Tonya, managing the details through several process steps for roughly 100 elements between the pair of CCNA books in a short time frame—thanks for the amazing juggling act! And thanks especially for the attention to detail.

The figures for these books go through a little different process than they do for other books. Together we invested a large amount of labor in updating the figures for these books, both for the design, the volume of figures, and for the color versions of the figures for the electronic versions of the books. A special thanks goes out to Laura Robbins for working with me on the color and design standards early in the process. Also, thanks to Mike Tanamachi for drawing all the figures so well—and then redrawing them every time I changed my mind about something.

Thanks to Chris Burns of Certskills for all the work on the mind maps, both those used in the final product and those used to build the book, as well as for being a bit of a test case for some of the chapters.

A special thanks to you readers who write in with suggestions, possible errors, and especially those of you who post online at the Cisco Learning Network. Without question, the comments I receive directly and overhear by participating at CLN made this edition a better book.

Thanks to my wife, Kris. Book schedules have a bigger impact than I would like, but you always make it work. Thanks to my daughter, Hannah, for all the great study/work breaks on some of these busy school days. And thanks to Jesus Christ, for this opportunity to write.

Contents at a Glance

Introduction xxxi

Getting Started 2

Part I: Networking Fundamentals 8

Chapter 1: The TCP/IP and OSI Networking Models 10

Chapter 2: Fundamentals of Ethernet LANs 34

Chapter 3: Fundamentals of WANs 56

Chapter 4: Fundamentals of IPv4 Addressing and Routing 74

Chapter 5: Fundamentals of TCP/IP Transport and Applications 100

Part I Review

Part II: Ethernet LANs and Switches 122

Chapter 6: Building Ethernet LANs with Switches 124

Chapter 7: Installing and Operating Cisco LAN Switches 148

Chapter 8: Configuring Ethernet Switching 174

Chapter 9: Implementing Ethernet Virtual LANs 208

Chapter 10: Troubleshooting Ethernet LANs 234

Part II Review

Part III: IP Version 4 Addressing and Subnetting 268

Chapter 11: Perspectives on IPv4 Subnetting 270

Chapter 12: Analyzing Classful IPv4 Networks 294

Chapter 13: Analyzing Subnet Masks 308

Chapter 14: Analyzing Existing Subnets 326

Part III Review

Part IV: Implementing IP Version 4 352

Chapter 15: Operating Cisco Routers 354

Chapter 16: Configuring IPv4 Addresses and Routes 374

Chapter 17: Learning IPv4 Routes with OSPFv2 404

Chapter 18: Configuring and Verifying Host Connectivity 434

Part IV Review

Part V: Advanced IPv4 Addressing Concepts 468

Chapter 19: Subnet Design 470

Chapter 20: Variable-Length Subnet Masks 494

Chapter 21: Route Summarization 508

Part V Review

Part VI: IPv4 Services 526

- Chapter 22: Basic IPv4 Access Control Lists 528
- Chapter 23: Advanced IPv4 ACLs and Device Security 550
- Chapter 24: Network Address Translation 578
- Part VI Review

Part VII: IP Version 6 608

- Chapter 25: Fundamentals of IP Version 6 610
- Chapter 26: IPv6 Addressing and Subnetting 628
- Chapter 27: Implementing IPv6 Addressing on Routers 646
- Chapter 28: Implementing IPv6 Addressing on Hosts 666
- Chapter 29: Implementing IPv6 Routing 688
- Part VII Review

Part VIII: Final Review 718

- Chapter 30: Final Review 720

Part IX: Appendixes 734

- Appendix A: Numeric Reference Tables 736
- Appendix B: ICND1 Exam Updates 744
 - Glossary 746
 - Index 768

DVD-only Appendixes

- Appendix C: Answers to Review Questions
- Appendix D: Practice for Chapter 12: Analyzing Classful IPv4 Networks
- Appendix E: Practice for Chapter 13: Analyzing Subnet Masks
- Appendix F: Practice for Chapter 14: Analyzing Existing Subnets
- Appendix G: Practice for Chapter 19: Subnet Design
- Appendix H: Practice for Chapter 20: Variable-Length Subnet Masks
- Appendix I: Practice for Chapter 21: Route Summarization
- Appendix J: Practice for Chapter 22: Basic IPv4 Access Control Lists
- Appendix K: Practice for Chapter 25: Fundamentals of IP Version 6
- Appendix L: Practice for Chapter 27: Implementing IPv6 Addressing on Routers
- Appendix M: Memory Tables
- Appendix N: Memory Tables Answer Key
- Appendix O: Mind Map Solutions
- Appendix P: Study Planner

Contents

Introduction xxxi

Getting Started 2

Part I Networking Fundamentals 8

Chapter 1 The TCP/IP and OSI Networking Models 10

Foundation Topics 11

Perspectives on Networking 11

TCP/IP Networking Model 12

History Leading to TCP/IP 13

Overview of the TCP/IP Networking Model 14

TCP/IP Application Layer 15

HTTP Overview 15

HTTP Protocol Mechanisms 16

TCP/IP Transport Layer 17

TCP Error Recovery Basics 17

Same-Layer and Adjacent-Layer Interactions 18

TCP/IP Network Layer 18

Internet Protocol and the Postal Service 18

Internet Protocol Addressing Basics 20

IP Routing Basics 21

TCP/IP Link Layer (Data Link Plus Physical) 21

TCP/IP Model and Terminology 23

Comparing the Original and Modern TCP/IP Models 23

Data Encapsulation Terminology 23

Names of TCP/IP Messages 24

OSI Networking Model 25

Comparing OSI and TCP/IP 25

Describing Protocols by Referencing the OSI Layers 26

OSI Layers and Their Functions 26

OSI Layering Concepts and Benefits 28

OSI Encapsulation Terminology 28

Review Activities 30

Chapter 2 Fundamentals of Ethernet LANs 34

Foundation Topics 35

An Overview of LANs 35

Typical SOHO LANs 35

Typical Enterprise LANs 36

The Variety of Ethernet Physical Layer Standards	37
Consistent Behavior over All Links Using the Ethernet Data Link Layer	38
Building Physical Ethernet Networks with UTP	38
Transmitting Data Using Twisted Pairs	39
Breaking Down a UTP Ethernet Link	39
UTP Cabling Pinouts for 10BASE-T and 100BASE-T	41
<i>Straight-Through Cable Pinout</i>	41
<i>Crossover Cable Pinout</i>	43
<i>Choosing the Right Cable Pinouts</i>	43
UTP Cabling Pinouts for 1000BASE-T	44
Sending Data in Ethernet Networks	44
Ethernet Data Link Protocols	45
<i>Ethernet Addressing</i>	45
<i>Identifying Network Layer Protocols with the Ethernet Type Field</i>	47
<i>Error Detection with FCS</i>	48
Sending Ethernet Frames with Switches and Hubs	48
<i>Sending in Modern Ethernet LANs Using Full-Duplex</i>	48
<i>Using Half-Duplex with LAN Hubs</i>	49
Review Activities	52
Chapter 3 Fundamentals of WANs	56
Foundation Topics	57
Leased Line WANs	57
Positioning Leased Lines with LANs and Routers	57
Physical Details of Leased Lines	58
<i>Leased Line Cabling</i>	59
<i>Building a WAN Link in a Lab</i>	60
Data Link Details of Leased Lines	60
<i>HDLC Basics</i>	61
<i>How Routers Use a WAN Data Link</i>	62
Ethernet as a WAN Technology	63
Ethernet WANs that Create a Layer 2 Service	64
How Routers Route IP Packets Using Ethernet Emulation	65
Accessing the Internet	65
The Internet as a Large WAN	66
Internet Access (WAN) Links	67
Digital Subscriber Line	68
Cable Internet	69
Review Activities	71

Chapter 4 Fundamentals of IPv4 Addressing and Routing 74

Foundation Topics	75
Overview of Network Layer Functions	75
Network Layer Routing (Forwarding) Logic	75
<i>Host Forwarding Logic: Send the Packet to the Default Router</i>	76
<i>R1 and R2's Logic: Routing Data Across the Network</i>	77
<i>R3's Logic: Delivering Data to the End Destination</i>	77
How Network Layer Routing Uses LANs and WANs	77
IP Addressing and How Addressing Helps IP Routing	78
Routing Protocols	79
IPv4 Addressing	80
Rules for IP Addresses	80
Rules for Grouping IP Addresses	81
<i>Class A, B, and C IP Networks</i>	82
<i>The Actual Class A, B, and C IP Networks</i>	83
IP Subnetting	85
IPv4 Routing	87
IPv4 Host Routing	87
Router Forwarding Decisions and the IP Routing Table	87
<i>A Summary of Router Forwarding Logic</i>	87
<i>A Detailed Routing Example</i>	88
IPv4 Routing Protocols	89
Other Network Layer Features	91
Using Names and the Domain Name System	91
The Address Resolution Protocol	92
ICMP Echo and the ping Command	93
Review Activities	95

Chapter 5 Fundamentals of TCP/IP Transport and Applications 100

Foundation Topics	101
TCP/IP Layer 4 Protocols: TCP and UDP	101
Transmission Control Protocol	102
<i>Multiplexing Using TCP Port Numbers</i>	102
<i>Popular TCP/IP Applications</i>	105
<i>Connection Establishment and Termination</i>	106
User Datagram Protocol	107
TCP/IP Applications	107
QoS Needs and the Impact of TCP/IP Applications	107
<i>Defining Interactive and Batch Applications</i>	108

<i>Real-Time Voice and Video Applications</i>	108
The World Wide Web, HTTP, and SSL	109
<i>Uniform Resource Locators</i>	110
<i>Finding the Web Server Using DNS</i>	110
<i>Transferring Files with HTTP</i>	112
Review Activities	113
Part I Review	118
Part II Ethernet LANs and Switches	122
Chapter 6 Building Ethernet LANs with Switches	124
Foundation Topics	125
LAN Switching Concepts	125
Historical Progression: Hubs, Bridges, and Switches	125
Switching Logic	127
<i>The Forward-Versus-Filter Decision</i>	127
<i>How Switches Learn MAC Addresses</i>	128
<i>Flooding Frames</i>	129
<i>Avoiding Loops Using Spanning Tree Protocol</i>	130
<i>Internal Processing on Cisco Switches</i>	130
LAN Switching Summary	131
Design Choices in Ethernet LANs	132
Collision Domains, Broadcast Domains, and VLANs	132
<i>Collision Domains</i>	133
<i>Broadcast Domains</i>	133
<i>The Impact of Collision and Broadcast Domains on LAN Design</i>	134
<i>Virtual LANs (VLAN)</i>	135
Choosing Ethernet Technology for a Campus LAN	136
<i>Campus Design Terminology</i>	136
<i>Ethernet LAN Media and Cable Lengths</i>	138
Autonegotiation	139
<i>Autonegotiation Results When Only One Node Uses</i> <i>Autonegotiation</i>	140
<i>Autonegotiation and LAN Hubs</i>	141
Review Activities	143
Chapter 7 Installing and Operating Cisco LAN Switches	148
Foundation Topics	149
Accessing the Cisco Catalyst 2960 Switch CLI	149
Cisco Catalyst Switches and the 2960 Switch	149
Switch Status from LEDs	150

- Accessing the Cisco IOS CLI 152
- Cabling the Console Connection* 152
- Configuring the Terminal Emulator for the Console* 153
- Accessing the CLI with Telnet and SSH* 154
- Password Security for CLI Access* 155
- User and Enable (Privileged) Modes 156
- CLI Help Features 157
- The **debug** and **show** Commands 158
- Configuring Cisco IOS Software 159
 - Configuration Submodes and Contexts 160
 - Storing Switch Configuration Files 162
 - Copying and Erasing Configuration Files 164
 - Initial Configuration (Setup Mode) 165
 - IOS Version and Other Reload Facts 166
- Review Activities 169

Chapter 8 Configuring Ethernet Switching 174

- Foundation Topics 175
- Configuration of Features in Common with Routers 175
 - Securing the Switch CLI 175
 - Securing Access with Simple Passwords* 175
 - Securing Access with Local Usernames and Passwords* 178
 - Securing Access with External Authentication Servers* 179
 - Configuring Secure Shell (SSH)* 180
 - Encrypting and Hiding Passwords 182
 - Encrypting Passwords with the **service password** Command* 182
 - Hiding the Enable Password* 184
 - Hiding the Passwords for Local Usernames* 185
 - Console and vty Settings 185
 - Banners* 185
 - History Buffer Commands* 187
 - The **logging synchronous** and **exec-timeout** Commands* 187
- LAN Switch Configuration and Operation 188
 - Enabling IP for Remote Access 188
 - Configuring IPv4 on a Switch* 190
 - Verifying IPv4 on a Switch* 191
 - Configuring Switch Interfaces 192
 - Port Security 193
 - Configuring Port Security* 195

	<i>Verifying Port Security</i>	197
	<i>Port Security Actions</i>	198
	Securing Unused Switch Interfaces	198
	Review Activities	199
Chapter 9	Implementing Ethernet Virtual LANs	208
	Foundation Topics	209
	Virtual LAN Concepts	209
	Creating Multiswitch VLANs Using Trunking	210
	<i>VLAN Tagging Concepts</i>	211
	<i>The 802.1Q and ISL VLAN Trunking Protocols</i>	212
	Forwarding Data Between VLANs	213
	<i>Routing Packets Between VLANs with a Router</i>	213
	<i>Routing Packets with a Layer 3 Switch</i>	215
	VLAN and VLAN Trunking Configuration and Verification	216
	Creating VLANs and Assigning Access VLANs to an Interface	216
	<i>VLAN Configuration Example 1: Full VLAN Configuration</i>	217
	<i>VLAN Configuration Example 2: Shorter VLAN Configuration</i>	219
	VLAN Trunking Protocol (VTP)	220
	VLAN Trunking Configuration	221
	Controlling Which VLANs Can Be Supported on a Trunk	225
	Review Activities	228
Chapter 10	Troubleshooting Ethernet LANs	234
	Foundation Topics	236
	Perspectives on Network Verification and Troubleshooting	236
	Preparing to Use an Organized Troubleshooting Process	236
	Troubleshooting as Covered in This Book	238
	Analyzing LAN Topology Using Cisco Discovery Protocol	239
	Examining Information Learned by CDP	239
	Examining the Status of the CDP Protocols	242
	Analyzing Switch Interface Status	242
	Interface Status Codes and Reasons for Nonworking States	243
	Interface Speed and Duplex Issues	244
	Common Layer 1 Problems on Working Interfaces	247
	Predicting Where Switches Will Forward Frames	248
	Predicting the Contents of the MAC Address Table	248
	Analyzing the Forwarding Path	250
	Port Security and Filtering	251

Analyzing VLANs and VLAN Trunks	252
Ensuring That the Right Access Interfaces Are in the Right VLANs	252
Access VLANs Not Being Defined	253
Access VLANs Being Disabled	253
Check the Allowed VLAN List on Both Ends of a Trunk	254
Mismatched Trunking Operational States	255
Review Activities	257

Part II Review 264

Part III IP Version 4 Addressing and Subnetting 268

Chapter 11 Perspectives on IPv4 Subnetting 270

Foundation Topics	271
Introduction to Subnetting	271
Subnetting Defined Through a Simple Example	271
Operational View Versus Design View of Subnetting	272
Analyze Subnetting and Addressing Needs	273
Rules About Which Hosts Are in Which Subnet	273
Determining the Number of Subnets	274
Determining the Number of Hosts per Subnet	275
One Size Subnet Fits All—Or Not	276
<i>Defining the Size of a Subnet</i>	276
<i>One Size Subnet Fits All</i>	277
<i>Multiple Subnet Sizes (Variable-Length Subnet Masks)</i>	278
<i>This Book: One Size Subnet Fits All (Mostly)</i>	278
Make Design Choices	278
Choose a Classful Network	279
<i>Public IP Networks</i>	279
<i>Growth Exhausts the Public IP Address Space</i>	280
<i>Private IP Networks</i>	281
<i>Choosing an IP Network During the Design Phase</i>	281
Choose the Mask	282
<i>Classful IP Networks Before Subnetting</i>	282
<i>Borrowing Host Bits to Create Subnet Bits</i>	283
<i>Choosing Enough Subnet and Host Bits</i>	283
<i>Example Design: 172.16.0.0, 200 Subnets, 200 Hosts</i>	284
<i>Masks and Mask Formats</i>	285
Build a List of All Subnets	286

Plan the Implementation	287
Assigning Subnets to Different Locations	287
Choose Static and Dynamic Ranges per Subnet	288
Review Activities	290

Chapter 12 Analyzing Classful IPv4 Networks 294

Foundation Topics	295
Classful Network Concepts	295
IPv4 Network Classes and Related Facts	295
<i>Actual Class A, B, and C Networks</i>	296
<i>Address Formats</i>	296
<i>Default Masks</i>	297
Number of Hosts per Network	298
Deriving the Network ID and Related Numbers	298
Unusual Network IDs and Network Broadcast Addresses	300
Practice with Classful Networks	300
Practice Deriving Key Facts Based on an IP Address	301
Practice Remembering the Details of Address Classes	301
Additional Practice	302
Review Activities	303

Chapter 13 Analyzing Subnet Masks 308

Foundation Topics	309
Subnet Mask Conversion	309
Three Mask Formats	309
Converting Between Binary and Prefix Masks	310
Converting Between Binary and DDN Masks	310
Converting Between Prefix and DDN Masks	312
Practice Converting Subnet Masks	313
Identifying Subnet Design Choices Using Masks	314
Masks Divide the Subnet's Addresses into Two Parts	314
Masks and Class Divide Addresses into Three Parts	315
Classless and Classful Addressing	316
Calculations Based on the IPv4 Address Format	316
Practice Analyzing Subnet Masks	318
Review Activities	320

Chapter 14 Analyzing Existing Subnets 326

Foundation Topics	327
Defining a Subnet	327
An Example with Network 172.16.0.0 and Four Subnets	327

Subnet ID Concepts	328
Subnet Broadcast Address	329
Range of Usable Addresses	330
Analyzing Existing Subnets: Binary	330
Finding the Subnet ID: Binary	330
Finding the Subnet Broadcast Address: Binary	332
Binary Practice Problems	333
Shortcut for the Binary Process	334
Brief Note About Boolean Math	335
Finding the Range of Addresses	336
Analyzing Existing Subnets: Decimal	336
Analysis with Easy Masks	336
Predictability in the Interesting Octet	337
Finding the Subnet ID: Difficult Masks	338
<i>Resident Subnet Example 1</i>	338
<i>Resident Subnet Example 2</i>	339
<i>Resident Subnet Practice Problems</i>	340
Finding the Subnet Broadcast Address: Difficult Masks	340
<i>Subnet Broadcast Example 1</i>	340
<i>Subnet Broadcast Example 2</i>	341
<i>Subnet Broadcast Address Practice Problems</i>	341
Practice Analyzing Existing Subnets	342
A Choice: Memorize or Calculate	342
Additional Practice	342
Review Activities	343

Part III Review 348

Part IV Implementing IP Version 4 352

Chapter 15 Operating Cisco Routers 354

Foundation Topics	355
Installing Cisco Routers	355
Installing Enterprise Routers	355
<i>Cisco Integrated Services Routers</i>	356
<i>Physical Installation</i>	357
Installing Internet Access Routers	357
<i>A SOHO Installation with a Separate Switch, Router, and Cable Modem</i>	358
<i>A SOHO Installation with an Integrated Switch, Router, and DSL Modem</i>	359

Enabling IPv4 Support on Cisco Routers	359
Comparisons Between the Switch CLI and Router CLI	359
Router Interfaces	360
<i>Interface Status Codes</i>	362
<i>Router Interface IP Addresses</i>	363
<i>Bandwidth and Clock Rate on Serial Interfaces</i>	365
Router Auxiliary (Aux) Port	366
Operational Status with the show version Command	366
Review Activities	368

Chapter 16 Configuring IPv4 Addresses and Routes 374

Foundation Topics	376
IP Routing	376
IPv4 Routing Process Reference	376
An Example of IP Routing	378
<i>Host Forwards the IP Packet to the Default Router (Gateway)</i>	379
<i>Routing Step 1: Decide Whether to Process the Incoming Frame</i>	380
<i>Routing Step 2: Deencapsulation of the IP Packet</i>	380
<i>Routing Step 3: Choosing Where to Forward the Packet</i>	381
<i>Routing Step 4: Encapsulating the Packet in a New Frame</i>	381
<i>Routing Step 5: Transmitting the Frame</i>	382
Internal Processing on Cisco Routers	382
<i>Potential Routing Performance Issues</i>	383
<i>Cisco Router Fast Switching and CEF</i>	383
Configuring Connected Routes	384
Connected Routes and the ip address Command	384
Routing Between Subnets on VLANs	386
<i>Configuring Routing to VLANs using 802.1Q on Routers</i>	387
<i>Configuring Routing to VLANs Using a Layer 3 Switch</i>	390
Secondary IP Addressing	392
Supporting Connected Routes to Subnet Zero	393
Configuring Static Routes	394
Static Route Configuration	394
Static Default Routes	396
Review Activities	399

Chapter 17 Learning IPv4 Routes with OSPFv2 404

Foundation Topics	405
Comparing Dynamic Routing Protocol Features	405
Routing Protocol Functions	405

Interior and Exterior Routing Protocols	406
Comparing IGPs	407
<i>IGP Routing Protocol Algorithms</i>	407
<i>Metrics</i>	408
<i>Other IGP Comparisons</i>	409
Administrative Distance	410
Understanding the OSPF Link-State Routing Protocol	411
Building the LSDB and Creating IP Routes	411
<i>Topology Information and LSAs</i>	412
<i>Applying Dijkstra SPF Math to Find the Best Routes</i>	413
Using OSPF Neighbor Relationships	413
<i>The Basics of OSPF Neighbors</i>	413
<i>Meeting Neighbors and Learning Their Router ID</i>	414
Scaling OSPF Through Hierarchical Design	415
OSPF Configuration	417
OSPF Single-Area Configuration	417
<i>Matching with the OSPF network Command</i>	419
<i>Verifying OSPF</i>	420
Configuring the OSPF Router ID	423
Miscellaneous OSPF Configuration Settings	424
<i>OSPF Passive Interfaces</i>	424
<i>OSPF Default Routes</i>	426
Review Activities	428
Chapter 18 Configuring and Verifying Host Connectivity	434
Foundation Topics	435
Configuring Routers to Support DHCP	435
DHCP Protocol Messages and Addresses	435
Supporting DHCP for Remote Subnets with DHCP Relay	437
Information Stored at the DHCP Server	438
DHCP Server Configuration and Verification on Routers	439
<i>IOS DHCP Server Configuration</i>	439
<i>IOS DHCP Server Verification</i>	441
<i>Detecting Conflicts with Offered Versus Used Addresses</i>	442
Verifying Host IPv4 Settings	442
IP Address and Mask Configuration	443
Name Resolution with DNS	444
Default Routers	445

Testing Connectivity with ping, traceroute, and telnet	447
The ping Command	447
<i>Testing IP Routes with ping on a Router</i>	448
<i>Controlling the Source IP Address with Extended ping</i>	449
The traceroute Command	451
<i>How the traceroute Command Works</i>	452
<i>traceroute and Similar Commands</i>	454
Telnet and Suspend	455
Review Activities	458

Part IV Review 464

Part V Advanced IPv4 Addressing Concepts 468

Chapter 19 Subnet Design 470

Foundation Topics	471
Choosing the Mask(s) to Meet Requirements	471
Review: Choosing the Minimum Number of Subnet and Host Bits	471
No Masks Meet Requirements	472
One Mask Meets Requirements	473
Multiple Masks Meet Requirements	473
<i>Finding All the Masks: Concepts</i>	473
<i>Finding All the Masks: Math</i>	475
<i>Choosing the Best Mask</i>	475
The Formal Process	475
Practice Choosing Subnet Masks	476
<i>Practice Problems for Choosing a Subnet Mask</i>	476
<i>Additional Practice for Choosing the Subnet Mask</i>	477
Finding All Subnet IDs	477
First Subnet ID: The Zero Subnet	477
Finding the Pattern Using the Magic Number	478
A Formal Process with Less Than 8 Subnet Bits	479
<i>Example 1: Network 172.16.0.0, Mask 255.255.240.0</i>	480
<i>Example 2: Network 192.168.1.0, Mask 255.255.255.224</i>	481
Finding All Subnets with Exactly 8 Subnet Bits	482
Finding All Subnets with More Than 8 Subnet Bits	483
<i>Process with 9–16 Subnet Bits</i>	483
<i>Process with 17 or More Subnet Bits</i>	484
Practice Finding All Subnet IDs	485

Practice Problems for Finding All Subnet IDs 486
Additional Practice for Finding All Subnet IDs 486
Review Activities 487

Chapter 20 Variable-Length Subnet Masks 494

Foundation Topics 495
VLSM Concepts and Configuration 495
 Classless and Classful Routing Protocols 495
 VLSM Configuration and Verification 496
Finding VLSM Overlaps 497
 An Example of Finding a VLSM Overlap 498
 Practice Finding VLSM Overlaps 499
Adding a New Subnet to an Existing VLSM Design 500
 An Example of Adding a New VLSM Subnet 500
 Practice Adding New VLSM Subnets 502
Review Activities 503

Chapter 21 Route Summarization 508

Foundation Topics 509
Manual Route Summarization Concepts 509
 Route Summarization Basics 509
 Route Summarization and the IPv4 Subnetting Plan 510
 Verifying Manually Summarized Routes 511
Choosing the Best Summary Routes 512
 The Process to Find the Best Summary Route 512
 Sample “Best” Summary on Router R3 513
 Sample “Best” Summary on Router R2 514
 Practice Choosing the Best Summary Routes 515
Review Activities 516

Part V Review 522

Part VI IPv4 Services 526

Chapter 22 Basic IPv4 Access Control Lists 528

Foundation Topics 529
IPv4 Access Control List Basics 529
 ACL Location and Direction 529
 Matching Packets 530
 Taking Action When a Match Occurs 530
 Types of IP ACLs 531

Standard Numbered IPv4 ACLs	531
List Logic with IP ACLs	532
Matching Logic and Command Syntax	533
<i>Matching the Exact IP Address</i>	533
<i>Matching a Subset of the Address with Wildcards</i>	533
<i>Binary Wildcard Masks</i>	535
<i>Finding the Right Wildcard Mask to Match a Subnet</i>	535
<i>Matching Any/All Addresses</i>	536
Implementing Standard IP ACLs	536
<i>Standard Numbered ACL Example 1</i>	537
<i>Standard Numbered ACL Example 2</i>	538
Troubleshooting and Verification Tips	540
Practice Applying Standard IP ACLs	541
Practice Building access-list Commands	541
Reverse Engineering from ACL to Address Range	542
Review Activities	544
Chapter 23 Advanced IPv4 ACLs and Device Security	550
Foundation Topics	552
Extended Numbered IP Access Control Lists	552
Matching the Protocol, Source IP, and Destination IP	552
Matching TCP and UDP Port Numbers	553
Extended IP ACL Configuration	556
<i>Extended IP Access Lists: Example 1</i>	557
<i>Extended IP Access Lists: Example 2</i>	558
Practice Building access-list Commands	559
Named ACLs and ACL Editing	560
Named IP Access Lists	560
Editing ACLs Using Sequence Numbers	562
Numbered ACL Configuration Versus Named ACL Configuration	563
Router and Switch Security	564
Review: Password Protections for the CLI	565
Disable Services	565
Controlling Telnet and SSH Access with ACLs	567
ACL Implementation Considerations	567
Network Time Protocol	568
Review Activities	571

Chapter 24 Network Address Translation 578

- Foundation Topics 579
- Perspectives on IPv4 Address Scalability 579
 - CIDR 579
 - Route Aggregation for Shorter Routing Tables* 580
 - IPv4 Address Conservation* 580
 - Private Addressing 581
- Network Address Translation Concepts 581
 - Static NAT 582
 - Dynamic NAT 584
 - Overloading NAT with Port Address Translation (PAT) 585
 - NAT Overload (PAT) on Consumer Routers 587
- NAT Configuration and Troubleshooting 588
 - Static NAT Configuration 588
 - Dynamic NAT Configuration 590
 - Dynamic NAT Verification 592
 - NAT Overload (PAT) Configuration 594
 - NAT Troubleshooting 596
- Review Activities 598

Part VI Review 604

Part VII: IP Version 6 608

Chapter 25 Fundamentals of IP Version 6 610

- Foundation Topics 611
- Introduction to IPv6 611
 - The Historical Reasons for IPv6 611
 - The IPv6 Protocols 612
 - IPv6 Routing 614
 - IPv6 Routing Protocols 615
- IPv6 Addressing Formats and Conventions 616
 - Representing Full (Unabbreviated) IPv6 Addresses 617
 - Abbreviating and Expanding IPv6 Addresses 617
 - Abbreviating IPv6 Addresses* 617
 - Expanding Abbreviated IPv6 Addresses* 618
 - Representing the Prefix Length of an Address 619
 - Calculating the IPv6 Prefix (Subnet ID) 619
 - Finding the IPv6 Prefix* 620
 - Working with More Difficult IPv6 Prefix Lengths* 621
- Review Activities 623

Chapter 26 IPv6 Addressing and Subnetting 628

Foundation Topics	629
Global Unicast Addressing Concepts	629
A Brief Review of Public and Private IPv4 Addresses	629
<i>Review of Public IPv4 Addressing Concepts</i>	629
<i>Review of Private IPv4 Addressing Concepts</i>	631
<i>Public and Private IPv6 Addresses</i>	631
The IPv6 Global Routing Prefix	632
Address Ranges for Global Unicast Addresses	633
IPv6 Subnetting Using Global Unicast Addresses	634
<i>Deciding Where IPv6 Subnets Are Needed</i>	634
<i>The Mechanics of Subnetting IPv6 Global Unicast Addresses</i>	635
<i>Listing the IPv6 Subnet Identifier</i>	637
<i>List All IPv6 Subnets</i>	637
<i>Assign Subnets to the Internetwork Topology</i>	638
Assigning Addresses to Hosts in a Subnet	638
Unique Local Unicast Addresses	639
Subnetting with Unique Local IPv6 Addresses	640
The Need for Globally Unique Local Addresses	640
Review Activities	642

Chapter 27 Implementing IPv6 Addressing on Routers 646

Foundation Topics	647
Implementing Unicast IPv6 Addresses on Routers	647
Static Unicast Address Configuration	648
<i>Configuring the Full 128-Bit Address</i>	648
<i>Enabling IPv6 Routing</i>	649
<i>Verifying the IPv6 Address Configuration</i>	649
<i>Generating a Unique Interface ID Using EUI-64</i>	651
Dynamic Unicast Address Configuration	654
Special Addresses Used by Routers	654
Link-Local Addresses	655
<i>Link-Local Address Concepts</i>	655
<i>Creating Link-Local Addresses on Routers</i>	656
IPv6 Multicast Addresses	657
<i>Broadcasts Versus Multicasts</i>	657
<i>Common Local Scope Multicast Addresses</i>	658
<i>Solicited-Node Multicast Addresses</i>	658
Miscellaneous IPv6 Addresses	660
Review Activities	661

Chapter 28 Implementing IPv6 Addressing on Hosts 666

- Foundation Topics 668
- The Neighbor Discovery Protocol 668
 - Discovering Routers with NDP RS and RA 669
 - Discovering Addressing Info for SLAAC with NDP RS and RA 669
 - Discovering Neighbor Link Addresses with NDP NS and NA 670
 - Discovering Duplicate Addresses Using NDP NS and NA 671
 - NDP Summary 672
- Dynamic Configuration of Host IPv6 Settings 673
 - Dynamic Configuration Using Stateful DHCP and NDP 673
 - Differences Between DHCPv6 and DHCPv4* 674
 - DHCPv6 Relay Agents* 674
 - Using Stateless Address Autoconfiguration 676
 - Building an IPv6 Address Using SLAAC* 676
 - Combining SLAAC with NDP and Stateless DHCP* 677
- Verification of Host IPv6 Connectivity 678
 - Verifying Host IPv6 Connectivity from Hosts 678
 - Verifying Host Connectivity from Nearby Routers 680
- Review Activities 683

Chapter 29 Implementing IPv6 Routing 688

- Foundation Topics 689
- Connected and Local IPv6 Routes 689
 - Rules for Connected and Local Routes 689
 - Example of Connected IPv6 Routes 690
 - Examples of Local IPv6 Routes 691
- Static IPv6 Routes 692
 - Static Routes Using the Outgoing Interface 692
 - Static Routes Using Next-Hop IPv6 Address 693
 - Example Static Route with a Global Unicast Next-Hop Address* 694
 - Example Static Route with a Link-Local Next-Hop Address* 695
 - Static Default Routes 696
- Dynamic Routes with OSPFv3 697
 - Comparing OSPF for IPv4 and IPv6 697
 - OSPF Routing Protocol Versions and Protocols* 697
 - Comparing OSPFv2 and OSPFv3* 698
 - Configuring Single-Area OSPFv3 700
 - OSPFv3 Single-Area Configuration Example* 701
 - OSPFv3 Passive Interfaces* 703

Verifying OSPFv3 Status and Routes	703
<i>Verifying OSPFv3 Configuration Settings</i>	704
<i>Verifying OSPFv3 Neighbors</i>	706
<i>Examining the OSPFv3 Database</i>	707
<i>Examining IPv6 Routes Learned by OSPFv3</i>	707
Review Activities	709

Part VII Review 714

Part VIII: Final Review 718

Chapter 30 Final Review 720

Advice About the Exam Event	720
Learn the Question Types Using the Cisco Certification Exam Tutorial	720
Think About Your Time Budget Versus Numbers of Questions	721
A Suggested Time-Check Method	722
Miscellaneous Pre-Exam Suggestions	722
Exam-Day Advice	722
Exam Review	723
Practice Subnetting and Other Math-Related Skills	723
Take Practice Exams	725
<i>Practicing Taking the ICND1 Exam</i>	726
<i>Practicing Taking the CCNA Exam</i>	726
<i>Advice on How to Answer Exam Questions</i>	728
Find Knowledge Gaps Through Question Review	729
Practice Hands-On CLI Skills	731
<i>Review Mind Maps from Part Review</i>	731
<i>Do Labs</i>	731
Other Study Tasks	732
Final Thoughts	732

Part IX Appendixes 734

Appendix A Numeric Reference Tables 736

Appendix B ICND1 Exam Updates 744

Glossary 746

Index 768

DVD-only Appendixes

Appendix C: Answers to Review Questions

Appendix D: Practice for Chapter 12: Analyzing Classful IPv4 Networks

Appendix E: Practice for Chapter 13: Analyzing Subnet Masks

Appendix F: Practice for Chapter 14: Analyzing Existing Subnets

Appendix G: Practice for Chapter 19: Subnet Design

Appendix H: Practice for Chapter 20: Variable-Length Subnet Masks

Appendix I: Practice for Chapter 21: Route Summarization

Appendix J: Practice for Chapter 22: Basic IPv4 Access Control Lists

Appendix K: Practice for Chapter 25: Fundamentals of IP Version 6

Appendix L: Practice for Chapter 27: Implementing IPv6 Addressing on Routers


Appendix M: Memory Tables

Appendix N: Memory Tables Answer Key

Appendix O: Mind Map Solutions

Appendix P: Study Planner

Icons Used in This Book



Command Syntax Conventions

The conventions used to present command syntax in this book are the same conventions used in the IOS Command Reference. The Command Reference describes these conventions as follows:

- **Boldface** indicates commands and keywords that are entered literally as shown. In actual configuration examples and output (not general command syntax), boldface indicates commands that are manually input by the user (such as a **show** command).
- *Italic* indicates arguments for which you supply actual values.
- Vertical bars (|) separate alternative, mutually exclusive elements.
- Square brackets ([]) indicate an optional element.
- Braces ({ }) indicate a required choice.
- Braces within brackets ([{ }]) indicate a required choice within an optional element.

This page intentionally left blank

Introduction

About the Book and the Exams

This book serves first as a textbook in some college networking courses. At the same time, you might want a career in networking somewhere down the road, and this book helps you with a big step in that journey by helping you pass a Cisco certification exam.

If you want to succeed as a technical person in the networking industry, you need to know Cisco. Cisco has a ridiculously high market share in the router and switch marketplace, with more than an 80 percent share in some markets. In many geographies and markets around the world, networking equals Cisco. If you want to be taken seriously as a network engineer, Cisco certification makes perfect sense.

The Exams That Help You Achieve CCENT and CCNA

Cisco announced changes to the CCENT and CCNA Routing and Switching certifications, and the related 100-101 ICND1, 200-101 ICND2, and 200-120 CCNA exams, early in 2013. For those of you who understand how the old Cisco ICND1, ICND2, and CCNA exams worked, the structure remains the same. For those of you new to Cisco certifications, this Introduction begins by discussing the basics.

Almost everyone new to Cisco certifications begins with either CCENT or CCNA Routing and Switching. CCENT certification requires knowledge and skills on about half as much material as does CCNA Routing and Switching, so CCENT is the easier first step.

The CCENT certification requires a single step: pass the ICND1 exam. Simple enough.

The CCNA Routing and Switching certification gives you two options, as shown in Figure I-1: Pass both the ICND1 and ICND2 exams, or just pass the CCNA exam. (Note that there is no separate certification for passing the ICND2 exam.)




Figure I-1 Cisco Entry-Level Certifications and Exams

As you can see, although you can obtain the CCENT certification by taking the ICND1 exam, you do not have to be CCENT certified before you get your CCNA Routing and Switching certification. You can choose to take the CCNA exam and bypass the CCENT certification.

As for the topics themselves, the ICND1 and ICND2 exams cover different topics, but with some overlap required. For example, ICND1 covers the basics of the Open Shortest Path First (OSPF) routing protocol. ICND2 covers more detail about OSPF, but to discuss those additional details, ICND2 must rely on the parts of OSPF included in ICND1. Many topics in ICND2 build upon topics in ICND1, causing some overlap.

The CCNA exam covers all the topics in both ICND1 and ICND2—no more, no less.

Types of Questions on the Exams

The ICND1, ICND2, and CCNA exams all follow the same general format. At the testing center, you will sit in a quiet room with a PC. Before the exam timer begins, you will have a chance to do a few other tasks on the PC—for example, you can take a sample quiz just to get accustomed to the PC and the testing engine. Anyone who has user-level skills in getting around a PC should have no problems with the testing environment.

After the exam starts, the screen shows you question after question. The questions typically fall into one of the following categories:

- Multiple-choice (MC) single answer
- Multiple-choice (MC) multiple answer
- Testlet
- Drag-and-drop (DND)
- Simulated lab (Sim)
- Simlet

The first three items in the list are all actually multiple-choice questions. The multiple-choice format simply requires that you point and click a circle beside the correct answer(s). Cisco traditionally tells you how many answers you need to choose, and the testing software prevents you from choosing too many answers. The Testlet style gives you one larger scenario statement, with multiple different multi-choice questions about that one scenario.

Drag-and-drop questions require you to move some items around on the GUI. You left-click and hold, move a button or icon to another area, and release the mouse button to place the object somewhere else—typically into a list. So, for some questions, to get the question correct, you might need to put a list of five things in the proper order.

The last two types both use a network simulator to ask questions. Interestingly, the two types actually allow Cisco to assess two very different skills. First, Sim questions generally describe a problem, and your task is to configure one or more routers and switches to fix the problem. The exam then grades the question based on the configuration you changed or added.

The Simlet questions might well be the most difficult style of question on the exams. Simlet questions also use a network simulator, but instead of answering the question by changing the configuration, the question includes one or more MC questions. The questions require that you use the simulator to examine the current behavior of a network, interpreting the output of any **show** commands that you can remember to answer the question. While Sim questions require you to troubleshoot problems related to a configuration, Simlets require you to analyze both working and broken networks, correlating **show** command output with your knowledge of networking theory and configuration commands.

You can watch and even experiment with these command types using the Cisco Exam Tutorial. To find the Cisco Certification Exam Tutorial, go to www.cisco.com and search for “exam tutorial.”

What’s on the CCNA Exam(s)?

Ever since I was in grade school, whenever the teacher announced that we were having a test soon, someone would always ask, “What’s on the test?” Even in college, people would try to get more information about what would be on the exams. At heart, the goal is to know what to study hard, what to study a little, and what to not study at all.

Cisco tells the world the topics on each of its exams. Cisco wants the public to know both the variety of topics, and an idea about the kinds of knowledge and skills required for each topic, for every Cisco certification exam. To that end, Cisco publishes a set of exam topics for each exam.

Many Cisco exam topics list both a networking topic and an important verb. The verb tells us to what degree the topic must be understood, and what skills are required. The topic also implies the kinds of skills required for that topic. For example, one topic might start with “Describe...,” another with “Configure...,” another with “Verify...,” and another might begin with “Troubleshoot...” That last topic has the highest required skill level, because to troubleshoot, you must understand the topic, be able to configure it (to see what’s wrong with the configuration), and verify it (to find the root cause of the problem). By listing the topics and skill level, Cisco helps us all prepare for its exams.

Although the exam topics are helpful, keep in mind that Cisco adds a disclaimer that the posted exam topics for all of its certification exams are guidelines. Cisco makes the effort to keep the exam questions within the confines of the stated exam topics, and I know from talking to those involved that every question is analyzed for whether it fits within the stated exam topics.

ICND1 Exam Topics

Tables I-1 through I-7 list the exam topics for the ICND1 exam. Following those tables, Tables I-8 through I-12 list the exam topics for ICND2. These tables note the book chapters in which each exam topic is covered.

The tables follow the Cisco organization of topics, by both grouping similar topics and listing subtopics. The subtopics simply give more specific terms and concepts to provide more detail about some exam topics. The tables show the main topics with bold, and the subtopics as indented text inside the tables.

Table I-1 ICND1 Exam Topics: Operation of IP Data Networks

Chapter	Operation of IP Data Networks
1–4, 6, 15	Recognize the purpose and functions of various network devices such as Routers, Switches, Bridges and Hubs.
1–4, 6, 15	Select the components required to meet a given network specification.
5	Identify common applications and their impact on the network
1	Describe the purpose and basic operation of the protocols in the OSI and TCP/IP models.
2–5, 6, 9, 16, 24, 25	Predict the data flow between two hosts across a network.
2, 6, 15	Identify the appropriate media, cables, ports, and connectors to connect Cisco network devices to other network devices and hosts in a LAN

Table I-2 ICND1 Exam Topics: LAN Switching Technologies

Chapter	LAN Switching Technologies
2, 6	Determine the technology and media access control method for Ethernet networks
6, 8, 9	Identify basic switching concepts and the operation of Cisco switches
6, 8	Collision Domains
6, 9	Broadcast Domains
6	Types of switching
6, 8, 9	CAM Table
7	Configure and verify initial switch configuration including remote access management.
7	Cisco IOS commands to perform basic switch setup
7, 18, 28	Verify network status and switch operation using basic utilities such as ping, telnet and ssh.
9	Describe how VLANs create logically separate networks and the need for routing between them.
9	Explain network segmentation and basic traffic management concepts
9	Configure and verify VLANs
9, 10	Configure and verify trunking on Cisco switches
9, 10	DTP
10	Auto negotiation

Table I-3 ICND1 Exam Topics: IP Addressing (IPv4 / IPv6)

Chapter	IP Addressing (IPv4/IPv6)
11	Describe the operation and necessity of using private and public IP addresses for IPv4 addressing
25, 26	Identify the appropriate IPv6 addressing scheme to satisfy addressing requirements in a LAN/WAN environment.
11, 19, 20, 21	Identify the appropriate IPv4 addressing scheme using VLSM and summarization to satisfy addressing requirements in a LAN/WAN environment.
27, 28, 29	Describe the technological requirements for running IPv6 in conjunction with IPv4 such as dual stack
25–28	Describe IPv6 addresses
25, 26	Global unicast
27	Multicast
27	Link local
26	Unique local
27	eui 64
28	autoconfiguration

Table I-4 ICND1 Exam Topics: IP Routing Technologies

Chapter	IP Routing Technologies
16	Describe basic routing concepts
16	CEF
16	Packet forwarding
16	Router lookup process
15–18, 27	Configure and verify utilizing the CLI to set basic Router configuration

Chapter	IP Routing Technologies
16–18, 27	Cisco IOS commands to perform basic router setup
16, 27	Configure and verify operation status of an ethernet interface
16–18, 27–29	Verify router configuration and network connectivity
16–18, 27, 29	Cisco IOS commands to review basic router information and network connectivity
16, 29	Configure and verify routing configuration for a static or default route given specific routing requirements
4, 16, 17, 25, 29	Differentiate methods of routing and routing protocols
4, 17, 29	Static vs. Dynamic
17	Link state v. Distance Vector
16, 25	next hop
16, 25	ip routing table
17, 29	Passive interfaces
17, 29	Configure and verify OSPF (single area)
17, 29	Benefit of single area
17	Configure OSPF v2
29	Configure OSPF v3
17, 29	Router ID
17, 29	Passive interface
16	Configure and verify interVLAN routing (Router-on-a-stick)
16	sub interfaces
16	upstream routing
16	encapsulation
8, 16	Configure SVI interfaces

Table I-5 ICND1 Exam Topics: IP Services

Chapter	IP Services
18, 28	Configure and verify DHCP (IOS Router)
18, 28	configuring router interfaces to use DHCP
18	DHCP options
18	excluded addresses
18	lease time
22, 23	Describe the types, features, and applications of ACLs
22	Standard
23	Sequence numbers
23	Editing
23	Extended
23	Named
22, 23	Numbered
22	Log option
22, 23	Configure and verify ACLs in a network environment
23	Named
22, 23	Numbered
22	Log option
24	Identify the basic operation of NAT
24	Purpose
24	Pool

Chapter	IP Services
24	Static
24	1 to 1
24	Overloading
24	Source addressing
24	One way NAT
24	Configure and verify NAT for given network requirements
23	Configure and verify NTP as a client

Table I-6 ICND1 Exam Topics: Network Device Security

Chapter	Network Device Security
8, 15	Configure and verify network device security features such as
8, 15	Device password security
8, 15	Enable secret vs enable
23	Transport
23	Disable telnet
8	SSH
8	VTYs
23	Physical security
8	Service password
8	Describe external authentication methods
8, 10	Configure and verify Switch Port Security features such as
8	Sticky MAC
8	MAC address limitation
8, 10	Static / dynamic
8, 10	Violation modes
8, 10	Err disable
8, 10	Shutdown
8, 10	Protect restrict
8	Shutdown unused ports
8	Err disable recovery
8	Assign unused ports to an unused VLAN
23	Setting native VLAN to other than VLAN 1
22, 23	Configure and verify ACLs to filter network traffic
23	Configure and verify an ACLs to limit telnet and SSH access to the router

Table I-7 ICND1 Exam Topics: Troubleshooting

Chapter	Troubleshooting
12–15, 18–21, 25–28	Troubleshoot and correct common problems associated with IP addressing and host configurations.
9, 10	Troubleshoot and Resolve VLAN problems
9, 10	identify that VLANs are configured
9, 10	port membership correct
9, 10	IP address configured
9, 10	Troubleshoot and Resolve trunking problems on Cisco switches
9, 10	correct trunk states

Chapter	Troubleshooting
9, 10	correct encapsulation configured
9, 10	correct vlans allowed
22, 23	Troubleshoot and Resolve ACL issues
22, 23	Statistics
22, 23	Permitted networks
22, 23	Direction
22, 23	Interface
10	Troubleshoot and Resolve Layer 1 problems
10	Framing
10	CRC
10	Runts
10	Giants
10	Dropped packets
10	Late collision
10	Input / Output errors

ICND2 Exam Topics

Tables I-8 through I-12 list the exam topics for ICND2. These tables note the book chapters in which each exam topic is covered in the ICND2 book. Note that each table covers a main exam topic. Cisco released further information on each topic to several sublevels of hierarchy. In this table, those sublevels are indented to indicate the topic above them that they are related to.

Table I-8 ICND2 Exam Topics: LAN Switching Technologies

Chapters	LAN Switching Technologies
1	Identify enhanced switching technologies
1	RSTP
1	PVSTP
1	Etherchannels
1, 2	Configure and verify PVSTP operation
1, 2	describe root bridge election
2	spanning tree mode

Table I-9 ICND2 Exam Topics: IP Routing Technologies

Chapters	IP Routing Technologies
20	Describe the boot process of Cisco IOS routers
20	POST
20	Router bootup process
12	Configure and verify operation status of a Serial interface.
20, 21	Manage Cisco IOS Files
20	Boot preferences
20	Cisco IOS image(s)
21	Licensing
21	Show license
21	Change license

Chapters	IP Routing Technologies
8–11, 16–18	Differentiate methods of routing and routing protocols
8	Administrative distance
9	split horizon
8, 9, 17, 18	metric
8, 9, 17, 18	next hop
8, 17	Configure and verify OSPF (single area)
8, 11, 17	neighbor adjacencies
8, 11, 17	OSPF states
8, 17	Discuss Multi area
8	Configure OSPF v2
17	Configure OSPF v3
8, 17	Router ID
8, 17	LSA types
9, 10, 18	Configure and verify EIGRP (single AS)
9, 10, 18	Feasible Distance / Feasible Successors /Administrative distance
9, 18	Feasibility condition
9, 18	Metric composition
9, 10, 18	Router ID
9, 10	Auto summary
9, 10, 18	Path selection
9, 10, 18	Load balancing
9, 10, 18	Equal
9, 10, 18	Unequal
9, 10, 18	Passive interface

Table I-10 ICND2 Exam Topics: IP Services

Chapters	IP Services
6	Recognize High availability (FHRP)
6	VRRP
6	HSRP
6	GLBP
19	Configure and verify Syslog
19	Utilize Syslog Output
19	Describe SNMP v2 & v3

Table I-11 ICND2 Exam Topics: Troubleshooting

Chapters	Troubleshooting
3, 4, 5, 16	Identify and correct common network problems
19	Utilize netflow data
2	Troubleshoot and Resolve Spanning Tree operation issues
2	root switch
2	priority
2	mode is correct
2	port states
4, 5, 16	Troubleshoot and Resolve routing issues
4, 5, 16	routing is enabled

Chapters	Troubleshooting
4, 5, 16	routing table is correct
4, 5, 16	correct path selection
11, 17	Troubleshoot and Resolve OSPF problems
11, 17	neighbor adjacencies
11, 17	Hello and Dead timers
11, 17	OSPF area
11, 17	Interface MTU
11, 17	Network types
11, 17	Neighbor states
11, 17	OSPF topology database
11, 18	Troubleshoot and Resolve EIGRP problems
11, 18	neighbor adjacencies
11, 18	AS number
11, 18	Load balancing
11, 18	Split horizon
3, 5	Troubleshoot and Resolve interVLAN routing problems
5	Connectivity
5	Encapsulation
5	Subnet
3, 5	Native VLAN
3, 5	Port mode trunk status
12, 14	Troubleshoot and Resolve WAN implementation issues
12	Serial interfaces
12	PPP
14	Frame relay
19	Monitor NetFlow statistics
2	Troubleshoot etherchannel problems

Table I-12 ICND2 Exam Topics: WAN Technologies

Chapters	WAN Technologies
15, 13, 7	Identify different WAN Technologies
15	Metro Ethernet
15	VSAT
15	Cellular 3G / 4G
15	MPLS
12, 15	T1 / E1
15	ISDN
15	DSL
13	Frame relay
15	Cable
7	VPN
12	Configure and verify a basic WAN serial connection
12	Configure and verify a PPP connection between Cisco routers
14	Configure and verify Frame Relay on Cisco routers
15	Implement and troubleshoot PPPoE

200-120 CCNA Exam Topics

The 200-120 CCNA exam actually covers everything from both the ICND1 and ICND2 exams, at least based on the published exam topics. As of this writing, the CCNA exam topics include all topics in Tables I-1 through I-12. In short, CCNA = ICND1 + ICND2.

NOTE Because it is possible that the exam topics can change over time, it might be worth the time to double-check the exam topics as listed on the Cisco website (www.cisco.com/go/ccent and www.cisco.com/go/ccna). If Cisco does happen to add exam topics at a later date, note that Appendix B, “ICND1 Exam Updates,” describes how to go to www.ciscopress.com and download additional information about those newly added topics.

About This Book

This book discusses the content and skills needed to pass the 100-101 ICND1 exam. That content also serves as basically the first half of the CCNA content, with this book’s companion title, *CCNA ICND2 200-101 Official Cert Guide, Academic Edition*, discussing the second half of the content.

Each of these books uses the same kinds of book features, so if you are reading both this book and the ICND2 book, there is no need to read the Introduction to the other book. Also, for those of you using both books to prepare for the 200-120 CCNA exam (rather than taking the two-exam option), the end of this Introduction lists a suggested reading plan.

Book Features

The most important and somewhat obvious objective of this book is to help you pass the ICND1 exam or the CCNA exam. In fact, if the primary objective of this book were different, the book’s title would be misleading! However, the methods used in this book to help you pass the exams are also designed to make you much more knowledgeable about how to do your job.

This book uses several tools to help you discover your weak topic areas, to help you improve your knowledge and skills with those topics, and to prove that you have retained your knowledge of those topics. So, this book does not try to help you pass the exams only by memorization, but by truly learning and understanding the topics. The CCNA Routing and Switching certification is the foundation for many of the Cisco professional certifications, and it would be a disservice to you if this book did not help you truly learn the material. Therefore, this book helps you pass the CCNA exam by using the following methods:

- Helping you discover which exam topics you have not mastered
- Providing explanations and information to fill in your knowledge gaps
- Supplying exercises that enhance your ability to recall and deduce the answers to test questions
- Providing practice exercises on the topics and the testing process through test questions on the DVD

Chapter Features

To help you customize your study time using these books, the core chapters have several features that help you make the best use of your time:

- **Introduction and Exam Topics:** Each chapter begins with an introduction to the chapter’s main topics and a listing of the official exam topics covered in that chapter.

- **Foundation Topics:** These are the core sections of each chapter. They explain the protocols, concepts, and configurations for the topics in that chapter.
- **Review Activities:** At the end of the “Foundation Topics” section of each chapter, the “Review Activities” section lists a series of study activities that should be done at the end of the chapter. Each chapter includes the activities that make the most sense for studying the topics in that chapter. The activities include the following:
 - **Chapter Summaries:** This is a thorough summary of the main chapter topics for you to review. Be sure you understand all these points in detail, and refer to the chapter if not.
 - **Review Questions:** These questions offer a chance for you to assess how well you retained particular facts from the Foundation Topics.
 - **Review Key Topics:** The Key Topic icon is shown next to the most important items in the “Foundation Topics” section of the chapter. The Key Topics Review activity lists the key topics from the chapter and their corresponding page numbers. Although the contents of the entire chapter could be on the exam, you should definitely know the information listed in each key topic.
 - **Complete Tables and Lists from Memory:** To help you exercise your memory and memorize some lists of facts, many of the more important lists and tables from the chapter are included in a document on the DVD. This document lists only partial information, allowing you to complete the table or list.
 - **Define Key Terms:** Although the exams are unlikely to ask a question like, “Define this term,” the CCNA exams require that you learn and know a lot of networking terminology. This section lists the most important terms from the chapter, asking you to write a short definition and compare your answer to the Glossary at the end of this book.
 - **Command Reference Tables:** Some book chapters cover a large amount of configuration and EXEC commands. These tables list the commands introduced in the chapter, along with an explanation. For exam preparation, use it for reference, but also read the table once when performing the Review Activities to make sure that you remember what all the commands do.

Part Review

The Part Review tasks help you prepare to apply all the concepts in this part of the book. (Each book part contains a number of related chapters.) The part review includes sample test questions, which require you to apply the concepts from multiple chapters in that part, uncovering what you truly understood and what you did not quite yet understand. The part review also uses mind map exercises that help you mentally connect concepts, configuration, and verification, so that no matter what perspective a single exam question takes, you can analyze and answer the question.

The part reviews list tasks, along with checklists so that you can track your progress. The following list explains the most common tasks you will see in the Part Review sections; note that not all Part Review sections use every type of task:

- **Repeat Chapter Review Questions:** Although you have already seen the Chapter Review questions from the chapters in a part, reanswering those questions can be a useful way to review facts. The Part Review section suggests that you repeat the Chapter Review questions, but using the PCPT exam software that comes with the book, for extra practice in answering multichoice questions on a computer.
- **Answer Part Review Questions:** The PCPT exam software includes several exam databases. One exam database holds Part Review questions, written specifically for Part Review. These questions purposefully include multiple concepts in each question, sometimes from multiple chapters, to help build the skills needed for the more challenging analysis questions on the exams.

- **Review Key Topics:** Yes, again! They are indeed the most important topics in each chapter.
- **Create Configuration Mind Maps:** Mind maps are graphical organizing tools that many people find useful when learning and processing how concepts fit together. The process of creating mind maps helps you build mental connections between concepts and configuration commands, as well as develop your recall of the individual commands. For this task, you can create the mind map on paper or using any mind-mapping or graphic organizer software. (For more information on mind maps, refer to this book’s Introduction, in the section “About Mind Maps.”)
- **Create Verification Mind Maps:** These mind-mapping exercises focus on helping you connect router and switch **show** commands to either networking concepts or to configuration commands. Simply create the mind maps on paper or use any mind-mapping or graphic organizer software.
- **Repeat Chapter Review Tasks:** (Optional) Browse through all the Review Activities, and repeat any that you think might help you with review at this point.

Final Prep Tasks

Chapter 30, “Final Review,” near the end of this book, lists a series of preparation tasks that you can best use for your final preparation before taking the exam.

Other Features

In addition to the features in each of the core chapters, this book, as a whole, has additional study resources, including

- **DVD-based practice exam:** The companion DVD contains the powerful Pearson IT Certification Practice Test exam engine. You can take simulated ICND1 exams, as well as simulated CCNA exams, with the DVD and activation code included in this book. (You can take simulated ICND2 and CCNA exams with the DVD in the *Cisco CCNA Routing and Switching ICND2 200-101 Official Cert Guide, Academic Edition*.)
- **CCENT/CCNA ICND1 Simulator Lite:** This lite version of the best-selling CCNA Network Simulator from Pearson provides you with a means, right now, to experience the Cisco command-line interface (CLI). There’s no need to go buy real gear or buy a full simulator to start learning the CLI. Just install it from the DVD in the back of this book.
- **eBook:** This Academic Edition comes complete with a free copy of the *Cisco CCENT/CCNA ICND1 100-101 Official Cert Guide Premium Edition eBook and Practice Test*. The Premium Edition eBook provides you with three different eBook files: PDF, EPUB, and Mobi (native Kindle format). In addition, the Premium Edition enables you to link all the questions from the practice test software to the PDF file of the book, so you can link directly to the book content from each question for further study. Instructions for accessing your Premium Edition can be found on the access code card in the DVD sleeve.
- **Subnetting videos:** The companion DVD contains a series of videos that show you how to calculate various facts about IP addressing and subnetting (in particular, using the shortcuts described in this book).
- **Subnetting practice:** The companion DVD contains five appendixes (D through H), and each appendix contains a set of IPv4 subnetting practice problems, with the answers, and with explanations of how the answers were found. This is a great resource to get ready to do subnetting well and fast.
- **Other practice:** The companion DVD contains four other appendixes (I through L) that each contain other practice problems related to a particular chapter from the book. Use these for more practice on the particulars with some of the math- and process-oriented activities in the chapters.

- **Mentoring videos:** The DVD included with this book includes four other instructional videos, about the following topics: Switch Basics, CLI Navigation, Router Configuration, and VLANs.
- **Companion website:** The website www.ciscopress.com/title/9781587144851 posts up-to-the-minute materials that further clarify complex exam topics. Check this site regularly for new and updated postings written by the author that provide further insight into the more troublesome topics on the exam.
- **PearsonITCertification.com:** The www.pearsonitcertification.com website is a great resource for all things IT-certification related. Check out the great CCNA Routing and Switching articles, videos, blogs, and other certification preparation tools from the industry's best authors and trainers.
- **CCNA Simulator:** If you are looking for more hands-on practice, you might want to consider purchasing the CCNA Network Simulator. You can purchase a copy of this software from Pearson at <http://pearsonitcertification.com/networksimulator> or from other retail outlets. To help you with your studies, I have created a mapping guide that maps each of the labs in the simulator to the specific sections in these CCNA Cert Guides. You can get this mapping guide for free on the "Extras" tab of the companion website.
- **Author's website and blogs:** The author maintains a website that hosts tools and links useful when studying for CCENT and CCNA Routing and Switching. The site lists information to help you build your own lab, study pages that correspond to each chapter of this book and the ICND2 book, and links to the author's CCENT Skills blog and CCNA Skills blog. Start at www.certskills.com; check the tabs for study and blogs in particular.

Book Organization, Chapters, and Appendixes

This book contains 29 core chapters, Chapters 1 through 29, with Chapter 30 including some suggestions for how to approach the actual exams. Each core chapter covers a subset of the topics on the ICND1 exam. The core chapters are organized into sections. The core chapters cover the following topics:

Part I: Networking Fundamentals

- **Chapter 1, "The TCP/IP and OSI Networking Models,"** introduces the terminology surrounding two different networking architectures, namely Transmission Control Protocol/Internet Protocol (TCP/IP) and Open Systems Interconnection (OSI).
- **Chapter 2, "Fundamental of Ethernet LANs,"** covers the concepts and terms used for the most popular option for the data link layer for local-area networks (LAN), namely Ethernet.
- **Chapter 3, "Fundamentals of WANs,"** covers the concepts and terms used for the most popular options for the data link layer for wide-area networks (WAN), including High-Level Data Link Control (HDLC).
- **Chapter 4, "Fundamentals of IPv4 Addressing and Routing":** The Internet Protocol (IP) is the main network layer protocol for TCP/IP. This chapter introduces the basics of IP version 4 (IPv4), including IPv4 addressing and routing.
- **Chapter 5, "Fundamentals of TCP/IP Transport and Applications":** The Transmission Control Protocol (TCP) and User Datagram Protocol (UDP) are the main transport layer protocols for TCP/IP. This chapter introduces the basics of TCP and UDP.

Part II: Ethernet LANs and Switches

- **Chapter 6, "Building Ethernet LANs with Switches,"** deepens and expands the introduction to LANs from Chapter 2, discussing the roles and functions of LAN switches.

- **Chapter 7, “Installing and Operating Cisco LAN Switches,”** explains how to access, examine, and configure Cisco Catalyst LAN switches.
- **Chapter 8, “Configuring Ethernet Switching,”** shows how to configure a variety of switch features, including duplex and speed, port security, securing the CLI, and the switch IP address.
- **Chapter 9, “Implementing Ethernet Virtual LANs”:** This chapter explains the concepts and configuration surrounding virtual LANs, including VLAN trunking and the VLAN Trunking Protocol.
- **Chapter 10, “Troubleshooting Ethernet LANs,”** focuses on how to tell whether the switch is doing what it is supposed to be doing, mainly through the use of **show** commands.

Part III: IP Version 4 Addressing and Subnetting

- **Chapter 11, “Perspectives on IPv4 Subnetting,”** walks you through the entire concept of subnetting, from starting with a Class A, B, or C network; analyzing requirements; making choices; calculating the resulting subnets; and assigning those on paper, all in preparation to deploy and use those subnets by configuring the devices.
- **Chapter 12, “Analyzing Classful IPv4 Networks”:** IPv4 addresses originally fell into several classes, with unicast IP addresses being in Class A, B, and C. This chapter explores all things related to address classes and the IP network concept created by those classes.
- **Chapter 13, “Analyzing Subnet Masks”:** In most jobs, someone else came before you and chose the subnet mask used in a network. What does that mean? What does that mask do for you? This chapter focuses on how to look at the mask (and IP network) to discover key facts, like the size of a subnet (number of hosts) and the number of subnets in the network.
- **Chapter 14, “Analyzing Existing Subnets”:** Most troubleshooting of IP connectivity problems starts with an IP address and mask. This chapter takes that paired information and shows you how to find and analyze the subnet in which that IP address resides, including finding the subnet ID, range of addresses in the subnet, and subnet broadcast address.

Part IV: Implementing IP Version 4

- **Chapter 15, “Operating Cisco Routers,”** is like Chapter 8, but it focuses on routers instead of switches.
- **Chapter 16, “Configuring IPv4 Addresses and Routes,”** discusses how to add IPv4 address configuration to router interfaces, the routes that the router creates as a result, and how to configure static IPv4 routes.
- **Chapter 17, “Learning IPv4 Routes with OSPFv2,”** explains how routers work together to find all the best routes to each subnet using a routing protocol. This chapter also shows how to configure the OSPF routing protocol for use with IPv4.
- **Chapter 18, “Configuring and Verifying Host Connectivity,”** discusses several tools useful when working with IPv4 configuration on hosts. In particular, this chapter discusses DHCP, ping, and traceroute and how to configure IPv4 settings on a host.

Part V: Advanced IPv4 Addressing Concepts

- **Chapter 19, “Subnet Design,”** reverses the approach to IPv4 subnetting as compared to Part III of this book. Instead, this chapter considers questions about why a particular mask might be chosen, and if chosen, what subnet IDs exist.
- **Chapter 20, “Variable-Length Subnet Masks,”** takes IPv4 subnetting to another challenge level, in which different subnets in the same network can use a different subnet mask so that the subnets in the same network have different sizes.

- **Chapter 21, “Route Summarization,”** looks at a process that can be configured for routing protocols so that the protocol advertises one route, for a larger set of addresses, rather than many routes, each for a smaller set of addresses.

Part VI: IPv4 Services

- **Chapter 22, “Basic IPv4 Access Control Lists”:** This chapter examines how standard IP ACLs can filter packets based on the source IP address so that a router will not forward the packet.
- **Chapter 23, “Advanced IPv4 ACLs and Device Security”:** This chapter examines both named and numbered ACLs, with emphasis on how extended IP ACLs can match packets based on both source and destination IP address, and by matching source and destination TCP and UDP port numbers.
- **Chapter 24, “Network Address Translation”:** This chapter closely examines the concepts behind the depletion of the IPv4 address space, and how NAT, in particular the Port Address Translation (PAT) option, helps solve the problem. The chapter also shows how to configure NAT on routers using the IOS CLI.

Part VII: IP Version 6

- **Chapter 25, “Fundamentals of IP Version 6,”** discusses the most basic concepts of IP version 6, focusing on the rules for writing and interpreting IPv6 addresses.
- **Chapter 26, “IPv6 Addressing and Subnetting,”** works through the two branches of unicast IPv6 addresses—global unicast addresses and unique local addresses—that act somewhat like IPv4 public and private addresses, respectively. This chapter also shows how IPv6 implements subnetting.
- **Chapter 27, “Implementing IPv6 Addressing on Routers,”** shows how to configure IPv6 routing and addresses on routers. It also shows the link-local unicast address, plus other special addresses used by routers.
- **Chapter 28, “Implementing IPv6 Addressing on Hosts,”** shows how to add IPv6 configuration on hosts, with emphasis on the two methods by which hosts can learn IPv6 settings: stateful DHCPv6 and Stateless Address Autoconfiguration (SLAAC).
- **Chapter 29, “Implementing IPv6 Routing,”** shows how to add routes to an IPv6 router’s routing table, both through static configuration and with OSPF version 3 (OSPFv3).

Part VIII: Final Preparation

- **Chapter 30, “Final Review,”** suggests a plan for final preparation after you have finished the core parts of the book, in particular explaining the many study options available in the book.

Part IX: Appendixes (In Print)

- **Appendix A, “Numeric Reference Tables,”** lists several tables of numeric information, including a binary-to-decimal conversion table and a list of powers of 2.
- **Appendix B, “ICND1 Exam Updates,”** covers a variety of short topics that either clarify or expand upon topics covered earlier in the book. This appendix is updated from time to time, and posted at www.ciscopress.com/title/1587143852, with the most recent version available at the time of printing included here as Appendix B. (The first page of the appendix includes instructions on how to check to see whether a later version of Appendix B is available online.)
- The **Glossary** contains definitions for all the terms listed in the “Definitions of Key Terms” sections at the conclusion of Chapters 1 through 29.

Appendixes (on the DVD)

The following appendixes are available in digital format on the DVD that accompanies this book:

- **Appendix C, “Answers to the Review Questions,”** includes the explanations to all the questions from Chapters 1 through 29.
- **Appendix D, “Practice for Chapter 12: Analyzing Classful IPv4 Networks,”** lists practice problems associated with Chapter 12. In particular, the practice questions ask you to find the classful network number in which an address resides, and all other facts about that network.
- **Appendix E, “Practice for Chapter 13: Analyzing Subnet Masks,”** lists practice problems associated with Chapter 13. In particular, the practice questions ask you to convert masks between the three formats, and to examine an existing mask, determine the structure of the IP addresses, and calculate the number of hosts/subnet and number of subnets.
- **Appendix F, “Practice for Chapter 14: Analyzing Existing Subnets,”** lists practice problems associated with Chapter 14. In particular, the practice questions ask you to take an IP address and mask, and find the subnet ID, subnet broadcast address, and range of IP addresses in the subnet.
- **Appendix G, “Practice for Chapter 19: Subnet Design,”** lists practice problems associated with Chapter 19. In particular, the practice questions ask you to examine a set of requirements, determine which mask (if any) meets those requirements, and choose the best mask based on the requirements. It also asks you to find all the subnet IDs in a classful network when given a single mask used throughout the network.
- **Appendix H, “Practice for Chapter 20: Variable-Length Subnet Masks,”** lists practice problems associated with Chapter 20, including problems in which you look for a place to add a new VLSM subnet so that no VLSM overlap is created.
- **Appendix I, “Practice for Chapter 21: Route Summarization,”** lists practice problems associated with Chapter 21. In particular, the practice questions ask you to find the best summary route that includes all the subnets in a list.
- **Appendix J, “Practice for Chapter 22: Basic IPv4 Access Control Lists,”** lists practice problems associated with Chapter 22. In particular, the practice questions give you a chance to practice working with ACL wildcard masks.
- **Appendix K, “Practice for Chapter 25: Fundamentals of IP Version 6,”** lists practice problems associated with Chapter 25. In particular, it provides practice for abbreviating full IPv6 addresses and expanded abbreviated IPv6 addresses.
- **Appendix L, “Practice for Chapter 27: Implementing IPv6 on Routers,”** lists practice problems associated with Chapter 27. In particular, it provides practice in using the EUI-64 process to build an IPv6 address, and in how to find the solicited node multicast used based on a unicast address.
- **Appendix M, “Memory Tables,”** holds the key tables and lists from each chapter, with some of the content removed. You can print this appendix and, as a memory exercise, complete the tables and lists. The goal is to help you memorize facts that can be useful on the exams.
- **Appendix N, “Memory Tables Answer Key,”** contains the answer key for the exercises in Appendix M.
- **Appendix O, “Mind Map Solutions,”** shows an image of sample answers for all the part-ending mind map exercises.
- **Appendix P, “Study Planner,”** is a spreadsheet with major study milestones, where you can track your progress through your study.

Reference Information

This short section contains a few topics available for reference elsewhere in the book. You can read these when you first use the book, but you can also skip these topics and refer back to them later. In particular, make sure to note the final page of this Introduction, which lists several contact details, including how to get in touch with Cisco Press.

Install the Pearson IT Certification Practice Test Engine and Questions

The DVD in the book includes the Pearson IT Certification Practice Test (PCPT) engine—software that displays and grades a set of exam-realistic multiple-choice, drag and drop, fill-in-the-blank, and Testlet questions. Using the Pearson IT Certification Practice Test engine, you can either study by going through the questions in Study Mode, or take a simulated ICND1 or CCNA exam that mimics real exam conditions.

The installation process requires two major steps. The DVD in the back of this book has a recent copy of the Pearson IT Certification Practice Test engine. The practice exam—the database of ICND1 and CCNA exam questions—is not on the DVD. After you install the software, the PCPT software will download the latest versions of both the software and the question databases for this book using your Internet connection.

NOTE The cardboard DVD case in the back of this book includes both the DVD and a piece of thick paper. The paper lists the digital product voucher code and instructions for accessing the eBook files and for the practice exams associated with this book. *Do not lose the code.*

Redeem Your Digital Product Voucher to Access the eBook and Practice Test Code

To use the practice test software, you must first redeem your digital product voucher found on the card in the DVD sleeve. To do so, follow these steps:

- Step 1.** If you have a Cisco Press account, go to www.ciscopress.com/account and log in. If you do not have a Cisco Press account, go to www.ciscopress.com/join and create an account.
- Step 2.** On your Account page, find the “Digital Product Voucher” box at the top of the right column.
- Step 3.** Type in your digital product voucher code found on the DVD card, and click Submit.

NOTE Codes are one-time use and may not be shared.

- Step 4.** The products and download link will now be listed under Digital Purchases on your Account page. Click the “refresh” links to generate your eBook files for download. Use the access code to unlock and download the Premium Edition practice exams in the Pearson IT Certification Practice Test software, as described in the following sections.

Install the Software from the DVD

The software installation process is pretty routine as compared with other software installation processes. If you have already installed the Pearson IT Certification Practice Test software from another Pearson product, there is no need for you to reinstall the software. Simply launch the

software on your desktop and proceed to activate the practice exam from this book by using the activation code included in the DVD sleeve. The following steps outline the installation process:

- Step 1.** Insert the DVD into your PC.
- Step 2.** The software that automatically runs is the Cisco Press software to access and use all DVD-based features, including the exam engine and the DVD-only appendixes. From the main menu, click the Install the Exam Engine option.
- Step 3.** Respond to windows prompts as with any typical software installation process.

The installation process will give you the option to activate your exam with the activation code supplied on the paper in the DVD sleeve. This process requires that you establish a Pearson website login. You will need this login to activate the exam, so please do register when prompted. If you already have a Pearson website login, there is no need to register again. Just use your existing login.

Activate and Download the Practice Exam

When the exam engine is installed, you should then activate the exam associated with this book (if you did not do so during the installation process) as follows:

- Step 1.** Start the PCPT software from the Windows **Start** menu or from your desktop shortcut icon.
- Step 2.** To activate and download the exam associated with this book, from the **My Products** or **Tools** tab, click the **Activate** button.
- Step 3.** At the next screen, enter the activation key listed under the Premium Edition product on your account page on www.ciscopress.com. When it is entered, click the **Activate** button.
- Step 4.** The activation process will download the practice exam. Click **Next**, and then click **Finish**.

After the activation process is completed, the **My Products** tab should list your new exam. If you do not see the exam, make sure that you have selected the **My Products** tab on the menu. At this point, the software and practice exam are ready to use. Simply select the exam and click the **Open Exam** button.

To update a particular product's exams that you have already activated and downloaded, simply select the **Tools** tab and click the **Update Products** button. Updating your exams will ensure that you have the latest changes and updates to the exam data.

If you want to check for updates to the PCPT software, simply select the **Tools** tab and click the **Update Application** button. This will ensure that you are running the latest version of the software engine.

Activating Other Products

The exam software installation process and the registration process only have to happen once. Then for each new product, only a few steps are required. For example, if you buy another new Cisco Press Official Cert Guide or Pearson IT Certification Cert Guide, extract the activation code from the DVD sleeve in the back of that book—you don't even need the DVD at this point. From there, all you have to do is start PCPT (if not still up and running) and perform Steps 2 through 4 from the previous list.

PCPT Exam Databases with This Book

The practice test questions come in different exams or exam databases. When you install the PCPT software, and type in the activation code, the PCPT software downloads the latest version of all these exam databases. And with the ICND1 book alone, you get 10 different “exams,” or 10 different sets of questions, as listed in Figure I-2.




Figure I-2 *PCPT Exams/Exam Databases and When to Use Them*

You can choose to use any of these exam databases at any time, both in study mode and practice exam mode. However, many people find it best to save some of the exams until exam review time, after you have finished reading the entire book. Figure I-2 begins to suggest a plan, spelled out here:

- During part review, use PCPT to review the Chapter Review questions (designated as “Book Questions” in the software) for that part, using study mode.
- During part review, use the questions built specifically for part review (the Part Review questions) for that part of the book, using study mode.
- Save the remaining exams to use with the Final Review chapter, using practice exam mode, as discussed in Chapter 30.

The two modes inside PCPT give you better options for study versus practicing a timed exam event. In study mode, you can see the answers immediately, so you can study the topics more easily. Also, you can choose a subset of the questions in an exam database—for example, you can view questions from only the chapters in one part of the book.

Practice exam mode creates an event somewhat like the actual exam. It gives you a preset number of questions, from all chapters, with a timed event. Practice exam mode also gives you a score for that timed event.

How to View Only Chapter Review Questions by Part

Each Part Review section asks you to repeat the Chapter Review questions from the chapters in that part. While you can simply scan the book pages to review these questions, it is slightly better to review these questions from inside the PCPT software, just to get a little more practice in how to read questions from the testing software. But, you can just read them in the book as well.

To view these Chapter Review (book) questions inside the PCPT software, you need to select “Book Questions” and the chapters in this part, using the PCPT menus. To do so, follow these steps:

- Step 1.** Start the PCPT software.
- Step 2.** From the main (home) menu, select the item for this product, with a name like Cisco CCENT/CCNA ICND1 100-101 Official Cert Guide, and click **Open Exam**.

- Step 3.** The top of the next window that appears should list some exams; select the check box beside **ICND1 Book Questions** and deselect the other check boxes. This selects the “book” questions, that is, the Chapter Review questions from the end of each chapter.
- Step 4.** In this same window, click at the bottom of the screen to deselect all objectives (chapters). Then select the box beside each chapter in the part of the book you are reviewing.
- Step 5.** Select any other options on the right side of the window.
- Step 6.** Click **Start** to start reviewing the questions.

How to View Only Part Review Questions by Part

The exam databases you get with this book include a database of questions created solely for study during the Part Review process. Chapter Review questions focus more on facts, with basic application. The Part Review questions instead focus more on application, and look more like real exam questions.

To view these questions, follow the same process as you did with Chapter Review/Book questions, but select the “Part Review” database instead of the “Book” database. Specifically:

- Step 1.** Start the PCPT software.
- Step 2.** From the main (home) menu, select the item for this product, with a name like **CCENT/CCNA ICND1 100-101 Official Cert Guide**, and click **Open Exam**.
- Step 3.** The top of the next window should list some exams; select the check box beside **Part Review Questions** and deselect the other check boxes. This selects the questions intended for part-ending review.
- Step 4.** In this same window, click at the bottom of the screen to deselect all objectives, and then select (check) the box beside the book part you want to review. This tells the PCPT software to give you Part Review questions from the selected part.
- Step 5.** Select any other options on the right side of the window.
- Step 6.** Click **Start** to start reviewing the questions.

About Mind Maps

Mind maps are a type of visual organization tool that can be used for many purposes. For example, mind maps can be used as an alternative way to take notes.

Mind maps can also be used to improve how your brain organizes concepts. Mind maps stress the connections and relationships between ideas. When you spend time thinking about an area of study, and organize your ideas into a mind map, you strengthen existing mental connections, create new connections, all into your own frame of reference.

In short, mind maps help you internalize what you learn.

Mind Map Mechanics

Each mind map begins with a blank piece of paper or blank window in an application. You then add a large central idea, with branches that move out in any direction. The branches contain smaller concepts, ideas, commands, pictures—whatever idea needs to be represented. Any concepts that can be grouped should be put near each other. As need be, you can create deeper

and deeper branches, although for this book's purposes, most mind maps will not go beyond a couple of levels.

NOTE While many books have been written about mind maps, Tony Buzan often gets credit for formalizing and popularizing mind maps. You can learn more about mind maps at his website, www.thinkbuzan.com.

For example, Figure I-3 shows a sample mind map that begins to output some of the IPv6 content from Part VII of the book. The central concept of the mind map is IPv6 addressing, and the Part Review activity asks you to think of all facts you learned about IPv6 addressing and organize them with a mind map. The mind map allows a more visual representation of the concepts as compared with just written notes.




Figure I-3 Sample Mind Map

About Mind Maps Used During Part Review

This book suggests mind-mapping exercises during Part Review. This short topic lists some details about the Part Review mind-mapping exercises, listed in one place for reference.

The Part Review sections use two main types of mind-mapping exercises:

Configuration exercises ask you to recall the related configuration commands and group them. For example, in a configuration exercise, related commands that happen to be interface subcommands should be grouped, but shown as being inside interface configuration mode.

Verification exercises ask you to think about the output of **show** commands and link the output to either the configuration commands that cause that output or the concepts that explain the meaning of some of that output.

Create these configuration mind maps on paper, using any mind-mapping software, or even any drawing application. Many mind-mapping apps exist as well. Regardless of how you draw them, follow these rules:

- If you have only a little time for this exercise, spend your time making your own mind map, instead of looking at suggested answers. The learning happens when thinking through the problem of making your own mind map.
- Set aside the book and all your notes, and do not look at them when first creating these maps, and do as much as you can without looking at the book or your notes (or Google, or anything else).
- Try all the mind maps listed in a Part Review section before looking at your notes.
- Finally, look at your notes to complete all the mind maps.
- Make a note of where you put your final results so that you can find them later during final exam review.

Finally, when learning to use these tools, take two other important suggestions as well. First, use as few words as possible for each node in your mind map. The point is for you to remember the idea and its connections, rather than explain the concept to someone else. Just write enough to remind yourself of the concept. Second, if the mind map process just is not working for you, discard the tool. Instead, take freeform notes on a blank piece of paper. Try to do the important part of the exercise—the thinking about what concepts go together—without letting the tool get in the way.

About Building Hands-On Skills

You need skills in using Cisco routers and switches, specifically the Cisco command-line interface (CLI). The Cisco CLI is a text-based command-and-response user interface in which you type a command and the device (a router or switch) displays messages in response. To answer Sim and Simlet questions on the exams, you need to know a lot of commands, and you need to be able to navigate to the right place in the CLI to use those commands.

The best way to master these commands is to use them. Sometime during your initial reading of the first part of this book, you need to decide how you personally plan to build your CLI skills. This next topic discusses your options for getting the tools you need to build CLI skills.

Overview of Lab Options

To effectively build your hands-on CLI skills, you either need real routers and switches, or at least something that acts like routers and switches. People who are new to Cisco technology often choose from a few options to get those skills.

First, you can use real Cisco routers and switches. You can buy them, new or used, or borrow them at work. You can rent them for a fee. You can even rent virtual Cisco router and switch lab pods from Cisco, in an offering called Cisco Learning Labs.

Simulators provide another option. Router and switch simulators are software products that mimic the behavior of the Cisco CLI, generally for the purpose of allowing people to learn. These products have an added advantage when learning: They usually have lab exercises as well.

Simulators come in many shapes and sizes, but the publisher sells simulators that are designed to help you with CCENT and CCNA study—plus they match this book! The Pearson CCENT Network Simulator and the Pearson CCNA Network Simulator both provide an excellent environment to practice the commands, as well as hundreds of focused labs to help you learn what you need to know for the exams. Both products have the same software code base. The CCNA product simply has labs for both ICND1 and ICND2, while the CCENT product has only the ICND1 labs.

This book does not tell you what option you have to use, but you should plan on getting some hands-on practice somehow. The important thing to know is that most people need to practice using the Cisco CLI to be ready to pass these exams.

I (Wendell) have collected some information and opinions about this decision on my website, at certskills.com/labgear. Those pages link to sites for Dynamips and for the Pearson Simulator. Also, because the information never seemed to exist in any one place, this website includes many details about how to build a CCNA lab using used real Cisco routers and switches.

A Quick Start with Pearson Network Simulator Lite

The decision of how to get hands-on skills can be a little scary at first. The good news: You have a free and simple first step: Install the Pearson NetSim Lite that comes with this book.

This lite version of the best-selling CCNA Network Simulator from Pearson provides you with a means, right now, to experience the Cisco command-line interface (CLI). There's no need to go buy real gear or buy a full simulator to start learning the CLI. Just install it from the DVD in the back of this book.

Of course, one reason that NetSim Lite comes on the DVD is that the publisher hopes you will buy the full product. However, even if you do not use the full product, you can still learn from the labs that come with NetSim Lite while deciding about what options to pursue.

NOTE The ICND1 and ICND2 books each contain a different version of the Sim Lite product, each with labs related to the matching book. If you bought both books, make sure that you install both Sim Lite products.

For More Information

If you have any comments about the book, submit them through www.ciscopress.com. Just go to the website, select Contact Us, and type your message.

Cisco might make changes that affect the CCNA Routing and Switching certification from time to time. You should always check www.cisco.com/go/ccna and www.cisco.com/go/ccent for the latest details.

The *Cisco CCENT/CCNA ICND1 100-101 Official Cert Guide*, Academic Edition helps you attain both CCENT and CCNA Routing and Switching certifications. This is the CCENT/CCNA ICND1 certification book from the only Cisco-authorized publisher. We at Cisco Press believe that this book certainly can help you achieve CCNA Routing and Switching certification, but the real work is up to you! I trust that your time will be well spent.

Getting Started

This Getting Started section provides some valuable advice about how to use the study features in this book. Taking a few minutes to read through this short section before going on to Chapter 1 helps you get the most out of the book, regardless of whether you are using it with the end goal of preparing for the CCNA Routing and Switching certification exams or just learning basic networking concepts.

A Brief Perspective on Cisco Certification Exams

Cisco sets the bar pretty high for passing the ICND1, ICND2, and/or CCNA exams. Most anyone can study and pass these exams, but it takes more than just a quick read through the book and the cash to pay for the exam.

The challenge of these exams comes from many angles. Each of these exams covers a lot of concepts, as well as many commands specific to Cisco devices. Beyond knowledge, these Cisco exams also require deep skills. You must be able to analyze and predict what really happens in a network. You must be able to configure Cisco devices to work correctly in those networks. And you must be ready to troubleshoot problems when the network does not work correctly.

The more challenging questions on these exams work a lot like a jigsaw puzzle—but with four out of every five puzzle pieces not even in the room. To solve the puzzle, you have to mentally re-create the missing pieces. To do that, you must know each networking concept and remember how the concepts work together. You also have to match the concepts with what happens on the devices with the configuration commands that tell the devices what to do. You also have to connect the concepts, and the configuration, with the meaning of the output of various troubleshooting commands, to analyze how the network is working and why it is not working right now.

For example, you need to know IP subnetting well, and that topic includes some math. A simple question—one that might be too simple to be a real exam question—would tell you enough of the numbers so that all you have to do is the equivalent of a little addition or multiplication to find a number called a subnet ID.

A more exam-realistic question makes you connect concepts together to set up the math problem. For example, a question might give you a network diagram and ask you to list the subnet ID used in one part of the diagram. But the diagram has no numbers at all. Instead, you have the output of a command from a router, for example, the `show ip ospf database` command, which does list some numbers. But before you can use those numbers, you might need to predict how the devices are configured and what other troubleshooting commands would tell you. So you end up with a question like a puzzle, as shown in Figure 1. The question puts some pieces in the right place; you have to find other pieces using different commands and by applying your knowledge. And some pieces will just remain unknown for a given question.




Figure 1 *Filling in Puzzle Pieces with Your Analysis Skills*

These skills require that you prepare by doing more than just reading and memorizing what you read. Of course, you will need to read many pages in this book to learn many individual facts and how these facts are related to each other. But a big part of this book lists exercises beyond reading, exercises that help you build the skills to solve these networking puzzles.

Suggestions for How to Approach Your Study with This Book

Whether you are using this book with the goal of learning introductory networking concepts or to prepare for the CCNA Routing and Switching exams, there are a few things you should consider about how to use it to achieve your goals. What do you need to do to be ready to pass the CCNA Routing and Switching exams or to be successful as a networking professional, beyond reading and remembering all the facts? You need to develop skills. You need to mentally link each idea with other related ideas. Doing that requires additional work. To help you along the way, the next few pages give you five key perspectives about how to use this book to build those skills and make those connections, before you dive into this exciting but challenging world of learning networking on Cisco gear.

Not One Book: 29 Short Read-and-Review Sessions

First, look at your study as a series of read-and-review tasks, each on a relatively small set of related topics.

Each of the core chapters of this book (1 through 29) have around 22 pages of content on average. If you glance around any of those chapters, you will find a heading called “Foundation Topics” on about the fifth page of each chapter. From there to the “Review Activities” section at the end of the chapter, the chapters average about 22 pages.

So, do not approach this book as one big book. Treat the task of your first read of a chapter as a separate task. Anyone can read 22 pages. Having a tough day? Each chapter has two or three major sections, so read just one of them. Or, do some related labs or review something you have already read. This book organizes the content into topics of a more manageable size to give you something more digestible to manage your study time throughout the book.

For Each Chapter, Do Not Neglect Practice

Next, plan to do the Review Activities at the end of each chapter.

Each chapter ends with practice and study tasks under a heading “Review Activities.” Doing these tasks, and doing them at the end of the chapter, really does help you get ready. Do not put off using these tasks until later! The chapter-ending “Review Activities” section helps you with the first phase of deepening your knowledge and skills of the key topics, remembering terms and linking the concepts together in your brain so that you can remember how it all fits together.

The following list describes the majority of the activities you will find in “Review Activities” sections:

- Chapter summary
- Review questions
- Review key topics
- Complete memory tables
- Define key terms
- Review command summary tables
- Review feature configuration checklists
- Do subnetting exercises

Use Book Parts for Major Milestones

Third, view the book as having seven major milestones, one for each major topic.

Beyond the more obvious organization into chapters, this book also organizes the chapters into seven major topic areas called book parts. Completing each part means that you have completed a major area of study. At the end of each part, take a little extra time. Do the Part Review tasks at the end of each part. Ask yourself where you are weak and where you are strong. And give yourself some reward for making it to a major milestone. Figure 2 lists the seven parts in this book.

Seven Major Milestones: Book Parts

Networking Fundamentals	Part Prep Tasks
Ethernet LANs and Switches	Part Prep Tasks
IP Version 4 Addressing and Subnetting	Part Prep Tasks
Implementing IP Version 4	Part Prep Tasks
Advanced IPv4 Addressing Concepts	Part Prep Tasks
IPv4 Services	Part Prep Tasks
IP Version 6	Part Prep Tasks

Figure 2 *Parts as Major Milestones*

The tasks in the Part Review sections focus on helping you apply concepts (from that book part) to new scenarios for the exam. Some tasks use sample test questions so that you can think through and analyze a problem. This process helps you refine what you know and to realize what you did not quite yet understand. Some tasks use mind map exercises that help you mentally connect the theoretical concepts with the configuration and verification commands. These Part Review activities help build these skills.

Note that the part review directs you to use the Pearson Certification Practice Test (PCPT) software to access the practice questions. Each part review tells you to repeat the Chapter Review questions, but using the PCPT software. Each part review also directs you how to access a specific set of questions reserved for reviewing concepts at part review. Note that the PCPT software and exam databases with this book give you the rights to additional questions as well; Chapter 30, “Final Review,” gives some recommendations on how to best use those questions for your final exam preparation.

Also, consider setting a goal date for finishing each part of the book, and a reward as well! Plan a break, some family time, some time out exercising, eating some good food—whatever helps you get refreshed and motivated for the next part.

Use the Final Review Chapter to Refine Skills

Fourth, do the tasks outlined in the final preparation chapter (Chapter 30) at the end of this book.

The Final Review chapter has two major goals. First, it helps you further develop the analysis skills you need to answer the more complicated questions on the exam. Many questions require that you connect ideas about concepts, configuration, verification, and troubleshooting. More reading on your part does not develop all these skills; this chapter’s tasks give you activities to further develop these skills.

The tasks in the Final Review chapter also help you find your weak areas. This final element gives you repetition with high-challenge exam questions, uncovering any gaps in your knowledge. Many of the questions are purposefully designed to test your knowledge of the most common mistakes and misconceptions, helping you avoid some of the common pitfalls people experience with the actual exam.

Set Goals and Track Your Progress

Finally, before you start reading the book and doing the rest of these study tasks, take the time to make a plan, set some goals, and be ready to track your progress.

While making lists of tasks might or might not appeal to you, depending on your personality, goal setting can help everyone studying for these exams. And to do the goal setting, you need to know what tasks you plan to do.

As for the list of tasks to do when studying, you do not have to use a detailed task list. (You could list every single task in every chapter-ending “Review Activities” section, every task in the Part Review tasks section, and every task in the Final Preparation Tasks chapter.) However, listing the major tasks can be enough.

You should track at least two tasks for each typical chapter: reading the “Foundation Topics” section and doing the “Review Activities” section at the end of the chapter. And of course, do not forget to list tasks for Part Reviews and Final Review. Table 1 shows a sample for Part I of this book.

Table 1 Sample Excerpt from a Planning Table

Element	Task	Goal Date	First Date Completed	Second Date Completed (Optional)
Chapter 1	Read Foundation Topics			
Chapter 1	Do Review Activities			
Chapter 2	Read Foundation Topics			
Chapter 2	Do Review Activities			
Chapter 3	Read Foundation Topics			
Chapter 3	Do Review Activities			
Chapter 4	Read Foundation Topics			
Chapter 4	Do Review Activities			
Chapter 5	Read Foundation Topics			
Chapter 5	Do Review Activities			
Part I Review	Do Part Review Activities			

NOTE Appendix P, “Study Planner,” on the DVD that comes with this book, contains a complete planning checklist like Table 1 for the tasks in this book. This spreadsheet allows you to update and save the file to note your goal dates and the tasks you have completed.

Use your goal dates as a way to manage your study, and not as a way to get discouraged if you miss a date. Pick reasonable dates that you can meet. When setting your goals, think about how fast you read and the length of each chapter’s “Foundation Topics” section, as listed in the Table of Contents. Then, when you finish a task sooner than planned, move up the next few goal dates.

If you miss a few dates, do not start skipping the tasks listed at the ends of the chapters! Instead, think about what is impacting your schedule—real life, commitments, and so on—and either adjust your goals or work a little harder on your study.

Other Small Tasks Before Getting Started

You will need to do a few overhead tasks to install software, find some PDFs, and so on. You can do these tasks now, or do them in your spare moments when you need a study break during the first few chapters of the book. But do these early, so that if you do stumble upon an installation problem, you have time to work through it before you need a particular tool.

Register (for free) at the Cisco Learning Network (CLN, <http://learningnetwork.cisco.com>) and join the CCENT and CCNA study groups. These mailing lists allow you to lurk and participate in discussions about topics related to CCENT (ICND1) and CCNA (ICND1 + ICND2). Register, join the groups, and set up an email filter to redirect the messages to a separate folder. Even if you do not spend time reading all the posts yet, later, when you have time to read, you can browse through the posts to find interesting topics. Or just search the posts from the CLN website.

Find and print a copy of Appendix M, “Memory Tables.” Many of the Chapter Review sections use this tool, in which you take the incomplete tables from the appendix and complete the table to help you remember some key facts.

If you bought an eBook version of this book, find and download the media files (videos and Sim Lite software) per the instructions supplied on the last page of the eBook file under the heading “Where Are the Companion Files?”

Install the PCPT exam software and activate the exams. For more details on how to load the software, refer to the Introduction, under the heading “Install the Pearson IT Certification Practice Test Engine and Questions.”

Finally, install the Sim Lite software (unless you bought the full simulator product already). The Sim Lite that comes with this book contains a subset of the lab exercises in the full Pearson Network Simulator product.

Getting Started—Now

Now dive in to your first of many short, manageable tasks: reading Chapter 1, “The TCP/IP and OSI Networking Models.” Enjoy!

Chapter 25

Fundamentals of IP Version 6

IPv4 has been a solid and highly useful part of the growth of TCP/IP and the Internet. For most of the long history of the Internet, and for most corporate networks that use TCP/IP, IPv4 is the core protocol that defines addressing and routing. However, even though IPv4 has many great qualities, it does have some shortcomings, creating the need for a replacement protocol: IP version 6 (IPv6).

IPv6 defines the same general functions as IPv4, but with different methods of implementing those functions. For example, both IPv4 and IPv6 define addressing, the concepts of subnetting larger groups of addresses into smaller groups, headers used to create an IPv4 or IPv6 packet, and the rules for routing those packets. At the same time, IPv6 handles the details differently, for example, using a 128-bit IPv6 address rather than the 32-bit IPv4 address.

This chapter focuses on the core network layer functions of addressing and routing. The first section of this chapter looks at the big concepts, while the second section looks at the specifics of how to write and type IPv6 addresses.

This chapter covers the following exam topics:

Operation of IP Data Networks

Predict the data flow between two hosts across a network.

IP addressing (IPv4 / IPv6)

Identify the appropriate IPv6 addressing scheme to satisfy addressing requirements in a LAN/WAN environment.

Describe IPv6 addresses

Global unicast

IP Routing Technologies

Differentiate methods of routing and routing protocols

next hop

ip routing table

Troubleshooting

Troubleshoot and correct common problems associated with IP addressing and host configurations.

Introduction to IPv6

IP version 6 (IPv6) serves as the replacement protocol for IP version 4 (IPv4).

Unfortunately, that one bold statement creates more questions than it answers. Why does IPv4 need to be replaced? If IPv4 needs to be replaced, when will that happen—and will it happen quickly? What exactly happens when a company or the Internet replaces IPv4 with IPv6? And the list goes on.

While this introductory chapter cannot get into every detail of why IPv4 needs to eventually be replaced by IPv6, the clearest and most obvious reason for migrating TCP/IP networks to use IPv6 is growth. IPv4 uses a 32-bit address, which totals to a few billion addresses. Interestingly, that seemingly large number of addresses is too small. IPv6 increases the address to a 128 bits in length. For perspective, IPv6 supplies over 10,000,000,000,000,000,000,000,000,000 times as many addresses as IPv4.

The fact that IPv6 uses a different size address field, with some different addressing rules, means that many other protocols and functions change as well. For example, IPv4 routing—in other words, the packet-forwarding process—relies on an understanding of IPv4 addresses. To support IPv6 routing, routers must understand IPv6 addresses and routing. To dynamically learn routes for IPv6 subnets, routing protocols must support these different IPv6 addressing rules, including rules about how IPv6 creates subnets. As a result, the migration from IPv4 to IPv6 is much more than changing one protocol (IP), but it impacts many protocols.

This first section of the chapter discusses some of the reasons for the change from IPv4 to IPv6, along with the protocols that must change as a result.

The Historical Reasons for IPv6

In the last 40 years, the Internet has gone from its infancy to being a huge influence in the world. It first grew through research at universities, from the ARPANET beginnings of the Internet in the late 1960s into the 1970s. The Internet kept growing fast in the 1980s, with the Internet's fast growth still primarily driven by research and the universities that joined in that research. By the early 1990s, the Internet began to transform to allow commerce, allowing people to sell services and products over the Internet, which drove yet another steep spike upward in the growth of the Internet. Figure 25-1 shows some of these major milestones.




Figure 25-1 *Some Major Events in the Growth of the Internet*

Note that the figure ends the timeline with an event in which IANA/ICANN, the groups that assign public IPv4 addresses, gave out the last public IPv4 address blocks. IANA/ICANN assigned the final Class A networks to each of the Regional Internet Registries (RIR) in February 2011. This event was an important event for the Internet, bringing us closer to the day when a company simply cannot get new IPv4 public address blocks.

In other words, one day, a company could want to connect to the Internet, but it cannot, just because IPv4 has no public addresses left.

Even though the press made a big deal about running out of IPv4 addresses in 2011, those who care about the Internet knew about this potential problem since the late 1980s. The problem, generally called the *IPv4 address exhaustion* problem, could literally have caused the huge growth of the Internet in the 1990s to have come to a screeching halt! Something had to be done.

The IETF came up with several short-term solutions to make IPv4 last longer, hoping to put off the day when the world ran out of public IPv4 addresses. The two primary short-term solutions were Network Address Translation/Port Address Translation (NAT/PAT) and classless interdomain routing (CIDR). Both worked wonderfully. At the time, the Internet community hoped to extend the life of IPv4 for a few more years. In practice, these tools helped extend IPv4's life another couple of decades, as seen in the timeline of Figure 25-2.




Figure 25-2 *Timeline for IPv4 Address Exhaustion and Short-/Long-Term Solutions*

NOTE The website www.potaroo.net, by Geoff Huston, shows many interesting statistics about the growth of the Internet, including IPv4 address exhaustion.

While the short-term solutions to the IPv4 address exhaustion problem gave us all a few more decades to use IPv4, IPv6 gives the world a long-term solution to the problem. IPv6 replaces IPv4 as the core Layer 3 protocol, with a new IPv6 header and new IPv6 addresses. The address size supports a huge number of addresses, solving the address shortage problem for generations (we hope).

The rest of this first section examines IPv6, comparing it to IPv4, focusing on the common features of the two protocols. In particular, this section compares the protocols (including addresses), routing, routing protocols, and miscellaneous other related topics.

NOTE You might wonder why the next version of IP is not called IP version 5. There was an earlier effort to create a new version of IP, and it was numbered version 5. IPv5 did not progress to the standards stage. However, to prevent any issues, because version 5 had been used in some documents, the next effort to update IP was numbered as version 6.

The IPv6 Protocols

The primary purpose of the core IPv6 protocol mirrors the same purpose of the IPv4 protocol. That core IPv6 protocol, as defined in RFC 2460, defines a packet concept, addresses for those packets, and the role of hosts and routers. These rules allow the devices to forward packets sourced by hosts, through multiple routers, so that they arrive at the correct destination host. (IPv4 defines those same concepts for IPv4 back in RFC 791.)

However, because IPv6 impacts so many other functions in a TCP/IP network, many more RFCs must define details of IPv6. Some other RFCs define how to migrate from IPv4 to IPv6. Others define new versions of familiar protocols, or replace old protocols with new ones. For example:

Older OSPF Version 2 Upgraded to OSPF Version 3: The older OSPF version 2 works for IPv4, but not for IPv6, so a newer version, OSPF version 3, was created to support IPv6.

ICMP Upgraded to ICMP Version 6: Internet Control Message Protocol (ICMP) worked well with IPv4, but needed to be changed to support IPv6. The new name is ICMPv6.

ARP Replaced by Neighbor Discovery Protocol: For IPv4, Address Resolution Protocol (ARP) discovers the MAC address used by neighbors. IPv6 replaces ARP with a more general Neighbor Discovery Protocol (NDP).

NOTE But if you go to any website that lists the RFCs, like www.rfc-editor.org, you can find almost 300 RFCs that have IPv6 in the title.

While the term IPv6, when used broadly, includes many protocols, the one specific protocol called IPv6 defines the new 128-bit IPv6 address. Of course, writing these addresses in binary would be a problem—they probably would not even fit on the width of a piece of paper! IPv6 defines a shorter hexadecimal format, requiring at most 32 hexadecimal digits (one hex digit per 4 bits), with methods to abbreviate the hexadecimal addresses as well.

For example, all of the following are IPv6 addresses, each with 32 or less hex digits.

2345:1111:2222:3333:4444:5555:6666:AAAA

2000:1:2:3:4:5:6:A

FE80::1

The upcoming section “IPv6 Addressing Formats and Conventions” discusses the specifics of how to represent IPv6 addresses, including how to legally abbreviate the hex address values.

Like IPv4, IPv6 defines a header, with places to hold both the source and destination address fields. Compared to IPv4, the IPv6 header does make some other changes besides simply making the address fields larger. However, even though the IPv6 header is larger than an IPv4 header, the IPv6 header is actually simpler (on purpose), to reduce the work done each time a router must route an IPv6 packet. Figure 25-3 shows the required 40-byte part of the IPv6 header.




Figure 25-3 IPv6 Header

IPv6 Routing

As with many functions of IPv6, IPv6 routing looks just like IPv4 routing from a general perspective, with the differences being clear only once you look at the specifics. Keeping the discussion general for now, IPv6 uses these ideas the same way as IPv4:

Key Topic

- To be able to build and send IPv6 packets out an interface, end-user devices need an IPv6 address on that interface.
- End-user hosts need to know the IPv6 address of a default router, to which the host sends IPv6 packets if the host is in a different subnet.
- IPv6 routers deencapsulate and reencapsulate each IPv6 packet when routing the packet.
- IPv6 routers make routing decisions by comparing the IPv6 packet's destination address to the router's IPv6 routing table; the matched route lists directions of where to send the IPv6 packet next.

NOTE You could take the preceding list, and replace every instance of IPv6 with IPv4, and all the statements would be true of IPv4 as well.

While the list shows some concepts that should be familiar from IPv4, the next few figures show the concepts with an example. First, Figure 25-4 shows a few settings on a host. The host (PC1) has an address of 2345::1. PC1 also knows its default gateway of 2345::2. (Both values are valid abbreviations for real IPv6 addresses.) To send an IPv6 packet to host PC2, on another IPv6 subnet, PC1 creates an IPv6 packet and sends it to R1, PC1's default gateway.




Figure 25-4 IPv6 Host Building and Sending an IPv6 Packet

The router (R1) has many small tasks to do when forwarding this IPv6 packet, but for now, focus on the work R1 does related to encapsulation. As seen in Step 1 of Figure 25-5, R1 receives the incoming data link frame, and extracts (deencapsulates) the IPv6 packet from inside the frame, discarding the original data link header and trailer. At Step 2, once R1 knows to forward the IPv6 packet to R2, R1 adds a correct outgoing data link header and trailer to the IPv6 packet, encapsulating the IPv6 packet.




Figure 25-5 IPv6 Router Performing Routine Encapsulation Tasks When Routing IPv6

When a router like R1 deencapsulates the packet from the data link frame, it must also decide what type of packet sits inside the frame. To do so, the router must look at a protocol type field in the data link header, which identifies the type of packet inside the data link frame. Today, most data link frames carry either an IPv4 packet or an IPv6 packet.

To route an IPv6 packet, a router must use its IPv6 routing table instead of the IPv4 routing table. The router must look at the packet's destination IPv6 address and compare that address to the router's current IPv6 routing table. The router uses the forwarding instructions in the matched IPv6 route to forward the IPv6 packet. Figure 25-6 shows the overall process.




Figure 25-6 Comparing an IPv6 Packet to R1's IPv6 Routing Table

Note that again, the process works like IPv4, except that the IPv6 packet lists IPv6 addresses, and the IPv6 routing table lists routing information for IPv6 subnets (called prefixes).

Finally, in most enterprise networks, the routers will route both IPv4 and IPv6 packets at the same time. That is, your company will not decide to adopt IPv6, and then late one weekend night turn off all IPv4 and enable IPv6 on every device. Instead, IPv6 allows for a slow migration, during which some or all routers forward both IPv4 and IPv6 packets. (The migration strategy of running both IPv4 and IPv6 is called *dual stack*.) All you have to do is configure the router to route IPv6 packets, in addition to the existing configuration for routing IPv4 packets.

IPv6 Routing Protocols

IPv6 routers need to learn routes for all the possible IPv6 prefixes (subnets). Just like with IPv4, IPv6 routers use routing protocols, with familiar names, and generally speaking, with familiar functions.

None of the IPv4 routing protocols could be used to advertise IPv6 routes originally. They all required some kind of update to add messages, protocols, and rules to support IPv6. Over time, Routing Information Protocol (RIP), Open Shortest Path First (OSPF), Enhanced Interior Gateway Routing Protocol (EIGRP), and Border Gateway Protocol (BGP) were all updated to support IPv6. Table 25-1 lists the names of these routing protocols, with a few comments.

Table 25-1 IPv6 Routing Protocols

Routing Protocol	Defined By	Notes
RIPng (RIP Next Generation)	RFC	The “Next Generation” is a reference to a TV series, “Star Trek: the Next Generation.”
OSPFv3 (OSPF version 3)	RFC	The OSPF you have worked with for IPv4 is actually OSPF version 2, so the new version for IPv6 is OSPFv3.
EIGRPv6 (EIGRP for IPv6)	Cisco	Cisco owns the rights to the EIGRP protocol, but Cisco also now publishes EIGRP as an informational RFC.
MP BGP-4 (Multiprotocol BGP version 4)	RFC	BGP version 4 was created to be highly extendable; IPv6 support was added to BGP version 4 through one such enhancement, MP BGP-4.

Additionally, these routing protocols also follow the same IGP and EGP conventions as their IPv4 cousins. RIPng, EIGRPv6, and OSPFv3 act as interior gateway protocols, advertising IPv6 routes inside an enterprise.

As you can see from this introduction, IPv6 uses many of the same big ideas as IPv4. Both define headers with a source and destination address. Both define the routing of packets, with the routing process discarding old data link headers and trailers when forwarding the packets. And routers use the same general process to make a routing decision, comparing the packet’s destination IP address to the routing table.

The big differences between IPv4 and IPv6 revolve around the bigger IPv6 addresses. The next topic begins looking at the specifics of these IPv6 addresses.

IPv6 Addressing Formats and Conventions

The CCENT and CCNA R/S exams require some fundamental skills in working with IPv4 addresses. For example, you need to be able to interpret IPv4 addresses, like 172.21.73.14. You need to be able to work with prefix-style masks, like /25, and interpret what that means when used with a particular IPv4 address. And you need to be able to take an address and mask, like 172.21.73.14/25, and find the subnet ID.

This second major section of this chapter discusses these same ideas for IPv6 addresses. In particular, this section looks at

- How to write and interpret unabbreviated 32-digit IPv6 addresses
- How to abbreviate IPv6 addresses, and how to interpret abbreviated addresses
- How to interpret the IPv6 prefix length mask
- How to find the IPv6 prefix (subnet ID), based on an address and prefix length mask

The biggest challenge with these tasks lies in the sheer size of the numbers. Thankfully, the math to find the subnet ID—often a challenge for IPv4—is easier for IPv6, at least to the depth discussed in this book.

Representing Full (Unabbreviated) IPv6 Addresses

IPv6 uses a convenient hexadecimal (hex) format for addresses. To make it more readable, IPv6 uses a format with eight sets of four hex digits, with each set of four digits separated by a colon. For example:

2340:1111:AAAA:0001:1234:5678:9ABC:1234

NOTE For convenience, the author uses the term *quartet* for one set of four hex digits, with eight quartets in each IPv6 address. Note that the IPv6 RFCs do not use the term *quartet*.

IPv6 addresses also have a binary format as well, but thankfully, most of the time you do not need to look at the binary version of the addresses. However, in those cases, converting from hex to binary is relatively easy. Just change each hex digit to the equivalent 4-bit value listed in Table 25-2.

Table 25-2 Hexadecimal/Binary Conversion Chart

Hex	Binary	Hex	Binary
0	0000	8	1000
1	0001	9	1001
2	0010	A	1010
3	0011	B	1011
4	0100	C	1100
5	0101	D	1101
6	0110	E	1110
7	0111	F	1111

Abbreviating and Expanding IPv6 Addresses

IPv6 also defines ways to abbreviate or shorten how you write or type an IPv6 address. Why? Although using a 32-digit hex number works much better than working with a 128-bit binary number, 32 hex digits is still a lot of digits to remember, recognize in command output, and type on a command line. The IPv6 address abbreviation rules let you shorten these numbers.

Computers and routers typically use the shortest abbreviation, even if you type all 32 hex digits of the address. So even if you would prefer to use the longer unabbreviated version of the IPv6 address, you need to be ready to interpret the meaning of an abbreviated IPv6 address as listed by a router or host. This section first looks at abbreviating addresses, and then at expanding addresses.

Abbreviating IPv6 Addresses

Two basic rules let you, or any computer, shorten or abbreviate an IPv6 address:

1. Inside each quartet of four hex digits, remove the leading 0s (0s on the left side of the quartet) in the three positions on the left. (Note: at this step, a quartet of 0000 will leave a single 0.)
2. Find any string of two or more consecutive quartets of all hex 0s, and replace that set of quartets with a double colon (::). The :: means “two or more quartets of all 0s.” However, you can only use :: once in a single address, because otherwise the exact IPv6 might not be clear.



For example, consider the following IPv6 address. The bold digits represent digits in which the address could be abbreviated.

FE00:0000:0000:0001:0000:0000:0000:0056

Applying the first rule, you would look at all eight quartets independently. In each, remove all the leading 0s. Note that five of the quartets have four 0s, so for these, only remove three 0s, leaving the following value:

FE00:0:0:1:0:0:0:56

While this abbreviation is valid, the address can be abbreviated more, using the second rule. In this case, two instances exist where more than one quartet in a row has only a 0. Pick the longest such sequence, and replace it with ::, giving you the shortest legal abbreviation:

FE00:0:0:1::56

While FE00:0:0:1::56 is indeed the shortest abbreviation, this example happens to make it easier to see the two most common mistakes when abbreviating IPv6 addresses. First, never remove trailing 0s in a quartet (0s on the right side of the quartet). In this case, the first quartet of FE00 cannot be shortened at all, because the two 0s trail. So, the following address, that begins now with only FE in the first quartet, is not a correct abbreviation of the original IPv6 address:

FE:0:0:1::56

The second common mistake is to replace all series of all 0 quartets with a double colon. For example, the following abbreviation would be incorrect for the original IPv6 address listed in this topic:

FE00::1::56

The reason this abbreviation is incorrect is because now you do not know how many quartets of all 0s to substitute into each :: to find the original unabbreviated address.

Expanding Abbreviated IPv6 Addresses

To expand an IPv6 address back into its full unabbreviated 32-digit number, use two similar rules. The rules basically reverse the logic of the previous two rules:

1. In each quartet, add leading 0s as needed until the quartet has four hex digits.
2. If a double colon (::) exists, count the quartets currently shown; the total should be less than 8. Replace the :: with multiple quartets of 0000 so that eight total quartets exist.

The best way to get comfortable with these addresses and abbreviations is to do some yourself. Table 25-3 lists some practice problems, with the full 32-digit IPv6 address on the left, and the best abbreviation on the right. The table gives you either the expanded or abbreviated address, and you need to supply the opposite value. The answers sit at the end of the chapter, in the section “Answers to Earlier Practice Problems.”



Table 25-3 IPv6 Address Abbreviation and Expansion Practice

Full	Abbreviation
2340:0000:0010:0100:1000:ABCD:0101:1010	
	30A0:ABCD:EF12:3456:ABC:B0B0:9999:9009
2222:3333:4444:5555:0000:0000:6060:0707	
	3210::
210F:0000:0000:0000:CCCC:0000:0000:000D	
	34BA::B::20
FE80:0000:0000:0000:DEAD:BEFF:FEFF:CAFE	
	FE80::FACE:BAFF:FEBE:CAFE
FE80:000F:00E0:0D00:FACE:BAFF:FE00:0000	
	FE80:800:0:40:CAFE:FF:FE00:1

You will become more comfortable with these abbreviations as you get more experience. The “Review Activities” section at the end of this chapter lists several suggestions for getting more practice.

Representing the Prefix Length of an Address

IPv6 uses a mask concept, called the *prefix length*, similar to IPv4 subnet masks. Similar to the IPv4 prefix-style mask, the IPv6 prefix length is written as a */*, followed by a decimal number. The prefix length defines how many bits of the IPv6 address defines the IPv6 prefix, which is basically the same concept as the IPv4 subnet ID.

When writing IPv6 addresses, if the prefix length matters, the prefix length follows the IPv6 address. When writing documentation, you can leave a space between the address and the */*, but when typing the values into a Cisco router, you might need to configure with or without the space. For example, use either of these for an address with a 64-bit prefix length:

```
2222:1111:0:1:A:B:C:D/64
```

```
2222:1111:0:1:A:B:C:D /64
```

Finally, note that the prefix length is a number of bits, so with IPv6, the legal value range is from 0 through 128, inclusive.

Calculating the IPv6 Prefix (Subnet ID)

With IPv4, you can take an IP address and the associated subnet mask, and calculate the subnet ID. With IPv6 subnetting, you can take an IPv6 address and the associated prefix length, and calculate the IPv6 equivalent of the subnet ID: an *IPv6 prefix*.

Like with different IPv4 subnet masks, some IPv6 prefix lengths make for an easy math problem to find the IPv6 prefix, while some prefix lengths make the math more difficult. This section looks at the easier cases, mainly because the size of the IPv6 address space lets us all choose to use IPv6 prefix lengths that make the math much easier.

Finding the IPv6 Prefix

In IPv6, a prefix represents a group of IPv6 addresses. For now, this section focuses on the math, and only the math, for finding the number that represents that prefix. Chapter 26, “IPv6 Addressing and Subnetting,” then starts putting more meaning behind the actual numbers.

Each IPv6 prefix, or subnet if you prefer, has a number that represents the group. Per the IPv6 RFCs, the number itself is also called the prefix, but many people just call it a subnet number or subnet ID, using the same terms as IPv4.

Like IPv4, you can start with an IPv6 address and prefix length, and find the prefix, with the same general rules that you use in IPv4. If the prefix length is /P, use these rules:


Key Topic

1. Copy the first P bits.
2. Change the rest of the bits to 0.

When using a prefix length that happens to be a multiple of 4, you do not have to think in terms of bits, but in terms of hex digits. A prefix length that is a multiple of 4 means that each hex digit is either copied, or changed to 0. Just for completeness, if the prefix length is indeed a multiple of 4, the process becomes

1. Identify the number of hex digits in the prefix by dividing the prefix length (which is in bits) by 4.
2. Copy the hex digits determined to be in the prefix per the first step.
3. Change the rest of the hex digits to 0.

Figure 25-7 shows an example, with a prefix length of 64. In this case, Step 1 looks at the /64 prefix length, and calculates that the prefix has 16 hex digits. Step 2 copies the first 16 digits of the IPv6 address, while Step 3 records hex 0s for the rest of the digits.



Legend:



Figure 25-7 *Creating the IPv6 Prefix from an Address/Length*

After you find the IPv6 prefix, you should also be ready to abbreviate the IPv6 prefix using the same rules you use to abbreviate IPv6 addresses. However, you should pay extra attention to the end of the prefix, because it often has several octets of all 0 values. As a result, the abbreviation typically ends with two colons (::).

For example, consider the following IPv6 address that is assigned to a host on a LAN:

```
2000:1234:5678:9ABC:1234:5678:9ABC:1111/64
```

This example shows an IPv6 address that itself cannot be abbreviated. After you calculate the prefix for the subnet in which the address resides, by zeroing out the last 64 bits (16 digits) of the address, you find the following prefix value:

```
2000:1234:5678:9ABC:0000:0000:0000:0000/64
```

This value can be abbreviated, with four quartets of all 0s at the end, as follows:

2000:1234:5678:9ABC::/64

To get better at the math, take some time to work through finding the prefix for several practice problems, as listed in Table 25-4. The answers sit at the end of the chapter, in the section “Answers to Earlier Practice Problems.”

Table 25-4 Finding the IPv6 Prefix from an Address/Length Value

Address/Length	Prefix
2340:0:10:100:1000:ABCD:101:1010/64	
30A0:ABCD:EF12:3456:ABC:B0B0:9999:9009/64	
2222:3333:4444:5555::6060:707/64	
3210::ABCD:101:1010/64	
210F::CCCC:B0B0:9999:9009/64	
34BA:B:B:0:5555:0:6060:707/64	
3124::DEAD:CAFE:FF:FE00:1/64	
2BCD::FACE:BEFF:FEBE:CAFE/64	
3FED:F:E0:D00:FACE:BAFF:FE00:0/64	
3BED:800:0:40:FACE:BAFF:FE00:0/64	

The “Review Activities” section at the end of this chapter lists several suggestions for getting more practice. The “Answers to Earlier Practice Problems” section at the end of the chapter also contains Table 25-8, which lists a completed version of this table so that you can check your work.

Working with More Difficult IPv6 Prefix Lengths

Some prefix lengths make the math to find the prefix very easy, some mostly easy, and some require you to work in binary. If the prefix length is a multiple of 16, the process of copying part of the address copies entire quartets. If the prefix length is not a multiple of 16, but is a multiple of 4, at least the boundary sits at the edge of a hex digit, so you can avoid working in binary.

Although the /64 prefix length is by far the most common prefix length, you should be ready to find the prefix when using a prefix length that is any multiple of 4. For example, consider the following IPv6 address and prefix length:

2000:1234:5678:9ABC:1234:5678:9ABC:1111/56

Because this example uses a /56 prefix length, the prefix includes the first 56 bits, or first 14 complete hex digits, of the address. The rest of the hex digits will be 0, resulting in the following prefix:

2000:1234:5678:9A00:0000:0000:0000:0000/56

This value can be abbreviated, with four quartets of all 0s at the end, as follows:

2000:1234:5678:9A00::/56

This example shows an easy place to make a mistake. Sometimes, people look at the /56 and think of that as the first 14 hex digits, which is correct. However, they then copy the first 14 hex digits, and add a double colon, showing the following:

2000:1234:5678:9A::/56

This abbreviation is not correct, because it removed the trailing “00” at the end of the fourth quartet. So, be careful when abbreviating when the boundary is not at the edge of a quartet.

Once again, some extra practice can help. Table 25-5 uses examples that have a prefix length that is a multiple of 4, but is not on a quartet boundary, just to get some extra practice. The answers sit at the end of the chapter, in the section “Answers to Earlier Practice Problems.”

Table 25-5 Finding the IPv6 Prefix from an Address/Length Value

Address/Length	Prefix
34BA::B:B:0:5555:0:6060:707/80	
3124::DEAD:CAFE:FF:FE00:1/80	
2BCD::FACE:BEFF:FEFE:CAFE/48	
3FED:F:E0:D00:FACE:BAFF:FE00:0/48	
210F:A:B:C:CCCC:B0B0:9999:9009/40	
34BA::B:B:0:5555:0:6060:707/36	
3124::DEAD:CAFE:FF:FE00:1/60	
2BCD::FACE:1:BEFF:FEFE:CAFE/56	
3FED:F:E0:D000:FACE:BAFF:FE00:0/52	
3BED:800:0:40:FACE:BAFF:FE00:0/44	

Review Activities

Chapter Summary

- The primary purpose of the core IPv6 protocol mirrors the same purpose of the IPv4 protocol. That core IPv6 protocol, as defined in RFC 2460, defines a packet concept, addresses for those packets, and the role of hosts and routers. These rules enable the devices to forward packets sourced by hosts, through multiple routers, so that they arrive at the correct destination host.
- However, because IPv6 impacts so many other functions in a TCP/IP network, many more RFCs must define details of IPv6. Some other RFCs define how to migrate from IPv4 to IPv6. Others define new versions of familiar protocols or replace old protocols with new ones. For example:
 - **Older OSPF Version 2 Upgraded to OSPF Version 3:** The older OSPF version 2 works for IPv4 but not for IPv6, so a newer version, OSPF version 3, was created to support IPv6.
 - **ICMP Upgraded to ICMP Version 6:** ICMP worked well with IPv4 but needed to be changed to support IPv6. The new name is ICMPv6.
 - **ARP Replaced by Neighbor Discovery Protocol:** For IPv4, ARP discovers the MAC address used by neighbors. IPv6 replaces ARP with a more general Neighbor Discovery Protocol (NDP).
- Although the term IPv6, when used broadly, includes many protocols, the one specific protocol called IPv6 defines the new 128-bit IPv6 address.
- As with many functions of IPv6, IPv6 routing looks just like IPv4 routing from a general perspective, with the differences being clear only when you look at the specifics. IPv6 uses these ideas the same way as IPv4:
 - To be able to build and send IPv6 packets out an interface, end-user devices need an IPv6 address on that interface.
 - End-user hosts need to know the IPv6 address of a default router, to which the host sends IPv6 packets if the host is in a different subnet.
 - IPv6 routers deencapsulate and reencapsulate each IPv6 packet when routing the packet.
 - IPv6 routers make routing decisions by comparing the IPv6 packet's destination address to the router's IPv6 routing table; the matched route lists directions of where to send the IPv6 packet next.
- IPv6 uses a convenient hexadecimal (hex) format for addresses. To make it more readable, IPv6 uses a format with 8 sets of 4 hex digits, with each set of 4 digits separated by a colon. For example:


```
2340:1111:AAAA:0001:1234:5678:9ABC:1234
```
- Two basic rules let you, or any computer, shorten or abbreviate an IPv6 address:
 - Inside each quartet of four hex digits, remove the leading 0s (0s on the left side of the quartet) in the three positions on the left. (Note: At this step, a quartet of 0000 will leave a single 0.)
 - Find any string of two or more consecutive quartets of all hex 0s, and replace that set of quartets with a double colon (::). The :: means "two or more quartets of all 0s." However, you can use :: only once in a single address, because otherwise the exact IPv6 might not be clear.

- To expand an IPv6 address back into its full unabbreviated 32-digit number, use two similar rules. The rules basically reverse the logic of the previous two rules.
 - In each quartet, add leading 0s as needed until the quartet has four hex digits.
 - If a double colon (::) exists, count the quartets currently shown; the total should be less than 8. Replace the :: with multiple quartets of 0000 so that 8 total quartets exist.
- IPv6 uses a mask concept, called the *prefix length*, similar to IPv4 subnet masks. Similar to the IPv4 prefix-style mask, the IPv6 prefix length is written as a / followed by a decimal number. The prefix length defines how many bits of the IPv6 address defines the IPv6 prefix, which is basically the same concept as the IPv4 subnet ID.
- Like IPv4, you can start with an IPv6 address and prefix length and find the prefix, with the same general rules that you use in IPv4. If the prefix length is /P, then use these rules:
 - Copy the first P bits.
 - Change the rest of the bits to 0.
- When using a prefix length that happens to be a multiple of 4, you do not have to think in terms of bits but in terms of hex digits. A prefix length that is a multiple of 4 means that each hex digit is either copied or changed to 0. Just for completeness, if the prefix length is indeed a multiple of 4, the process becomes
 - Identify the number of hex digits in the prefix by dividing the prefix length (which is in bits) by 4.
 - Copy the hex digits determined to be in the prefix per the first step.
 - Change the rest of the hex digits to 0.

Review Questions

Answer these review questions. You can find the answers at the bottom of the last page of the chapter. For thorough explanations, see DVD Appendix C, “Answers to Review Questions.”

1. Which of the following was a short-term solution to the IPv4 address exhaustion problem?
 - A. IP version 6
 - B. IP version 5
 - C. NAT/PAT
 - D. ARP
2. A router receives an Ethernet frame that holds an IPv6 packet. The router then makes a decision to route the packet out a serial link. Which of the following statements is true about how a router forwards an IPv6 packet?
 - A. The router discards the Ethernet data link header and trailer of the received frame.
 - B. The router makes the forwarding decision based on the packet’s source IPv6 address.
 - C. The router keeps the Ethernet header, encapsulating the entire frame inside a new IPv6 packet before sending it over the serial link.
 - D. The router uses the IPv4 routing table when choosing where to forward the packet.

3. Which of the following is the shortest valid abbreviation for FE80:0000:0000:0100:0000:0000:0000:0123?
 - A. FE80::100::123
 - B. FE8::1::123
 - C. FE80::100:0:0:0:123:4567
 - D. FE80:0:0:100::123
4. Which of the following is the shortest valid abbreviation for 2000:0300:0040:0005:6000:0700:0080:0009?
 - A. 2:3:4:5:6:7:8:9
 - B. 2000:300:40:5:6000:700:80:9
 - C. 2000:300:4:5:6000:700:8:9
 - D. 2000:3:4:5:6:7:8:9
5. Which of the following is the unabbreviated version of IPv6 address 2001:0DB8::200:28?
 - A. 2001:0DB8:0000:0000:0000:0000:0200:0028
 - B. 2001:0DB8::0200:0028
 - C. 2001:0DB8:0:0:0:0:0200:0028
 - D. 2001:0DB8:0000:0000:0000:0000:200:0028
6. Which of the following is the prefix for address 2000:0000:0000:0005:6000:0700:0080:0009, assuming a mask of /64?
 - A. 2000::5::/64
 - B. 2000::5:0:0:0:0/64
 - C. 2000:0:0:5::/64
 - D. 2000:0:0:5:0:0:0:0/64

Review All the Key Topics

Review the most important topics from this chapter, noted with the Key Topic icon. Table 25-6 lists these key topics and where each is discussed.



Table 25-6 Key Topics for Chapter 25

Key Topic Element	Description	Page Number
List	Similarities between IPv4 and IPv6	614
List	Rules for abbreviating IPv6 addresses	617
List	Rules for expanding an abbreviated IPv6 address	618
List	Process steps to find an IPv6 prefix, based on the IPv6 address and prefix length	620

Complete the Tables and Lists from Memory

Print a copy of DVD Appendix M, “Memory Tables,” or at least the section for this chapter, and complete the tables and lists from memory. DVD Appendix N, “Memory Tables Answer Key,” includes completed tables and lists for you to check your work.

Definitions of Key Terms

After your first reading of the chapter, try to define these key terms, but do not be concerned about getting them all correct at that time. Chapter 30 directs you in how to use these terms for late-stage preparation for the exam.

IPv4 address exhaustion, IETF, NAT, CIDR, IP version 6 (IPv6), OSPF version 3 (OSPFv3), EIGRP version 6 (EIGRPv6), prefix, prefix length, quartet

Additional Practice with IPv6 Address Abbreviations

For additional practice abbreviating IPv6 addresses:

- DVD Appendix K, “Practice for Chapter 25: Fundamentals of IP Version 6,” has some additional practice problems listed.
- Create your own problems using any real router or simulator. Get into the router CLI, into configuration mode, and configure a 32-digit unabbreviated IPv6 address. Then predict the shortest abbreviation. Finally, use the `show ipv6 interface` command to see if the router used the same abbreviation you used.

Answers to Earlier Practice Problems

This chapter includes practice problems spread around different locations in the chapter. The answers are located in Tables 25-7, 25-8, and 25-9.

Table 25-7 Answers to Questions in the Earlier Table 25-3

Full	Abbreviation
2340:0000:0010:0100:1000:ABCD:0101:1010	2340:0:10:100:1000:ABCD:101:1010
30A0:ABCD:EF12:3456:0ABC:B0B0:9999:9009	30A0:ABCD:EF12:3456:ABC:B0B0:9999:9009
2222:3333:4444:5555:0000:0000:6060:0707	2222:3333:4444:5555::6060:707
3210:0000:0000:0000:0000:0000:0000:0000	3210::
210F:0000:0000:0000:CCCC:0000:0000:000D	210F::CCCC:0:0:D
34BA:000B:000B:0000:0000:0000:0000:0020	34BA:B:B::20
FE80:0000:0000:0000:DEAD:BEFF:FEEF:CAFE	FE80::DEAD:BEFF:FEEF:CAFE
FE80:0000:0000:0000:FACE:BAFF:FEFE:CAFE	FE80::FACE:BAFF:FEFE:CAFE
FE80:000F:00E0:0D00:FACE:BAFF:FE00:0000	FE80:F:E0:D00:FACE:BAFF:FE00:0
FE80:0800:0000:0040:CAFE:00FF:FE00:0001	FE80:800:0:40:CAFE:FF:FE00:1

Table 25-8 Answers to Questions in the Earlier Table 25-4

Address/Length	Prefix
2340:0:10:100:1000:ABCD:101:1010/64	2340:0:10:100::/64
30A0:ABCD:EF12:3456:ABC:B0B0:9999:9009/64	30A0:ABCD:EF12:3456::/64
2222:3333:4444:5555::6060:707/64	2222:3333:4444:5555::/64
3210::ABCD:101:1010/64	3210::/64
210F::CCCC:B0B0:9999:9009/64	210F::/64
34BA:B:B:0:5555:0:6060:707/64	34BA:B:B::/64
3124::DEAD:CAFE:FF:FE00:1/64	3124:0:0:DEAD::/64
2BCD::FACE:BEFF:FEBE:CAFE/64	2BCD::/64
3FED:F:E0:D00:FACE:BAFF:FE00:0/64	3FED:F:E0:D00::/64
3BED:800:0:40:FACE:BAFF:FE00:0/64	3BED:800:0:40::/64

Table 25-9 Answers to Questions in the Earlier Table 25-5

Address/Length	Prefix
34BA:B:B:0:5555:0:6060:707/80	34BA:B:B:0:5555::/80
3124::DEAD:CAFE:FF:FE00:1/80	3124:0:0:DEAD:CAFE::/80
2BCD::FACE:BEFF:FEBE:CAFE/48	2BCD::/48
3FED:F:E0:D00:FACE:BAFF:FE00:0/48	3FED:F:E0::/48
210F:A:B:C.CCCC:B0B0:9999:9009/40	210F:A::/40
34BA:B:B:0:5555:0:6060:707/36	34BA:B::/36
3124::DEAD:CAFE:FF:FE00:1/60	3124:0:0:DEAD::/60
2BCD::FACE:1:BEFF:FEBE:CAFE/56	2BCD:0:0:FA00::/56
3FED:F:E0:D000:FACE:BAFF:FE00:0/52	3FED:F:E0:D000::/52
3BED:800:0:40:FACE:BAFF:FE00:0/44	3BED:800::/44

Answers to Review Questions::

1 C 2 A 3 D 4 B 5 A 6 C

Index

Symbols & Numerics

| (pipe function), 184
? (question mark), CLI command help, 158
/ (slash), prefix subnet mask format, 309

10 Gig Ethernet, 37
10BASE-T, 37
 bridges, 125
 hubs, 125
 switches, 126
10GBASE-T, 37
100BASE-LX, 37
/64 prefix length, 621
100BASE-T, 37
128-bit IPv6 addresses. *See also* IPv6 addressing
 configuring on Cisco routers, 648
 verifying configuration, 650
404 return code (HTTP), 112
802.1Q trunking, 212
 native VLAN, 213
 configuring, 387-390
802.3 standard, 37
802.3ab standard, 37
802.3an standard, 37
802.3u standard, 37
802.3z standard, 37
802.11 standard, wireless LANs, 35-36
1000BASE-T, 37
2960 Catalyst switch series, 149
 CLI, 152. *See also* commands
 accessing with the console, 152-154
 accessing with SSH, 155
 accessing with Telnet, 154
 configuration submodes, 160-162
 debug commands, 159
 EXEC modes, navigating, 156-157

help features, 157-158
 password security, 155
 privileged EXEC mode, 156
 show commands, 158-159
 user EXEC mode, 156
LED status indicators, 150
 port, 151
 SYST LED, 151

A

AAA (authentication, authorization, and accounting), 178-179
abbreviated IPv6 addresses, expanding, 618-619
abbreviating
 CLI commands, 362
 IPv6 addresses, 617-618
ABRs (Area Border Routers), 416
access-class command, 567
access interfaces, 216-219
access-list command
 eq parameter, 554, 557
 for extended numbered IP ACLs, matching, 552-553
 interpreting, 542-543
 log keyword, 540
 syntax, 533
 any/all addresses, matching, 536
 exact IP address, matching, 533
 subset of address, matching, 533-535
access switches, 137
accessing
 Cisco Catalyst CLI, 152
 EXEC modes, navigating, 156-157
 help features, 157-158
 password security, 155
 privileged EXEC mode, 156
 user EXEC mode, 156
 with SSH, 155

- with Telnet, 154*
- with the console, 152-153*
- setup mode, 166
- ACLs**
 - applying
 - practice problems, 541-542*
 - to vty line, 567*
 - editing with sequence numbers, 562-563
 - extended numbered IP ACLs
 - adding to configuration, 563-564*
 - configuring, 556*
 - creating, practice, 559*
 - destination port as packet, 553-554*
 - example configuration, 557-559*
 - matching parameters (access-list command), 552-553*
 - source port as packet, 555-556*
 - standard ACLs, comparing to, 552*
 - guidelines for implementing, 568
 - matching packets, 530
 - deny keyword, 531*
 - permit keyword, 531*
 - named ACLs, 560
 - configuring, 560-561*
 - numbered ACLs, comparing to, 560*
 - placement of, 529-530
 - standard numbered IPv4 ACLs, 531
 - command syntax, 533, 536*
 - example configuration, 537-539*
 - first-match logic, 532-533*
 - implementing, 536*
 - list logic, 532*
 - troubleshooting, 540
- adding**
 - lines to numbered ACL configuration, 563-564
 - subnets to VLSM design, 500-502
- address classes, 82-84**
- Address field (HDLC), 61**
- address translation, NAT, 581**
 - dynamic NAT, 584-585, 590-594
 - PAT, 585-588, 594-596
 - static NAT, 582, 588-590
 - troubleshooting, 596-597
- addressing conventions for Class A, Class B, and Class C networks, 300
- adjacent-layer interactions, 18
- administrative distance, 410-411
- administrative mode (trunking), 221-222, 225
- administratively down interfaces, 363
- advanced distance vector routing protocols, 408
- allowing zero subnets, 394
- always-on service, 70
- analyzing
 - Layer 2 forwarding path, 248-251
 - subnet masks
 - easy masks, 336*
 - practicing, 318-319*
- answering exam questions, 728-729
- any/all addresses, matching with IPv4 ACLs, 536
- application layer**
 - TCP/IP networking model, 15-17
 - WWW
 - DNS resolution, 110-111*
 - URLs, 109-110*
- application layer (OSI model), 26**
- applications**
 - TCP/IP, 108
 - DNS, 105*
 - QoS requirements, 108*
 - SNMP, 105*
 - TFTP, 105*
 - well-known port numbers, 105*
 - WWW, 105*
- applying**
 - ACLs to vty line, 567
 - IPv4 ACLs, practice problems, 541-542
- APs (access points), 35-36**
- ARIN (American Registry for Internet Numbers), ASNs, 407**
- ARP (Address Resolution Protocol), 78.**
 - See also NDP*
 - role of network layer in DNS name resolution, 92-93
 - verifying, 446-447
- ARP cache, 93**

ARP Reply messages, 93
 ARP request messages 93
 AS (autonomous systems), 407
 ASICs (Application Specific Integrated Circuits), 383
 ASN (AS number), 407
 assigning
 IP addresses, subnetting rules, 273-274
 IPv6 addresses to hosts in subnets, 638-639
 IPv6 subnets to internetwork topology, 638
 subnets to different locations, 287-288
 VLANs to access interfaces, 217-219
 asymmetric speeds, 69
 authentication
 external authentication servers, configuring, 179
 local usernames, hiding passwords, 185
 autonegotiation, 139-140, 360
 disabling, 140
 duplex mismatches, 141
 failure of, 140
 on hubs, 141
 autosummarization, 509
 Aux ports, configuring, 366

B

bandwidth, 108
 bandwidth metric, 409
 banners, configuring on Cisco Catalyst switches, 185-187
 batch applications, QoS requirements, 108
 Bellman-Ford protocols, 408
 Berners-Lee, Tim, 16
 best path selection, Dijkstra SPF algorithm, 413
 best summary route, selecting, 512-514
 BIA (burned-in address), 46
 binary number format
 calculating IPv6 prefix lengths, 621
 converting to hexadecimal, numeric reference table, 740
 default masks for classful networks, 297
 memorization versus calculation, 342

 practice problems, 333-334
 range of usable subnet addresses, calculating, 336
 subnet broadcast address, calculating, 332-335
 subnet IDs, calculating, 330-335
binary subnet mask format, 309
 converting to DDN, 310-312
 converting to prefix format, 310
 wildcard masks, 535
blocking state (STP), 130
blogs, www.certskills.com, 732
Boolean math, 335
 subnet broadcast address, calculating, 335
 subnet IDs, calculating, 335
bootstrap program, 162
borrowing bits from host part for subnetting, 283
bridges, 125-126
broadcast addresses, 127
 of Class B networks, 300
 Ethernet, 47
 subnet broadcast address, 329-330
 calculating, 332-335, 340-341
broadcast domains, 133-134, 209
 design concepts, 209
 impact on LAN design, 134-135
broadcast subnet, 481
broadcasts versus multicasts, 657
budgeting your time during exam, 721-725
building
 extended numbered IP ACLs, practice problems, 559
 IPv6 addresses with SLAAC, 676-677
 list of all subnets in internetwork, 286-287

C

cable Internet, 69-70
cable modems, 358
cablings
 CRC errors, 248
 crossover cables, 43

- distance limitations on campus LANs, 138-139
- EMI, 39
- Ethernet, 37
- for leased lines
 - connectors*, 60
 - CPE*, 59
 - CSU/DSU*, 59
 - data link layer protocols*, 61-63
 - DCE*, 60
 - DTE*, 60
 - serial cable*, 59
- optical fiber, 138, 244
- for SOHO network installation, 358
- telco cable, 356
- UTP
 - 10BASE-T pinouts*, 41-43
 - 100BASE-T pinouts*, 41-43
 - 1000BASE-T pinouts*, 44
 - categories*, 138
 - data transmission on Ethernet LANs*, 39
 - electrical circuits, creating on Ethernet LANs*, 39
 - Ethernet links*, 39-41
 - pinouts, selecting*, 43-44
- WAN links, creating in lab, 60
- calculating. *See also deriving***
 - IPv6 prefix, 619-622
 - number of hosts
 - for classful networks*, 298
 - per subnet*, 275-276, 316-318
 - number of subnets per internetwork, 274
 - powers of 2, numeric reference table, 742
 - range of usable subnet addresses with binary, 336
 - subnet broadcast addresses, 329
 - with binary math*, 332-335
 - with Boolean math*, 335
 - with decimal math*, 340-341
 - practice problems*, 341
 - versus memorization*, 342
 - subnet IDs
 - with binary math*, 330-335
 - with Boolean math*, 335
 - with decimal math*, 338-340
 - practice problems*, 340
 - versus memorization*, 342
 - total subnets in network, 316-318
- CAM (Content Addressable Memory)**, 128
- campus LANs**
 - access switches, 137
 - core switches, 137
 - distribution switches, 137
 - Ethernet technology, selecting, 136
 - maximum cable lengths, 138-139
- candidate default routes**, 398
- Catalyst switches**
 - banners, configuring, 185-187
 - CLI, securing, 175-178
 - memory types, 162
 - password encryption, configuring, 182-184
 - usernames, configuring, 178
- categories of UTP cabling**, 138
- CCNA certification, practice exams**, 726-727
- CDP (Cisco Discovery Protocol)**
 - as troubleshooting tool, 239-241
 - CDP status, examining*, 242
 - show cdp neighbors command*, 241
 - disabling, 242
- CEF (Cisco Express Forwarding)**, 383
- CIDR (classless interdomain routing)**, 309, 579, 612
 - classless routing protocol implementation, 580
 - goals of, 579
 - IPv4 address conservation, 580-581
 - route aggregation, 580
- Cisco 2901 ISR**, 356
- Cisco Binary Game**, 310
- Cisco Catalyst 2960 switch**, 149
 - CLI, 149, 152. *See also commands*
 - accessing with SSH*, 155
 - accessing with Telnet*, 154
 - accessing with the console*, 152-154
 - configuration submodes*, 160-162

- debug commands*, 159
- EXEC modes, navigating*, 156-157
- help features*, 157-158
- password security*, 155
- privileged EXEC mode*, 156
- show commands*, 158-159
- user EXEC mode*, 156
- LED status indicators, 150-151
- Cisco Catalyst switches**
 - Cisco IOS Software, setup mode, 165-166
 - CLI, 152. *See also* commands
 - accessing with SSH*, 155
 - accessing with Telnet*, 154
 - accessing with the console*, 152-154
 - comparing with router CLI*, 360
 - configuration submodes*, 160-162
 - debug commands*, 159
 - EXEC modes, navigating between*, 156-157
 - help features*, 157-158
 - history buffer commands*, 187
 - password security*, 155
 - privileged EXEC mode*, 156
 - show commands*, 158-159
 - user EXEC mode*, 156
 - interfaces
 - configuring*, 192-193
 - duplex mismatches*, 246-247
 - Layer 1 problems*, 247-248
 - securing*, 198
 - status codes*, 243-244
 - IP address
 - configuring*, 188-190
 - verifying*, 191-192
 - LED status indicators, 150
 - port LEDs*, 151
 - SYST LED*, 151
 - MAC address table, Layer 2, 248-251
 - memory types, 162
 - port security, 251-252
 - configuring*, 193-198
 - verifying*, 197
 - ports, supporting Ethernet link types, 41
 - SSH, configuring, 180-181
 - time-of-day clocks, synchronizing, 569-570
 - VLANs
 - mismatched operational state*, 255-256
 - mismatched VLAN-allowed*, 254-255
 - verifying state of*, 253-254
- Cisco Exam Tutorial**, 720-721
- Cisco IOS Software**
 - CLI, 152. *See also* commands
 - accessing SSH*, 155
 - accessing Telnet*, 154
 - accessing with the console*, 152-154
 - comparing on routers and switches*, 360
 - configuration submodes*, 160-162
 - debug commands*, 159
 - EXEC modes, navigating between*, 156-157
 - help features*, 157-158
 - IPv6 link-local addresses, creating*, 656-657
 - password security*, 155
 - privileged EXEC mode*, 156
 - show commands*, 158-159
 - user EXEC mode*, 156
 - configuration files, 162-164
 - copying*, 164-165
 - erasing*, 165
 - rebooting, 156
 - services, disabling, 565-566
 - setup mode, 165-166
 - statistics, displaying, 166-168
 - subnet zero support, 394
- Cisco Learning Network**, 732
- Cisco-proprietary version of HDLC**, 61
- Cisco routers**
 - Aux ports, configuring, 366
 - CLI, comparing with switch CLI, 360
 - command reference, 359
 - consumer-grade, PAT configuration, 587-588

DHCP servers

configuring, 439-440
verifying, 441

DHCP support, configuring, 435

dynamic unicast IPv6 addresses,
 configuring, 654

enterprise routers, installing, 355-356

interfaces, 360

configuration commands, 361

Ethernet interfaces, 360

interface status codes, 362-363

IP addresses, configuring, 363-364

IP addresses, verifying, 364

serial interfaces, 361, 365

IP routing

CEF, 383

fast switching, 383

internal processing, 382

performance issues, 383

IPv6 addressing, link-local addresses,
 655-657

IPv6 routing, enabling, 649

ISRs, installing, 356-357

operational status, displaying, 366-367

routing table, verifying OSPFv3 routes,
 707-708

static unicast IPv6 addresses

configuring, 648

verifying, 649-650

time-of-day clocks, synchronizing with
 NTP, 569-570

unicast IPv6 addresses

EUI-64, configuring, 651-653

verifying, 650

verifying IPv6 host connectivity,
 680-682

Class A networks

default mask, 296

hosts per network, 296

loopback address, 300

octets in host and network address part,
 296

total networks provisioned for, 296

unicast IP addresses, 295

valid network numbers, 296

Class B networks

broadcast address, 300

default mask, 296

hosts per network, 296

octets in host and network address part,
 296

total networks provisioned for, 296

unicast IP addresses, 295

valid network numbers, 296

Class C networks

default mask, 296

hosts per network, 296

network IDs, 300

octets in host and network address part,
 296

total networks provisioned for, 296

unicast IP addresses, 295

valid network numbers, 296

classes of IPv4 networks, 82

identifying, 83-84

private addressing, 581

classful addressing, 316**classful networks, 85, 295-296**

Class A networks, loopback address,
 300

default masks, 297

first usable address, deriving, 298-299

host part, 296-297

hosts per network, calculating number
 of, 298

last usable address, deriving, 298-299

multicast addresses, 295

network broadcast address, deriving,
 298-299

network ID, deriving, 298-299

network part, 296-297

private addressing, 581

private IP networks, 281

public classful IP networks, 279-281

subnetting. *See also* subnetting

example design, 284-285

host part of IP address, 283

*list of all subnets, building,
 286-287*

mask format, 285-286

mask, selecting, 282

- subnet bits, calculating, 283-284*
 - subnets of equal size, 327-328*
- unicast IP addresses, 295
- classful routing protocols, 316**
- classless addressing, 316**
- classless routing protocols, 316, 409**
 - CIDR implementation, 580
 - VLSM, support for, 496
- clear ip nat translation command, 585**
- clear ip ospf process command, 424**
- clearing**
 - dynamic entries from translation table, 585
 - running config files, 165
- CLI, 149. *See also* commands**
 - accessing, 152
 - with SSH, 155*
 - with Telnet, 154*
 - with the console, 152-154*
 - banners, configuring, 185-187
 - comparing on routers and switches, 360
 - configuration mode, 159
 - configuration submodes, 160-162
 - debug commands, 159
 - EXEC modes, navigating between, 156-157
 - help features, 157-158
 - enable mode, hiding password, 184-185
 - hands-on practice, 731-732
 - history buffer commands, 187
 - passwords
 - encryption, configuring, 182-184*
 - security, 155*
 - privileged EXEC mode, 156
 - securing with passwords, 175-178, 565
 - show commands, 158-159
 - user EXEC mode, 156
 - usernames, configuring, 178
- clients, IPv6**
 - dynamic configuration with DHCPv6, 673
 - IPv6 address, building, 676-677
- clock rate command, 60, 365**
- clocking, 60, 365**
- clouds, 12**
- collision domains, 126, 133-135**
- collisions, 50, 248**
- commands**
 - abbreviating, 362
 - access-class, 567
 - access-list
 - eq parameter, 554, 557*
 - interpreting, 542-543*
 - log keyword, 540*
 - syntax, 533, 536*
 - access-list command, matching parameters (extended IP ACLs), 552-553
 - clear ip nat translation, 585
 - clear ip ospf process, 424
 - clock rate, 60, 365
 - configuration commands, 159
 - configure terminal, 177
 - context-setting commands, 160
 - copy, 164
 - debug commands, 159
 - default-information originate, 427
 - description, 192
 - editing, 158
 - encapsulation, 388
 - end, 177
 - erase startup-config, 165
 - EXEC commands, 157
 - exec-timeout, 187-188
 - exit, 162
 - help features, 157-158
 - history buffer commands, 187
 - hostname, 163
 - ifconfig, 443
 - interface loopback, 423
 - interface range, 193, 219
 - ip access-group, 538
 - ip access-list command, 560
 - ip address, 384, 417, 496
 - ip address dhcp, 588
 - ipconfig, /all switch, 443
 - ip helper-address, 437
 - ip nat inside, 588
 - ip nat inside source list, 590
 - ip nat inside source static, 590
 - ip nat outside, 588
 - ip ospf neighbor, 420-421

- ip route, 395
- ip subnet-zero, 394
- ipv6 address, 648, 653, 656, 670, 689
- ipv6 dhcp relay, 675
- ipv6 route, 692-696
- ipv6 route ospf, 702
- ipv6 unicast-routing, 649
- line aux 0, 366
- logging synchronous, 187-188
- login, 176
- netsh interface ipv6 show neighbors, 671
- netstat -rn, 446
- network, 417-420
- no ip subnet-zero, 394, 502
- no shutdown, 190, 198
- nslookup, 445
- passive-interface, 425
- password, 177
- ping
 - connectivity, testing, 93-94*
 - connectivity, verifying, 447-449*
 - in organized troubleshooting process, 237-238*
- recalling, 158
- reload, 156
- resume, 457
- router and switch CLI, comparing, 360
- router ospf, 417
- service password, 182-184
- service password-encryption, 182
- show cdp, role in troubleshooting, 241
- show cdp entry name, 241
- show cdp neighbors, 241
- show commands, 158-159
- show controllers, 365
- show dhcp lease, 191
- show interfaces, 243, 247-248, 361-362, 649
- show interfaces status, 193, 245
- show interfaces switchport, 223-225, 255
- show interfaces trunk, 223, 226, 255
- show ip dhcp conflict, 442
- show ip interface brief, 361-362
- show ip interfaces, 538
- show ip nat statistics, 592
- show ip nat translations, 590-592
- show ip ospf database, 412, 420-421
- show ip ospf interface brief, 425
- show ip ospf neighbor, 707
- show ip ospf neighbors, 413
- show ip protocols, 422-423
- show ip route, 360, 384, 392, 398, 411, 420-422, 496-497, 509-511
- show ip route static, 396
- show ipv6 interface, 656-658
- show ipv6 interface brief, 649
- show ipv6 neighbors, 681-682
- show ipv6 ospf, 704
- show ipv6 ospf database, 707
- show ipv6 ospf interface brief, 705
- show ipv6 route, 655, 694-696
- show ipv6 route local, 691
- show ipv6 route static, 695
- show mac address-table, 248, 360
- show mac address-table dynamic, 249
- show ntp associations, 574
- show ntp status, 570
- show port security, 197
- show protocols, 364
- show running config, 219, 365
- show running-config, 163, 704
- show sessions, 457
- show ssh, 457
- show startup-config, 163
- show users, 457
- show version, 166, 366-367
- show vlan brief, 219, 251
- show vtp status, 221
- shutdown, 190
- shutdown vlan, 226, 254
- switchport access vlan, 219
- switchport mode, 221-222
- switchport mode dynamic auto, 255
- switchport mode dynamic desirable, 223
- switchport mode trunk, 387
- switchport port security, 196
- telnet, verifying connectivity, 455
- traceroute, verifying connectivity, 451-455
- write erase, 165

comparing

- broadcasts and multicasts, 657
- DHCPv6 and DHCPv4, 674
- Ethernet and HDLC header fields, 61
- IGPs, 409
- internal routing logic, types of, 383
- LANs and WANs, 56
- link-local and EUI-generated unicast addresses, 656
- memorization and calculation for subnetting, 342
- networks and subnets, 329
- operational and design view of subnetting, 272-273
- original and modern TCP/IP models, 23
- OSI and TCP/IP networking models, 25
- OSPFv2 and OSPFv3, 697-699
- router and switch CLI, 360
- routing and routed protocols, 405
- TCP and UDP, 101
- computer networking before TCP/IP, 13**
- Config Museum labs, 732**
- configuration commands, 159**
 - for router Cisco routers, 361
 - standard numbered IPv4 ACLs 532-533, 536
- configuration files, 162-164**
 - copying, 164-165
 - erasing, 165
 - running configuration, 162
- configuration mode (CLI), 159**
- configuration submodes (CLI), 160-162**
- configure terminal command, 177**
- configuring**
 - Cisco Catalyst switches
 - banners, 185-187*
 - CLI, securing, 175-178*
 - interfaces, 192-193*
 - IP address, 188-190*
 - password encryption, 182-184*
 - port security, 193-198*
 - SSH, 180-181*
 - usernames, 178*
 - connected routes, 384-385
 - DHCP on Cisco routers, 435, 439-440

- DHCPv6 relay, 674-675
- EUI-64 on routers, 651-653
- extended numbered IP ACLs, 556-559
- Layer 3 switching, 390-392
- named IP ACLs, 560-561
- NAT
 - dynamic NAT, 590-591*
 - PAT, 594-596*
 - static NAT, 588-590*
- NTP, 569, 574
- OSPF
 - matching interface IP address with, 419-420*
 - passive interfaces, 424-425*
 - RID, 423-424*
 - single-area OSPF, 417-419*
 - verifying configuration, 420-423*
- OSPFv3, single-area OSPFv3, 700-702
- ROAS, 387-390
- router interfaces, 360, 363-364
- secondary IP addressing, 392-393
- serial interfaces, clock rate, 365
- standard numbered IPv4 ACLs, 536-539
- static routes, 394-396
- terminal emulator for console connections, 153-154
- unicast IPv6 addresses on routers
 - dynamic, 654*
 - static, 648*
- VLANs
 - allowed VLAN lists, 225-227, 255-256, 259*
 - full configuration, 217-219*
 - shorter configurations, 219-220*
 - trunking configuration, 221-225*
- VLSM, 496
- conflicts (DHCP), detecting, 442**
- connected routes. *See also* static routes**
 - administrative distance, 410
 - configuring, 384-385
 - directly connected routes, 385
 - host routes, 386
 - IPv6, 689
 - displaying on Cisco routers, 650*
 - example, 690-691*

- local routes, 386
 - VLANs, routing between subnets, 386
 - Layer 3*, 390-392
 - ROAS*, 387-390
 - zero subnets, 394
 - connecting**
 - Ethernet links, 40-41
 - LANs with WANs, 57
 - subnets with routers, 274
 - connection establishment**, 106
 - connection-oriented protocols**, 107
 - connection termination (TCP)**, 106
 - connectionless protocols**, 107
 - connectivity**
 - of IPv6 hosts, verifying, 678-682
 - testing with ping command, 93-94
 - troubleshooting, 237-238
 - verifying
 - with ping command*, 447-451
 - with telnet command*, 455
 - with traceroute command*, 451-455
 - connectors**, CSU/DSU, 60
 - conservation of IPv4 addresses through CIDR**, 580-581
 - console connections**, 152
 - terminal emulator, configuring, 153-154
 - virtual terminal lines, 155
 - console inactivity timeouts**, defining, 187-188
 - consumer-grade Cisco routers**, PAT configuration, 587-588
 - context-setting commands**, 160
 - controlling telnet access to devices with ACLs**, 567
 - conventions**, addressing conventions for Class A, Class B, and Class C networks, 300
 - convergence**, 405-406
 - converting**
 - binary subnet masks to DDN, 310-312
 - binary to hexadecimal, numeric reference table, 740
 - DDN subnet masks to prefix format, 312
 - DDN to binary, 310-312, 737-739
 - hexadecimal IPv6 addresses to binary, 617, 740
 - prefix subnet masks
 - to binary*, 310
 - to DDN*, 312
 - copy command**, 164
 - copying configuration files**, 164-165
 - core switches**, 137
 - COs (central offices)**, 59, 68
 - cost metric**, 408
 - counters (show interfaces command)**, 247-248
 - CPE (customer premises equipment)**, 59
 - CPU**
 - broadcasts effect on, 657
 - performance issues during IP routing, 383
 - CRC (cyclic redundancy check) errors**, 247
 - creating link-local IPv6 addresses**, 656-657
 - crossover cable pinouts**, 43
 - CSMA/CD**
 - collisions, 248
 - collisions, preventing, 50-51
 - CSU/DSU (channel service unit/data service unit)**, 59-60, 356-358, 365
 - cut-through processing**, 131
- ## D
-
- DAD (Duplicate Address Detection)**, 668, 671-672
 - data applications**, interactive applications, 109
 - data encapsulation**, 23-25
 - data link layer (OSI model)**, 27, 38
 - Ethernet addressing
 - CSMA/CD*, 50-51
 - EtherType field*, 47
 - FCS field*, 48
 - full-duplex data*, 48-49
 - half-duplex data*, 49-50
 - HDLC
 - data transmission through*, 62-63
 - header fields*, 61
 - role in IP routing, 78

data link layer (TCP/IP networking model), 21-23

data link protocols, 45, 101

data segmentation, 101

DCE (data communications equipment), 60

DDN, 20, 80, 285, 309

converting

to binary, 310-312

to prefix format, 312

octets, 81

wildcard masks, 534-535

debug commands, 159

decimal math

memorization versus calculation, 342

subnet broadcast address, calculating, 340-341

subnet IDs, calculating, 338-340

decimal-to-binary conversion

Cisco Binary Game, 310

numeric reference table, 737-739

deencapsulation, 63, 380, 615

default administrative distance values, 411

default gateway, 77, 87, 377

default-information originate command, 427

default masks, 297

for Class A networks, 296

for Class B networks, 296

for Class C networks, 296

default routers, 76, 445-447

default routes

candidate default routes, 398

OSPF, 426-427

static default routes, 396-398

default static routes, IPv6, 696

defining

size of planned subnets, 276

one-size-fits-all design, 277

VLSMs, 278

subnets, 327

delay, 108

delete vtp command, 232

deny keyword, ACL packet matching, 531

depletion of IPv4 addresses, 612

deriving

first usable address from classful network, 298-299

last usable address from classful network, 298-299

network broadcast address from classful network, 298-299

network ID from classful network addresses, 298-299

describing protocols by referencing OSI layers, 26

description command, 192

description interface subcommand, 362

design view of subnetting, comparing to operational view, 272-273

designing subnets

example design, 284-285

host part of IP address, borrowing bits, 283

list of all subnets, building, 286-287

masks

format, 285-286

selecting, 282, 471-477

patterns, identifying with magic number, 478-479

powers of 2, 471

private IP networks, 281

public IP networks, 279-281

subnet bits, calculating requirements, 283-284

subnet IDs, finding, 477-486

destination IP address parameter (access-list command), 552-553

Destination MAC Address field (Ethernet frames), 45

destination port number, 103

destination ports as packet filtering criteria, 553-555

development of TCP/IP, 14

devices. *See also* Cisco Catalyst switches; Cisco routers

hubs, half-duplex data transmission, 49-51

routers, wireless, 36

DHCP (Dynamic Host Configuration Protocol). *See also* SLAAC

addresses, 436

configuring on Cisco routers, 435

IP address

*configuring on Cisco Catalyst switches, 188-190**verifying on Cisco Catalyst switches, 191-192*

IPv6 address learning, 654

leases, 435

protocol messages, 435-436

*Discover, 436**Offer, 436*

servers

*Cisco router configuration, 439-440**Cisco router verification, 441**conflicts, detecting, 442**information stored by, 438**preconfiguration, 439*

stateful DHCPv6, 673

stateless DHCPv6, 673

static and dynamic ranges per subnet, selecting, 288-289

DHCP relay, 437-438**DHCPv4 versus DHCPv6, 674****DHCPv6**

combining with SLAAC, 677

dynamic IPv6 host configuration, 673

versus DHCPv4, 674

DHCPv6 relay

configuring, 674-675

Solicit message, 675

difficult masks, 336

interesting masks, predictability within, 337-338

interesting octets, 337

memorization versus calculation, 342

subnet broadcast address, calculating with, 340-341

subnet ID, calculating with decimal math, 338-340

Dijkstra SPF (Shortest Path First) algorithm, 413**directed broadcast address, 286**

direction of ACLs, verifying, 540

directly connected routes, 385

disabling

autonegotiation, 140

CDP, 242

services for Cisco IOS Software, 565-566

trunk negotiation, 225

VLANs on a switch, 253-254

discarded packets, deny all keyword (ACLs), 533**Discover messages (DHCP), 436****discovering knowledge gaps through practice exam question, 729-731****displaying**

Cisco IOS statistics, 166-168

contents of ARP cache, 93

dynamic NAT statistics, 592

interface speed and duplex settings, 244-246

line status with show interfaces command, 243

log messages, 187-188

MAC address table contents, 248

NDP neighbor table, 682

neighbor table of IPv6 hosts, 671

protocol status with show interfaces command, 243

router interface status, 361-362

router operational status with show version command, 366-367

SSH status, 181

static NAT statistics, 590

switch interface status codes, 243

distance vector routing protocols, 408**distribution switches, 137****DNS (Domain Name System), 105**

ARP cache, viewing contents of, 93

name resolution, 91-93, 110-111

verifying, 444-445

dotted decimal format, default masks for classful networks, 297**DRAM, running configuration files, 162****DSLAM (DSL Access Multiplexer), 69****DSL (digital subscriber line), 68-69, 358****DTE (data terminal equipment), 60**

DTP (Dynamic Trunking Protocol),
221-223

dual stack, 615

dynamic unicast IPv6, 654

EUI-64, configuring, 651-653

static unicast IPv6, 648-650

unicast IPv6, 650

duplex settings

displaying, 244-246

mismatches, troubleshooting, 141,
246-247

dynamic IPv6 host configuration with
DHCPv6, 673

dynamic MAC address table entries,
examining, 249

dynamic NAT, 584-585

configuring, 590-591

statistics, displaying, 592

verifying configuration, 592-594

dynamic port numbers, 103

dynamic ranges per subnet, selecting,
288-289

dynamic unicast IPv6 addresses,
configuring on routers, 654

E

easy masks, 336

Echo service, disabling, 566

editing

ACLs with sequence numbers, 562-563

commands, 158

EGPs (exterior gateway protocols), 406

EIGRP (Enhanced Interior Gateway
Routing Protocol), 408

EIGRPv6, 616

electrical circuits over Ethernet LANs,
39

EMI (electromagnetic interference), 39,
244

enable passwords, 176, 184-185

enable secret password, 176

enabling

IPv6 routing on Cisco routers, 649

router interfaces, 363

VLANs on a switch, 253-254

encapsulation, 23-25, 381-382

HDLC, 62

IPv6 routing process, 614-615

encapsulation command, 388

encoding scheme, data transmission over
Ethernet LANs, 39

encryption

configuring on Cisco Catalyst switches,
182-184

enable password, hiding, 184-185

end command, 177

enterprise LANs, 36-37

enterprise networks, 11

enterprise routers, installing, 355-356

EoMPLS (Ethernet over MPLS), 64-65

eq parameter (access-list command),
554, 557

erase startup-config command, 165

erasing configuration files, 165

err disabled state, 198

error detection, 101

error recovery, 17, 101

estimating time needed to finish exam,
722

Ethernet, 35

10BASE-T

bridges, 125

crossover cable pinouts, 43

hubs, 125

pinouts, selecting, 43-44

*straight-through cable pinouts,
41-42*

switches, 126

UTP cabling pinouts, 41

100BASE-T

crossover cable pinouts, 43

pinouts, selecting, 43-44

*straight-through cable pinouts,
41-42*

UTP cabling pinouts, 41

1000BASE-T, UTP cable pinouts, 44

addressing, 45

BIA, 46

broadcast addresses, 47

EtherType field, 47

FCS field, 48

- multicast addressees, 47*
- OUI, 46*
- unicast Ethernet addresses, 46*
- autonegotiation, 139
 - disabling, 140*
 - duplex mismatches, 141*
 - failure of, 140*
 - on hubs, 141*
- broadcast domains, 133-135
- cabling, EMI, 39
- collision domains, 126, 133
- data link layer standard, 38
- data link protocols, 45
- data transmission over, 39
- electrical circuits, creating, 39
- EoMPLS, 64-65
- frames, VLAN trunking, 211
- full-duplex data transmission, 48-49
- half-duplex data transmission, 49-51
- interfaces, 360
- LANs
 - enterprise LANs, 36-37*
 - SOHO, 35-36*
 - troubleshooting with CDP, 239-242*
- links, 39
 - connecting, 41*
 - RJ-45 connectors, 40*
 - RJ-45 ports, 40*
- physical layer standards, 37
- as WAN technology, 63
- Ethernet emulation, 65
- EtherType field, 47
- EUI-64
 - configuring, 651-653
 - universal/local bit, 652
- exam**
 - practicing for, two-phase approach, 301-302
 - questions, how to answer, 728-729
- exam, preparing for**
 - exam-day advice, 722-723
 - hands-on CLI practice, 731-732
 - knowledge gaps, discovering through, 729-731
 - math-related skills, practicing for, 723-725
 - practice exams, 725-726
 - CCNA, 726-727*
 - ICND1, 726*
 - pre-exam suggestions, 722
 - suggested time-check method, 722
- examining**
 - CDP neighbor information, 239-241
 - CDP protocol status, 242
 - MAC address table, dynamic entries, 249
- example configuration**
 - extended numbered IP ACLs, 557-559
 - port security, 195-196
 - single-area OSPFv3, 701-702
 - standard numbered IPv4 ACLs, 537-539
- examples**
 - of calculating subnet broadcast address with, 340-341
 - of calculating subnet ID with decimal math, 338-340
 - of IPv6 connected routes, 690-691
 - of IPv6 local routes, 691-692
 - of IP routing, 88-89, 378-382
 - of subnetting, 271
 - adding to VLSM design, 500-502*
 - subnet design, 284-285*
 - subnets of equal size, 327-328*
- EXEC modes, navigating between, 156-157**
- exec-timeout command, 187-188**
- exhaustion of IPv4 addresses, 612**
- exhaustion of public IP address space, solutions to, 280-281**
- exit command, 162**
- expanding IPv6 addresses, 618-619**
- extended numbered IP ACLs**
 - adding to configuration, 563-564
 - configuring, 556
 - creating, practice problems, 559
 - example configuration, 557-559
 - matching parameters (access-list command), 552-553
 - packet filtering, 553-556
 - standard ACLs, comparing to, 552

extended ping, 449-451
 extended traceroute command, 454
 external authentication servers, 179

F

failure of autonegotiation, rules for, 140

Fast Ethernet, 37

fast switching, 383

comparing to process switching and CEF, 383

FCS (Frame Check Sequence), CRC errors, 247

FCS field

Ethernet frames, 45, 48

HDLC, 61

fiber-optic cabling, 37

fields in Ethernet frames, 45

files, transferring with HTTP, 112

filtering packets

by destination port, 553-555

by source port, 555-556

versus forwarding, 127-128

FIN bit, 106

finding

overlapping subnets, 497-499

subnet ID for subnet design, 477-479, 482-484

example, 480-482

identifying patterns with magic, 478-479

practice problems, 485-486

zero subnet, 478

first-match logic, standard numbered

IPv4 ACLs, 532-533

first usable address, deriving from class-ful network, 298-299

Flag field (HDLC), 61

flash memory, 162

flooding, 129, 412

flow control, 101

format of subnet masks, 285-286

binary, 309

converting to DDN, 310-312

converting to prefix, 310

DDN, 309

converting to prefix format, 312

converting to binary, 310-312

prefix format, 309

converting to binary, 310

converting to DDN, 312

forwarding data between VLANs, 213-215

forwarding logic in IP routing, 75, 87-88

delivering data to end, 77

example of, 88-89

routing across the network, 77

transmitting packets to, 76

forwarding packets

routing logic, 381

versus filtering, 127-128

forwarding path, metrics, 408-409

forwarding state (STP), 130

forward-versus-filter decisions, 128

fragment-free processing, 131

frames. *See also* packets

encapsulation, 24

Ethernet

data link layer, 38

EtherType field, 47

FCS field, 48

header and trailer fields, 45

VLAN trunking, 211

FCS, CRC errors, 247

forwarding logic on switches

flooding, 129

forwarding versus filtering, 127-128

internal switch processing, 130-131

loop avoidance, 130

MAC address learning process, 128-129

giants, 247

host routing, 87-88

router processing for IP routing, 380

runts, 247

transmitting via IP routing process, 382

unknown unicast, 129

FTP (File Transfer Protocol), 105

full-duplex data transmission

- collisions, 50
- duplex mismatches, 141
- on Ethernet LANs, 48-49
- WANs, 58

functions

- of NDP, 668
 - duplicate address discovery with NS and, 671-672*
 - neighbor link address discovery with RS, 670*
 - router discovery, 669*
 - SLAAC address discovery with RS and RA, 669-670*
- of routing protocols, 405-406

G

Gateway of Last Resort, 398**gateways, 406****GBIC (gigabit interface converter), 41****giants, 247****Gigabit Ethernet, 37****global routing prefix (IPv6), 632-633****global unicast addresses (IPv6), 629-631**

- address ranges, 633-634
- subnetting, 634-637
 - addresses, 638-639*
 - placement of, 634*
 - subnet IDs, 637*
 - subnets, 638*

global unicast next-hop addresses to IPv6 static routes, 694**goals**

- of CIDR, 579
- of routing protocols, 89

grouping IP addresses into networks, 81-82**growth of internetworks, planning for, 275****growth of the Internet, milestones, 611****guaranteed delivery, 17****guidelines for ACL implementation, 568****H**

half-duplex data transmission

- collisions, 50
- duplex mismatches, 141
- on Ethernet LANs, 49-51

hands-on CLI practice, 731-732**HDLC (High-Level Data Link Control), 378**

- Cisco-proprietary version of, 61
- data transmission, 62-63
- header fields, 61

headers, 16, 22

- encapsulation, 23-25
- fields

Ethernet frames, 45

HDLC, 61

TCP, 102

HDLC, 378

IPv6, 613

TCP, SEQ, 17

Hello messages (OSPF), 415**Hello process (OSPF)**

- Hello messages, 415
- RID, 414, 423-424

help features of CLI, 157-158**hexadecimal IPv6 format, 613****hexadecimal-to-binary conversion, 617, 740****hiding**

- enable password, 184-185
- local username password, 185

hierarchical OSPF design

- multiarea OSPF, 416
- single-area OSPF, 415

high-speed Internet connections, 11**historical reasons for IPv6, 611-612****history**

- of OSI, 13
- of TCP/IP

comparing original and modern networking, 23

pre-TCP/IP computer networking, 13

- history buffer commands, 187
 - home page, 15
 - hop count, 408
 - hostname command, 163
 - host part (classful network addresses), 296-297, 315
 - host routing, 386
 - example of, 88-89
 - routing logic, 376
 - hosts
 - forwarding logic in IP routing, 75
 - delivering data to*, 77
 - routing across the*, 77
 - transmitting packets*, 76
 - IPv6
 - connectivity, verifying*, 678-682
 - dynamic configuration with DHCPv6*, 673
 - IPv6 address, building*, 676-677
 - role in IP routing, 87-88
 - per network, 296
 - per subnet, calculating, 275-276, 316-318
 - HTTP (Hypertext Transfer Protocol), 15-17, 110
 - 404 return code, 112
 - files, transferring between web servers and web, 112
 - GET requests, 112
 - GET responses, 112
 - TCP error recovery, 17
 - hubs
 - 10BASE-T topologies, 125
 - autonegotiation, 141
 - half-duplex data transmission, 49-51
 - Huston, Geoff, 612
-
- IANA, 280
 - ASNs, 407
 - reserved local-scope IPv6 multicast addresses, 658
 - ICMP (Internet Control Message Protocol), ping command, 93-94
 - ICMP, TTL Exceeded message, 452
 - ICMPv6, 613
 - ICND1 practice exams, 726
 - identifying
 - classes of IPv4 networks, 83-84
 - interesting octet, 482
 - patterns with magic number, 478-479
 - IEEE (Institute of Electrical and Electronics Engineers), 35
 - autonegotiation, 139
 - disabling*, 140
 - duplex mismatches*, 141
 - failure of*, 140
 - on hubs*, 141
 - standards naming conventions, 37
 - IEEE 802.1Q, 212-213
 - IEEE 802.11 standard, 35-36
 - IETF, short-term solutions to IPv4 address exhaustion, 612
 - ifconfig command, 443, 679
 - IGPs (interior gateway protocols), 406, 409
 - IGRP (Interior Gateway Routing Protocol), 408
 - implementing
 - ACLs, guidelines, 568
 - standard numbered IPv4 ACLs, 536-539
 - inactivity timer, 129
 - inbound ACLs, 529
 - initial configuration, Cisco IOS Software, 165-166
 - input errors, 247
 - inside global IP addresses, 583-584
 - inside local IP addresses, 583-584
 - installing
 - Cisco ISRs, 356-357
 - enterprise routers, 355-356
 - integrated devices, SOHO network installation, 359
 - interactive applications
 - QoS requirements, 108
 - WWW
 - DNS resolution*, 110-111
 - URLs*, 109-110
 - interesting octets
 - identifying, 482
 - predictability in numeric patterns, 337-338

- interface IDs, generating with EUI-64, 651-653
- interface loopback command, 423
- interface range command, 193, 219
- interface status codes, 243
- interfaces
 - ACLs, verifying direction of, 540
 - CDP, disabling, 242
 - configuring, 360
 - configuring on Cisco Catalyst switches, 192-193
 - duplex mismatches, troubleshooting, 246-247
 - err disable state, 198
 - Layer 1 problems, troubleshooting, 247-248
 - loopback, 423
 - matching IP address with OSPF network command, 419-420
 - on switches, 150
 - OSPF passive interfaces, configuring, 424-425
 - passive interfaces (OSPFv3), 703
 - router interfaces
 - configuration commands*, 361
 - enabling*, 363
 - Ethernet interfaces*, 360
 - interface status codes*, 362-363
 - IP addresses, configuring*, 363-364
 - IP addresses, verifying*, 364
 - serial interfaces*, 361, 365
 - status, displaying*, 361-362
 - secure-shutdown state, 197
 - selection for EUI-64, 654
 - speed issues, troubleshooting, 244-246
 - status codes, 244
 - SVI, 189
 - unused, securing, 198
 - VLANs, 135-136
- interference, effect on Layer 1 interface operation, 248
- interleaving 0s and 1s
 - binary subnet mask rules, 309
 - wildcard masks, 543
- internal routing logic
 - CEF, 383
 - comparing types of, 383
 - fast switching, 383
 - performance issues, 383
- internal switch processing
 - cut-through processing, 131
 - fragment-free processing, 131
 - store-and-forward processing, 130
- Internet
 - high-speed connections, 11
 - ISPs, 66
 - milestones in growth of, 611
 - service providers, 58
- Internet access routers, SOHO network installation, 358
- Internet access technologies, 67
 - always-on service, 70
 - cable Internet, 69-70
 - DSL, 68-69
- Internet core, 66
- internetworks, building list of all subnets, 286-287
- interpreting access-list command, 542-543
- IOS (Internetwork Operating System). See Cisco IOS Software
- IP, 18-20
- ip access-group command, 538
- ip access-list command, 560
- IP address
 - configuring on Cisco Catalyst switches, 188-190
 - verifying on Cisco Catalyst switches, 191-192
- ip address command, 384, 394, 417
 - secondary keyword, 393
 - VLSM, 496
- ip address dhcp command, 588
- ipconfig command, 679
 - /all switch, 443
- ip helper-address command, 437
- ip nat inside command, 588
- ip nat inside source list command, 590
- ip nat inside source static command, 590
- ip nat outside command, 588
- ip ospf neighbor command, 420-421
- IP phones, 108

ip route command, 395-396**IP routing**

- connected routes, 384-385
 - secondary IP addressing, 392-393*
 - zero subnets, 394*
- default gateway, 377
- example, 378-382
- example of, 88-89
- host logic, 376
- host routes, 386
- host routing, 87-88
- internal processing on Cisco, 383
- internal processing on Cisco routers, 382
- internal routing logic
 - CEF, 383*
 - fast switching, 383*
 - performance issues, 383*
- local routes, 386
- routing logic, 376-378
- static routes
 - configuring, 394-396*
 - static default routes, 396-398*

IP routing table, 77**ip subment-zero command, 394****IP telephony, 108****IPv4 ACLs**

- editing with sequence numbers, 562-563
- extended numbered IP ACLs, 552
 - adding to, 563-564*
 - configuring, 556*
 - destination port as, 553-554*
 - example configuration, 557-559*
 - matching parameters, 552-553*
 - practicing, 559*
 - source port as packet, 555-556*
 - standard ACLs, 552*
- guidelines for implementing, 568
- matching packets, 530
 - deny keyword, 531*
 - permit keyword, 531*
- named ACLs
 - configuring, 560-561*
 - numbered ACLs, comparing to, 560*

- placement of, 529-530
- standard numbered ACLs, 531
 - command syntax, 533, 536*
 - first-match logic, 532-533*
 - list logic, 532*
- telnet access, restricting on devices, 567
- troubleshooting, 540

IPv4 addressing, 20, 80

- ACLs. See IPv4 ACLs
- address classes, 82-84
- address exhaustion, 612
- binary-to-hexadecimal conversion, 740
- CIDR, 579
 - address conservation, 580-581*
 - route aggregation, 580*
- classful addressing, 316
- classful IP networks, 85
- classful networks
 - default masks, 297*
 - first usable address, 298-299*
 - host part, 296-297*
 - hosts per network, 298*
 - last usable address, 298-299*
 - multicast addresses, 295*
 - network broadcast, 298-299*
 - network ID, deriving, 298-299*
 - network part, 296-297*
 - unicast addresses, 295*
- classless addressing, 316
- decimal-to-binary conversion, 737-739
- default routers, verifying, 445-447
- DDN, 80-81
- DHCP
 - configuring on Cisco routers, 435*
 - conflicts, detecting, 442*
 - protocol messages, 435-436*
 - servers, information stored by, 438*
 - servers, preconfiguration, 439*
- DHCP relay, 437-438
- DNS
 - verifying, 444-445*
 - name resolution, 110-111*
- dual stack, 615
- grouping into IP networks, 81-82
- hexadecimal-to-binary conversion, 740

- IPv4 header, 79
- mask configuration, verifying, 443
- migration to IPv6, reasons for, 611
- NAT, 581
 - dynamic NAT*, 584-585, 590-594
 - PAT*, 585-588, 594-596
 - static NAT*, 582, 588-590
- private addresses, 629
- private addressing, 579-581
- public addresses, 629
- role in IP routing, 78-79
- scalability solutions, 579
- secondary IP addressing, configuring, 392-393
- site local addresses, 632
- subnet addresses, prefix part, 314
- subnet masks
 - binary, converting to DDN*, 310-312
 - binary, converting to prefix*, 310
 - conversion, practicing*, 313
 - DDN, converting to binary*, 310-312
 - DDN, converting to prefix*, 312
 - formats*, 309
 - host part of subnet addresses*, 315
 - hosts per subnet, calculating*, 316-318
 - prefix format, converting to*, 310-312
 - prefix part of subnet*, 314-315
 - total subnets in network*, 316-318
- subnetting, 85-86
 - defining subnets*, 327
 - easy masks, analyzing*, 336
 - example of*, 271
 - hosts per subnet, calculating*, 275-276
 - interesting octets*, 337-338
 - IP address assignment, rules*, 273-274
 - operational and design views*, 272-273
 - planning for implementation*, 287-289
 - practice problems*, 342
 - range of usable addresses*, 330
 - range of usable subnet*, 336
 - route summarization, designing*, 510
 - size of subnet, defining*, 276-278
 - SLSM*, 498
 - subnet broadcast address*, 329-335, 340-341
 - subnet ID*, 328-340
 - subnets per internetwork*, 274
 - unicast IP addresses*, 327
 - VLSMs*, 495-502
- unicast addresses, 629-630
- IPv5, 612**
- ipv6 address command, 648, 653, 656, 670, 689**
- IPv6 addressing**
 - address conventions, 617
 - abbreviation rules*, 617-618
 - expansion rules*, 618-619
 - connected routes, 689-691
 - default static routes, 696
 - DHCPv6
 - dynamic host configuration*, 673
 - stateful DHCPv6*, 673
 - stateless DHCPv6*, 673
 - versus DHCPv4*, 674
 - DHCPv6 relay
 - configuring*, 674-675
 - Solicit message*, 675
 - dual stack, 615
 - dynamic unicast addresses, configuring, 654
 - EUI-64
 - configuring*, 651-653
 - universal/local bit*, 652
 - global routing prefix, 632-633
 - headers, 613
 - hexadecimal format, 613
 - converting to binary*, 617
 - historical reasons for, 611-612
 - hosts
 - connectivity, verifying*, 678-682
 - neighbor table, viewing*, 671
 - IPv6 support, 698
 - link-local addresses, 655-657

- local routes, 689-692
- loopback address, 660
- multicast addresses
 - local-scope multicast*, 658
 - solicited-node*, 658-660
- NDP, 613
 - duplicate address discovery with NS*, 671-672
 - functions of*, 668
 - neighbor link address discovery with*, 670
 - router discovery*, 669
 - SLAAC address discovery with RS and RA*, 669-670
- OSPFv3. *See* OSPFv3
- prefix, calculating, 619-622
- prefix length, representing, 619
- private addresses, 631
- public addresses, 631
- quartets, 617
- RFCs, 613
- SLAAC, 638, 676-677
- static routes, 692-693
 - using global unicast next*, 694
 - using link-local next-hop*, 695
 - using next-hop address*, 693
 - verifying*, 693
- static unicast addresses
 - configuring*, 648
 - verifying*, 649-650
- subnetting
 - assigning addresses to hosts in subnets*, 638-639
 - assigning subnets to internetwork topology*, 638
- unicast addresses
 - global unicast addresses*, 629-637
 - unique local unicast*, 639-641
 - verifying configuration*, 649
- unique local addresses, 631-632
- unknown address, 660
- ipv6 dhcp relay command**, 675
- ipv6 neighbors command**, 681-682
- ipv6 route command**, 692-696
- ipv6 route ospf command**, 702
- IPv6 routing**, 614

- deencapsulation, 615
- enabling on Cisco routers, 649
- encapsulation, 614-615
- routing protocol support, 616
- ipv6 unicast-routing command**, 649
- IS-IS (Intermediate System to Intermediate System)**, 408
- ISL (Inter-Switch Link)**, 212-213
- ISO (International Organization for Standardization)**, 61
- isolating problems**, 237-238
- ISPs (Internet service providers)**, 66
 - AS, 407
 - Internet access technologies
 - cable Internet*, 69-70
 - DSL*, 68-69
 - Internet core, 66
- ISRs (Integrated Services Routers)** 356-357

J-K

- jitter, 108
- just-left octet, 483

- keyboard shortcuts, command help, 158
- knowledge gaps, discovering through
 - question review, 729-731

L

- L3 PDUs**, 28, 78
- L4 PDUs**, 102
- labs**
 - Config Museum labs, 732
 - practicing hands-on CLI skills, 731
- LAN switching, frame forwarding logic**, 127
 - flooding, 129
 - forwarding versus filtering, 127-128
 - internal switch processing, 130-131
 - loop avoidance, 130
 - MAC address learning process, 128-129
- LANs. *See also* VLANs**
 - campus LANs
 - access switches*, 137
 - core switches*, 137

- distribution switches*, 137
- maximum cable lengths*, 138-139
- selecting Ethernet technology*, 136
- comparing with WANs, 56
- connecting with WANs, 57
- enterprise,
- enterprise LANs 11, 36-37
- Ethernet
 - addressing*, 45-47
 - broadcast domains*, 133-135
 - collision domains*, 126, 133-135
 - CSMA/CD, 50-51
 - data link layer standard*, 38
 - data link protocols*, 45
 - data transmission*, 39
 - electrical circuits, creating over*, 39
 - Ethernet links*, 39-41
 - full-duplex data transmission*, 48-49
 - half-duplex data transmission*, 49-50
 - physical layer standards*, 37
- IP telephony, 108
- SOHO, 35-36
- subnets, IP address assignment, 274
- wired LANs, 34
- last usable address, deriving from class-ful network**, 298-299
- late collisions**, 248
- Layer 1**, 26-27, 60, 247-248
- Layer 2 switching**, 189. *See also* **data link layer**
 - forwarding data between VLANs, 213-215
 - forwarding path, analyzing, 248-251
- Layer 3**. *See also* **network layer**
 - Layer 3 switching, 189, 213-216, 390-392
 - problem isolation, 238
 - routing between VLANs, 214-215
- Layer 4 protocols**. *See also* **transport layer (OSI model)**
- TCP
 - connection establishment*, 106
 - connection termination*, 106
 - header fields*, 102
 - multiplexing*, 103-104
 - port numbers*, 104
 - well-known port numbers*, 105
- UDP
 - header format*, 107
 - multiplexing*, 103-104
 - port numbers*, 104
 - well-known port numbers*, 105
- Layer 5**, 26
- Layer 6**, 26
- layers**
 - adjacent-layer interactions, 18
 - encapsulation, OSI networking model, 28
 - of networking models, 14, 23-25
 - of OSI networking model, 28
 - problem isolation*, 238
 - protocols, describing with*, 26
 - remembering with mnemonic*, 27
 - same-layer interactions, 18
- leased circuits**, 58
- leased lines**
 - cabling
 - connectors*, 60
 - COs*, 59
 - CSU/DSU*, 59
 - DCE*, 60
 - DTE*, 60
 - serial cables*, 59
 - CPE, 59
 - data link layer protocols, HDLC, 61-63
 - Ethernet as WAN technology, 63-65
 - full-duplex operation, 58
 - Internet access technologies, 67
 - cable Internet*, 69-70
 - DSL*, 68-69
 - Layer 1 service, 60
 - links, 58
 - point-to-point links, 58
 - private lines, 58
 - serial links, 58
 - service providers, 58
 - T1, 58
- leases (DHCP)**, 435
- LED status indicators**, 150-151

LEDs (light-emitting diodes), 138
line aux 0 command, 366
line status, displaying with show
 interfaces command, 243
link layer (TCP/IP model), 15, 21-23
link-local addresses (IPv6), 655
 creating, 656-657
 listing, 655
link-local next-hop addresses to IPv6
 static routes, 695
link-state routing protocols, 408
 OSPF, 411
 ABRs, 416
 best route selection, 413
 configuring, 417-420
 default routes, 426-427
 flooding process, 412
 Hello process, 414
 LSAs, 412-413
 LSDB, 412-413
 multiarea OSPF, 416
 neighbors, 413-414
 passive interfaces, 424-425
 reinitializing, 424
 RID, 414-415
 RID, *configuring, 423-424*
 single-area, configuring, 417-419
 single-area OSPF, 415
 verifying configuration, 420-423
 OSPFv3
 LSDB, 707
 neighbors, verifying, 706-707
 passive interfaces, 703
 single-area, 700-702
 verifying, 703-706
 verifying routes in, 707-708
links, 58-60
Linux OS, ifconfig command, 679
list logic, standard numbered IPv4 ACLs,
 532
listing
 IPv6 subnet IDs, 637
 link-local addresses, 655
LLDP (Link Layer Discovery Protocol),
 239
local routes, 386, 689-692

local-scope IPv6 multicast addresses,
 658
local usernames
 configuring on Cisco Catalyst switches,
 178-179
 password, hiding, 185
locations for CLI passwords, 565
log keyword (access-list command), 540
log messages, displaying, 187-188
logging synchronous command, 187-188
login authentication. See passwords
login command, 176
loop avoidance, STP, 130
loopback address, 300, 660
loopback interfaces, 423
loss, 108
LSAs (link-state advertisements), 412-
 413, 707
LSDB (link-state database), 412-413,
 707

M

MAC addresses, 46, 127
 BIA, 46
 interface selection with EUI-64, 654
 neighbor MAC discovery, 668
 OUI, 46
 role in frame forwarding process,
 128-129
 sticky secure MAC addresses, 194
 switching table, 128
MAC address table
 contents, displaying, 248
 dynamic entries, examining, 249
 Layer 2 forwarding path, analyzing,
 248-251
Mac OS
 ifconfig command, 679
 IPv4 settings, verifying, 443
 NDP neighbor table, listing, 682
macrobending, 244
magic numbers, 338
 memorization versus calculation, 342
 patterns, identifying, 478-479

- manual route summarization, 509**
 - benefits of, 510
 - practice problems, 515
 - subnets, designing for, 510
 - summary routes, selecting, 512-514
 - verifying, 511
- masks. *See also* VLSMs, 495**
 - selecting for planned subnet, 282, 471-477
 - example subnet design, 284-285*
 - host part of IP address, 283*
 - mask format, 285-286*
 - subnet bits, calculating, 283-284*
 - settings, verifying, 443
- matching IP address on OSPF interface with network command, 419-420**
- matching logic, standard numbered IPv4 ACLs**
 - any/all, 536
 - exact IP, 533
 - subset of, 533-535
 - WC masks, 534-535
- matching packets**
 - ACLs, 530
 - deny keyword, 531*
 - permit keyword, 531*
 - standard numbered IPv4 ACLs, 531
 - first-match, 532-533*
 - list logic, 532*
 - wildcard, 535*
- matching parameters (access-list command) for extended IP ACLs, 552-553**
- math-related skills, practicing for speed, 723-725**
- maximum cable lengths on campus LANs, 138-139**
- memorization versus calculation, 342**
- memory**
 - NVRAM, erasing, 165
 - RAM, 162
 - running config, changing, 163-164*
 - running config, copying, 164-165*
 - running config, erasing, 165*
- messages**
 - DHCP, 435-436
 - Discover, 436*
 - Offer, 436*
 - Hello messages (OSPF), 415
 - Hello (OSPF), 414
 - NA (NDP), 670
 - NDP, 669
 - NS (NDP), 670
 - Solicit (DHCPv6), 675
 - TCP/IP, 24, 25
 - TTL Exceeded, 452
- metrics, 408-409**
- migrating to IPv6**
 - dual stack, 615
 - dynamic unicast IPv6, 654*
 - EUI-64, configuring, 651-653*
 - static unicast IPv6, 648-650*
 - unicast IPv6 addresses, 650*
 - reasons for, 611
- milestones in growth of Internet, 611**
- mind maps, 731**
- mismatched operational state on trunks, troubleshooting, 255-256**
- mismatched VLAN-allowed list on trunks, troubleshooting, 254-255**
- MOTD (message of the day) banners, configuring on Cisco Catalyst switches, 186-187**
- MP BGP-4, 616**
- MPLS (Multiprotocol Level Switching), 64**
- multiarea OSPF, 416**
- multicast addresses, 127, 295**
 - Ethernet, 47
 - local-scope IPv6 multicast addresses, 658
 - solicited-node IPv6 multicast, 658-660
- multicasts versus broadcasts, 657**
- multilayer switches, 189**
- multimode fiber cabling, 138**
- multiple-choice questions, strategies for solving, 236**
- multiplexing, 101-102**
 - destination port number, 103
 - dynamic port numbers, 103
 - sockets, 103-104
- multiswitch VLANs, 210-211**

N

NA (neighbor advertisement) messages, 670

NA messages, duplicate address discovery, 671-672

named IP ACLs

configuring, 560-561

numbered ACLs, comparing to, 560

name resolution (DNS)

network layer role in, 91-93

verifying, 444-445

naming conventions, IEEE standards, 37

NAT (Network Address Translation), 280, 579-581

dynamic NAT, 584-585

configuring, 590-591

verifying, 592-594

inside global IP addresses, 583-584

inside local IP addresses, 583-584

outside global addresses, 584

outside local addresses, 584

PAT, 585-587

configuring, 594-596

on consumer-grade, 587-588

static NAT, 582

configuring, 588-590

statistics, displaying, 590

troubleshooting, 596-597

NAT Overload, 585-587

configuring, 594-596

on consumer-grade Cisco routers, 587-588

NAT/PAT, 612

native VLAN, 213

navigating

between EXEC modes, 156-157

between configuration modes, 161

NDP (Neighbor Discovery Protocol), 613

combining with SLAAC, 677

duplicate address, 670-672

dynamic IPv6 host configuration, 673

functions of, 668

NA messages, 670

neighbor table, listing, 682

NS messages, 670

router discovery, 669

SLAAC address discovery, 669-670, 676

neighbor information from CDP, examining, 239-241

neighbor MAC discovery, 668

neighbor table

NDP, listing, 682

IPv6 hosts, viewing, 671

neighbors

OSPF, 413-415

OSPFv3, verifying, 706-707

netsh interface ipv6 show neighbors command, 671

netstat -rn command, 446

network broadcast address, deriving from classful network, 298-299

network command, 417-418

network IDs, 83-84

deriving from classful network addresses, 298-299

within Class C networks, 300

network layer (OSI model), 27

IP routing

delivering data to end, 77

routing across the network, 77

routing logic over LANs and WANs, 62

transmitting packets to default, 76

IP Layer 3 switches, 215-216

role in DNS resolution, 91-93

routing. *See also* routing protocols

example of, 88-89

host routing, 87-88

IP addressing role in, 78-79

TCP/IP networking model, 18-19

IP addressing, 20

IP routing, 21

network part of classful network addresses, 296-297

network part of IPv4 address prefix, 315

networking diagrams, 12, 22

networking models, 12

encapsulation, 23-25

layers, 14

OSI model

application layer, 26

- comparing with TCP/IP, 25*
 - data link layer, 27*
 - encapsulation, 28*
 - history of, 13*
 - layers, 28*
 - network layer, 27*
 - PDUs, 28*
 - physical layer, 27*
 - presentation layer, 26*
 - session layer, 26*
 - transport layer, 27*
 - TCP/IP
 - application layer, 15-17*
 - comparing original and modern, 23*
 - comparing with OSI model, 25*
 - development of, 14*
 - link layer, 21-23*
 - network layer, 18-21*
 - RFCs, 14-15*
 - transport layer, 17-18*
 - networks versus subnets, 329
 - next-hop addresses
 - for IPv6 static routes, 693
 - global unicast, 694*
 - link-local, 695*
 - link-local addresses, 655
 - NIC (network interface card), 40
 - no ip subnet-zero command, 394, 502
 - no shutdown command, 190, 198
 - no shutdown subcommand, 363
 - notconnect state (Cisco switches), troubleshooting, 244
 - NS messages, duplicate address discovery, 671-672
 - NS (neighbor solicitation) messages, 670
 - nslookup command, 445
 - NTP (Network Time Protocol)
 - configuring, 569, 574
 - time-of-day clocks, synchronizing, 568-569
 - numbered ACLs. See extended numbered IP ACLs
 - number of hosts per network, calculating for classful, 298
 - numeric patterns, predictability within interesting octets, 337-338
 - numeric reference table
 - binary-to-hexadecimal conversion, 740
 - decimal-to-binary conversion, 737-739
 - hexadecimal-to-binary conversion, 740
 - NVRAM (nonvolatile RAM), 162, 165
-
- ## O
- objects, 112
 - octets, 81
 - decimal-to-binary conversion, 310
 - in Class A network addresses, 296
 - in Class B network addresses, 296
 - in Class C network addresses, 296
 - interesting octets
 - identifying, 482*
 - predictability in numeric, 337-338*
 - just-left octet, 483
 - subnet broadcast address, calculating with binary, 335
 - subnet ID
 - calculating on masks, 336*
 - calculating with binary math, 334-335*
 - Offer messages (DHCP), 436
 - one-size-fits-all design philosophy, 277
 - operational status of routers, displaying with show version, 366-367
 - operational view of subnetting, comparing to design view, 272-273
 - optical fiber, 138, 244
 - organized troubleshooting process, 236-238
 - OSI networking model
 - application layer, 26
 - comparing with TCP/IP, 25
 - data link layer, 27, 78
 - history of, 13
 - layers, 28
 - layers, remembering with mnemonics, 27
 - network layer, 27
 - forwarding logic, 75-77*
 - IP routing logic over LANs, 62*

- role in DNS resolution, 91-93*
 - routing, 77*
 - PDU, 28
 - physical layer, 27
 - presentation layer, 26
 - session layer, 26
 - transport layer, 27
 - OSPF (Open Shortest Path First), 411**
 - ABRs, 416
 - best route selection, 413
 - configuring, 417
 - default routes, 426-427
 - flooding process, 412
 - Hello process
 - Hello messages, 415*
 - RID, 414*
 - LSAs, 412-413
 - LSDB, 412-413
 - multiarea OSPF, 416
 - neighbors, 413-414
 - passive interfaces, configuring, 424-425
 - reinitializing, 424
 - RID, configuring, 423-424
 - single-area OSPF, 415-419
 - verifying configuration, 420-423
 - OSPFv3, 616**
 - comparing with OSPFv2, 697-699
 - LSDB, 707
 - neighbors, verifying, 706-707
 - passive interfaces, 703
 - RID, 700
 - single-area configuration, 700-702
 - verifying configuration, 703-706
 - verifying routes in routing table, 707-708
 - OUI (organizationally unique identifier), 46**
 - outbound ACLs, 529, 539
 - outgoing interface option, ipv6 route command, 692-693
 - outside global addresses, 584
 - outside local addresses, 584
 - overlapping subnets
 - finding, 497-499
 - practice problems, 499
 - overloading NAT with PAT, 585-587
 - configuring, 594-596
 - on consumer-grade Cisco routers, 587-588
-
- P**
- packet filters, 529
 - IPv4 ACLs
 - placement of, 529-530*
 - troubleshooting, 540*
 - matching packets, 530-531
 - standard numbered IPv4 ACLs
 - example, 537-539*
 - implementing, 536*
 - packet switching, comparing to CEF and fast switching, 383
 - packets. *See also* IP routing
 - deencapsulation, 380, 615
 - encapsulation, 24, 381-382, 614-615
 - forwarding routing logic, 381
 - loss, 108
 - routing, 214-216
 - passive-interface command, 425
 - passive interfaces, OSPFv3, 424-425, 703
 - password command, 177
 - passwords
 - CLI, 155, 175-178, 565
 - configuring on Cisco Catalyst switches, 182-184
 - enable secret password, 176, 184-185
 - encrypting with service password command, 182-184
 - for local username, hiding, 185
 - recovering, 175
 - vty password, 175
 - path selection, 76
 - PAT (Port Address Translation), 585-587
 - configuring, 594-596
 - on consumer-grade Cisco, 587-588
 - PCPT (Pearson IT Certification Practice Test) exam, 725-727
 - PDU (protocol data units), 28
 - Pearson Network Simulator, 732

performance

- Cisco routers during IP routing process, 383
- pps, 382

permanent keyword (ip route command), 396**permit keyword, ACL packet matching, 531****physical installation, Cisco ISRs, 357****physical layer**

- Ethernet standards, 37
- OSI model, 27
- TCP/IP networking model, 21-23

ping command

- connectivity, verifying, 447-449
- extended ping, 449-451
- in organized troubleshooting process, 237-238
- verifying IPv6 connectivity, 679

ping6 command, 679**pinouts**

- for 10-BASE-T
 - crossover cable pinouts, 43*
 - straight-through cable pinouts, 41-42*
- for 100-BASE-T
 - crossover cable pinouts, 43*
 - straight-through cable pinouts, 41-42*
- for 1000-BASE-T, 44
- for IEEE autonegotiation, 139
- selecting, 43-44

pins, 40**pipe function (|), 184****placement**

- of ACLs, 529-530
- of subnets (IPv6), 634

planning

- for internetwork growth, 275
- for subnet implementation
 - assigning subnets to, 287-288*
 - hosts per subnet, calculating, 275-276*
 - IP address assignment, 273-274*
 - number of subnets, calculating, 274*

one-size-fits-all design philosophy, 277

size of subnet, defining, 276

static and dynamic, 288-289

VLSMs, 278

point-to-point links, 58**port LEDs (2960 Catalyst switches), 151****port numbers, 104-105****port security, 251-252**

- configuring on Cisco Catalyst switches, 193-198
- verifying, 197

ports, 150. *See also* port security

- destination ports as packet filtering criteria, 553-555
- on Cisco switches
 - SFP, 41*
 - supporting Ethernet link types, 41*
- RJ-45 ports, 40-41
- source ports as packet filtering criteria, 555-556
- trunk negotiation, disabling, 225

postal code example of subnetting, 273**powers of 2, subnet design, 471, 742****PPDIOO (Prepare, Plan, Design Implement, Operate, and Optimize), 273****pps (packets per second), 382****practice exams, 725-726. *See also* practice problems; practicing**

- CCNA, 726-727
- discovering knowledge gaps through questions, 729-731
- ICND1, 726

practice problems

- binary math, 333-334
- extended numbered IP ACLs, building, 559
- IPv4 ACLs, applying, 541-542
- overlapping subnets, finding, 499
- route summarization, 515
- subnet broadcast addresses, 341
- subnet IDs, calculating, 340
- subnet mask selection, 476-477
- subnetting, 342, 502

practicing

- CLI skills, 731-732

- decimal-to-binary conversion
 - Cisco Binary Game*, 310
 - math-related skills for speed, 723-725
 - subnet mask analysis, 318-319
 - subnet mask conversion, 313
 - two-phase practice approach, 301-302
- preconfiguration of DHCP servers, 439
- predictability within interesting octets, 337-338
- predicting MAC address table entries, 248-251
- pre-exam suggestions, 722
- prefix length, representing, 619
- prefix notation, 286
- prefix subnet mask format, 309, 314-315
 - converting to binary format, 310
 - converting to DDN, 312
 - network part, 315
 - subnet part, 315
- preparing for exam
 - Cisco Exam Tutorial, 720-721
 - exam-day advice, 722-723
 - hands-on CLI practice, 731-732
 - math-related skills, practicing for, 723-725
 - multiple-choice questions, solving, 236
 - practice exams, 725
 - CCNA*, 726-727
 - ICND1*, 726
 - knowledge gaps*, 729-731
 - pre-exam suggestions, 722
 - Sim questions, 720
 - suggested time-check method, 722
 - Testlet questions, 721
- presentation layer (OSI model), 26
- pre-TCP/IP computer networking, 13
- preventing collisions on Ethernet LANs, 50
- private addressing, 579-581
 - IPv4, 629
 - IPv6, 631
 - NAT, 581
 - dynamic NAT*, 584-585, 590-594
 - PAT*, 585-588, 594-596
 - static NAT*, 582, 588-590

- private internets, 581
- private IP networks, 279-281
- private lines, 58
- privileged EXEC mode, 156
- problem isolation, 237-238
- process switching, 382-383
- protocol messages, DHCP, 435-436
- protocol status, displaying with `show interfaces` command, 243
- protocol type parameter (`access-list` command), 552-553
- protocols, 12
 - describing with OSI layers, 26
 - headers, 16, 22-25
 - layered protocols, 28
 - trailers, 22
- public addresses
 - IPv4, 629
 - IPv6, 631
- public IP networks, 279-281

Q

- QoS (quality of service), 107, 529
 - bandwidth, 108
 - data application requirements, 108
 - delay, 108
 - jitter, 108
 - loss, 108
 - video application requirements, 109
 - voice application requirements, 108
- quartets
 - abbreviating IPv6 addresses, 617-618
 - expanding IPv6 addresses, 618-619
- questions
 - how to answer on exam, 728-729
 - knowledge gaps, discovering through review, 729-731

R

- RA (Router Advertisement) messages, 669
- RA messages
 - neighbor link address discovery, 670
 - SLAAC address discovery, 669-670

- RAM (random access memory), running
 - config, 162
 - changing, 163-164
 - copying, 164-165
 - erasing, 165
- range of usable subnet addresses, 330, 336
- rebooting Cisco IOS Software, 156
- recalling commands, 158, 187
- recovering passwords, 175
- registered public IP networks, 279
 - NAT, 280-281
- relay agents (DHCP), 674
- reload command, 156
- reloading switches, 156, 391
- remote DHCPv6 server, configuring, 674-676
- representing
 - prefix length of IPv6 addresses, 619
 - unabbreviated IPv6 addresses, 617
- requirements
 - for single-size subnets, 277
 - for VLSMs, 278
- reserved IP addresses, 300
- resident addresses, memorization versus calculation, 342
- resident subnet, 327-329, 340
- resolving URL host name to IP address, 110-111
- restarting OSPF, 424
- restricting telnet access with ACLs, 567
- resume command, 457
- resuming suspended telnet sessions, 457
- reviewing practice exam questions for knowledge gaps, 729-731
- RFC 1122, 15
- RFC 1918, 281, 581
- RFC 4193, 641
- rfc-editor.org, 104
- RFCs, 14, 104
- RID (Router ID), 414, 423-424, 700
- RIP (Routing Information Protocol), 408
- RIPng (RIP Next Generation), 616, 698
- RIR (Regional Internet Registry), 633
- RJ-45 ports, 40-41
- RJ-48 connector, 356
- ROAS (Router-on-a-Stick), configuring, 387-390
- roles of subnet broadcast address, 329
- ROM (read-only memory), 162
- routable protocols, 405
- route aggregation (CIDR), 580
- route learning process for routing protocols, 90-91
- route redistribution, 410
- route summarization, 509
 - benefits of, 510
 - practice problems, 515
 - routing protocol support, 409
 - subnets, designing for, 510
 - summary routes, selecting, 512-514
 - verifying, 511
- routed protocols, 405
- router discovery (NDP), 668-669
- router-id command, 700
- router-on-a-stick, 215
- router ospf command, 417, 700
- routers, 35
 - ASICs, 383
 - Aux ports, configuring, 366
 - connectivity, testing
 - with ping command*, 448-449
 - with traceroute command*, 451-455
 - convergence, 406
 - data transmission using HDLC, 62
 - deencapsulation*, 63
 - encapsulation*, 62
 - default router, 76, 445-447
 - DHCP support, configuring, 435
 - dynamic unicast IPv6 addresses, configuring, 654
 - enterprise routers, installing, 355-356
 - EUI-64, configuring, 651-653
 - integrated devices, SOHO network installation, 359
 - interfaces
 - configuration commands*, 361
 - enabling*, 363
 - Ethernet interfaces*, 360
 - interface status codes*, 362-363
 - IP addresses, configuring*, 363-364
 - IP addresses, verifying*, 364

- serial interfaces, 361-365*
- status, displaying, 361-362*
- Internet access routers, SOHO network installation, 358
- IP routing
 - Cisco routers, internal processing, 382*
 - Cisco routers, performance issues, 383*
- IPv6 addresses, link-local addresses, 655-657
- ISRs, installing, 356-357
- LANs, connecting with WANs, 57
- Layer 3 switches, 215-216
- routing logic, 377-378
 - deencapsulation, 380*
 - encapsulation, 381-382*
 - frames, processing, 380*
 - frame transmission, 382*
 - packets, forwarding, 381*
- routing table, verifying OSPFv3 routes, 707-708
- serial interface cards, 59
- static unicast IPv6 addresses
 - configuring, 648*
 - verifying, 649-650*
- subnets, connecting, 274
- time-of-day clocks, synchronizing, 569-70
- unicast IPv6 addresses, verifying configuration, 650
- verifying IPv6 host connectivity, 680-682
- wireless, 36
- routing, 21. See also routing protocols**
 - between VLANs, 214-215
 - data link layer role in, 78
 - EoMPLS, 65
 - example of, 88-89
 - forwarding logic, 75
 - delivering data to end, 77*
 - routing across the network, 77*
 - transmitting packets to default, 76*
 - IP addressing role in, 78-79
 - IP role in, 19-20
 - IPv6, 614
 - deencapsulation, 615*
 - encapsulation, 614-615*
 - Layer 3 switches, 215-216
 - network layer, 77
 - path selection, 76
 - routing logic (IP routing), 376**
 - routing protocols, 79-80, 405-407**
 - ABRs, 416
 - administrative distance, 410-411
 - and routed protocols, comparing, 405
 - classful, 316
 - classless, 316, 409
 - convergence, 405-406
 - distance vector routing protocols, 408
 - EGPs, 406
 - functions of, 405
 - goals of, 89
 - IGPs, 406, 409
 - IPv6 support, 616, 698
 - link-state routing protocols, 408
 - metrics, 408-409
 - OSPF, 411
 - best route selection, 413*
 - configuring, 417-420*
 - default routes, 426-427*
 - flooding process, 412*
 - Hello messages, 415*
 - Hello process, 414*
 - LSAs, 412-413*
 - LSDB, 412-413*
 - multiarea OSPF, 416*
 - neighbors, 413-414*
 - passive interfaces, configuring, 424-425*
 - reinitializing, 424*
 - RID, 414, 423-424*
 - single-area OSPF, 415-419*
 - verifying configuration, 420-423*
 - OSPFv3
 - LSDB, 707*
 - neighbors, verifying, 706-707*
 - passive interfaces, 703*
 - single-area configuration, 700-702*

verifying configuration settings,
704-706

verifying operation of, 703

verifying routes in routing table,
707-708

route learning process, 90-91

route redistribution, 410

route summarization support, 409

VLSM support, 495-496

routing tables, 77, 707-708

RS (Router Solicitation) messages

neighbor link address discovery, 670

SLAAC address discovery, 669-670

running configuration files, 162-164

copying, 164-165

erasing, 165

runts, 247

S

same-layer interactions, 18

scalability, solutions for IPv4 addressing,
579

CIDR, 579-581

NAT, 581-596

private addressing, 581

scaling OSPF

multiarea OSPF, 416

single-area OSPF, 415

secondary IP addressing, configuring,
392-393

**secondary keyword (ip address com-
mand), 393**

secure-shutdown state, 197

securing, CLI, 175-178

security

broadcast domains, reducing size of,
134

CLI, password protection, 565

CLI access, 155

passwords

enable password, hiding, 184-185

for local username, hiding, 185

recovering, 175

port security, 251-252

configuring on Cisco Catalyst,
193-196

verifying, 197

services for Cisco IOS Software, dis-
abling, 565-566

segmentation, 101

segmenting LANs

broadcast domains, 133-135

collision domains, 133

impact on LAN design, 134-135

segments, encapsulation, 24

selecting

classful network for subnet design

private IP, 281

public IP, 279-281

Ethernet technology for campus LANs,
136

mask for planned subnet, 282

format, 285-286

host part of IP address, 283

subnet bits, calculating, 283-284

masks for subnet design, 471-477

pinouts for Ethernet UTP cabling, 43-44

static and dynamic ranges per subnets,
288-289

subnet IDs for subnet design, 477

example, 480-482

patterns, identifying with, 478-479

practice problems, 485-486

zero subnet, 478

summary routes, 512-514

sending frames via IP routing process,
382

SEQ (sequence number), 17

sequence numbers, editing ACLs with,
562-563

serial cables, 59

serial interface cards, 59

serial interfaces, 361, 365

serial links, 58

service password command, 182-184

service password-encryption command,
182

service providers, 58

Ethernet as WAN technology, 63-65

Internet access technologies

cable, 69-70

DSL, 68-69

- services for Cisco IOS Software, disabling, 565-566
- session layer (OSI model), 26
- setup mode (Cisco IOS Software), 165-166
- SFD (Start Frame Delimiter) field, Ethernet frames, 45
- SFP (small form-factor pluggables), 41
- shortcuts
 - for calculating subnet broadcast address with, 335
 - for calculating subnet ID with binary math, 334-335
- show cdp command, role in troubleshooting, 241
- show cdp entry name command, 241
- show cdp neighbors command, 241
- show CDP neighbors command, 241
- show commands, 158-159, 237
- show controllers command, 365
- show dhcp lease command, 191
- show interface switchport command, 253
- show interfaces command, 243, 247-248, 361-362, 384, 649
- show interfaces status command, 193, 243-245
- show interfaces switchport command, 223-225, 255
- show interfaces trunk command, 223, 226, 255
- show ip dhcp conflict command, 442
- show ip interface brief command, 361-362
- show ip interfaces command, 538
- show ip nat statistics command, 592
- show ip nat translations command, 590-592
- show ip ospf database command, 412, 420-421
- show ip ospf interface brief command, 425
- show ip ospf neighbor command, 707
- show ip ospf neighbors command, 413
- show ip protocols command, 422-423
- show ip route command, 360, 384, 392, 398, 411, 420-422, 496-497, 509-511
- show ip route static command, 396
- show ipv6 interface brief command, 649
- show ipv6 interface command, 656-658
- show ipv6 neighbors command, 681-682
- show ipv6 ospf command, 704
- show ipv6 ospf database command, 707
- show ipv6 ospf interface brief command, 705
- show ipv6 route command, 655, 694-696
- show ipv6 route local command, 691
- show ipv6 route static command, 695
- show mac address-table command, 248, 253, 360
- show mac address-table dynamic command, 249
- show ntp associations command, 574
- show ntp status command, 570
- show port security command, 197
- show protocols command, 364
- show running config command, 219, 365
- show running-config command, 163, 704
- show sessions command, 457
- show ssh command, 457
- show startup-config command, 163
- show users command, 457
- show version command, 166, 366-367
- show vlan brief command, 219, 251-253
- show vlan command, 253
- show vtp status command, 221
- shutdown command, 190
- shutdown mode (port security), 251
- shutdown vlan command, 226, 254
- Sim questions, 236, 720
- Simlet questions
 - hands-on CLI practice, 731-732
 - versus Sim questions, 236
- single-area OSPF, 415-419, 700-702
- single-building enterprise LAN, 37
- single-mode fiber cabling, 138
- single-size subnets, requirements, 277
- site local addresses, 632
- size of broadcast domains, impact on security, 134
- size of subnets
 - defining, 276

- one-size-fits-all design philosophy, 277
- VLSMs, 278
- SLAAC (Stateless Address Autoconfiguration), 638, 651, 668**
 - combining with NDP and stateless DHCPv6, 677
 - IPv6 addresses, building, 676-677
 - IPv6 address learning, 654
- slash mask, 309
- SLSM (static-length subnet masks), 498**
- SNA (Systems Network Architecture), 13**
- SNMP (Simple Network Management Protocol), 105**
- SOHO network installation**
 - with integrated switch, 359
 - LANs, 35-36
 - with separate switch, router, and modem, 358
- Solicit message (DHCPv6), 675**
- solicited-node IPv6 multicast addresses, 658-660**
- solutions to public IP address exhaustion, 280-281**
- solving multiple-choice questions, 236**
- source IP address parameters (access-list command), 552-553**
- Source MAC Address field (Ethernet frames), 45**
- source MAC addresses, 129**
- source ports as packet filtering criteria, 555-556**
- speed settings, displaying, 244-246**
- SSH (Secure Shell)**
 - CLI, accessing, 155
 - configuring for Cisco Catalyst switches, 180-181
 - restricting device access with ACLs, 567
- standard numbered IPv4 ACLs, 531**
 - command syntax, 533, 536
 - example configuration, 537-539
 - extended numbered IP ACLs, 552
 - first-match logic, 532-533
 - implementing, 536
 - list logic, 532
 - practice problems, 541-542
 - wildcard masks, 534
- binary format, 535*
- decimal format, 534*
- subnets, 535*
- startup configuration files, 162-165**
- stateful DHCPv6, 673**
- stateless DHCPv6, 673, 677**
- static access state, 256**
- static default routes, 396-398**
- static NAT, 582**
 - configuring, 588-590
 - statistics, displaying, 590
- static ranges per subnet, selecting, 288-289**
- static routes**
 - configuring, 394-396
 - IPv6, 692-693
 - default static routes, 696*
 - using global unicast next hop address, 694*
 - using link-local next hop address, 695*
 - using next hop address, 693*
 - verifying, 693*
- static unicast IPv6 addresses**
 - configuring on routers, 648
 - verifying configuration, 649-650
- statistics**
 - for current IOS operation, displaying, 166-168
 - for dynamic NAT, displaying, 592
 - for static NAT, displaying, 590
- status**
 - LED status indicators, 150-151
 - of CDP, examining, 242
 - of SSH, displaying, 181
- status codes**
 - Cisco switches, 243-244
 - for router interfaces, 362-363
- status of router interfaces, displaying, 361-362**
- sticky secure MAC addresses, 194**
- store-and-forward processing, 131**
- stored information on DHCP servers, 438**
- STP (Spanning Tree Protocol), loop avoidance, 130**

straight-through cable pinouts, 41-42**subcommands**

- description interface subcommand, 362
- no shutdown, 363

subinterfaces, 387**subnet addresses**

- host part, 315
- prefix part, 314-315

subnet bits, calculating requirements for, 283-284**subnet broadcast address, 286, 329-330, 481**

- calculating
 - with binary math, 332-335*
 - with Boolean math, 335*
 - with decimal math, 340-341*
- memorization versus calculation, 342
- practice problems, 341

subnet design

- example of, 284-285
- masks, selecting, 471-477
- subnet IDs, finding, 477-479, 482-484
 - example, 480-482*
 - patterns, identifying with magic, 478-479*
 - practice problems, 485-486*
 - zero subnet, 478*

subnet IDs, 328-329

- broadcast subnet, 481
- calculating
 - with binary math, 330-335*
 - with Boolean math, 335*
 - with decimal math, 338-340*
- IPv6, listing, 637
- practice problems, 340

subnet masks

- analysis, practicing, 318-319
- binary format, 309
 - converting to DDN, 310-312*
 - converting to prefix format, 310*
- conversion, practicing, 313
- DDN format, 309
 - converting to binary, 310-312*
 - converting to prefix format, 312*

difficult masks

- subnet broadcast address, 340-341*
- subnet ID, calculating, 338-340*

easy masks, 336**formats, 309****host part of subnet addresses, 315****prefix format, 309**

- converting to binary format, 310*
- converting to DDN, 312*

prefix part of subnet addresses, 314-315**slash mask, 309****total subnets in network, calculating, 316-318****subnet part of IPv4 address prefix, 315****subnet router anycast addresses, 638****subnet zero, 394****subnetting, 85-86**

- binary math, practice problems, 333-334
- classful network, selecting

- private IP networks, 281*
- public IP networks, 279-281*

connected routes

- configuring, 384-385*
- zero subnets, 394*

connecting with routers, 274**defining subnets, 327****example of, 271****host part of IP address, borrowing bits from, 283****hosts per subnet, calculating, 275-276****interesting octets, predictability within, 337-338****IP address assignment, rules for, 273-274****IPv6**

- addresses, assigning to hosts in subnet, 638-639*
- global unicast addresses, 634-637*
- placement of subnets, 634*
- subnet IDs, listing, 637*
- subnets, assigning to internetwork, 638*
- unique local unicast addresses, 640-641*

- masks
 - easy masks*, 336
 - format*, 285-286
 - selecting*, 282
- matching subnets with wildcard masks, 535
- networks and subnets, comparing, 329
- operational and design views, comparing, 272-273
- planning the implementation, 287
 - assigning subnets*, 287-288
 - static and dynamic*, 288-289
- postal code example, 273
- practice problems, 342
- practicing for speed, 723-725
- range of usable addresses, 330, 336
- route summarization, designing for, 510
- size of subnet, defining, 276
 - one-size-fits-all*, 277
 - VLSMs*, 278
- SLSMS, 498
- subnet bits, calculating requirements for, 283-284
- subnet broadcast address, calculating with, 332-335, 340-341
- subnet ID, 328-329
 - broadcast subnet*, 481
 - calculating with binary math*, 330-335
 - calculating with Boolean math*, 335
 - calculating with decimal math*, 338-340
- subnets of equal size, 327-328
- subnets per internetwork, calculating, 274
- unicast IP addresses, 327
- on VLANs, routing between, 386, 390-392
- VLSMs, 495
 - ip address command*, 496
 - overlapping subnets, finding*, 497-499
 - overlapping subnets, practice problems*, 499
 - ROAS, configuring*, 387-390
 - routing protocols supporting*, 495-496
 - subnets, adding*, 500-502
 - support for*, 409
 - verifying with show ip route command*, 496-497
- subordinate routes, 510
- summary routes. *See also* route summarization
 - best summary route, 512
 - selecting, 512-514
 - verifying, 511
- suspended telnet sessions resuming, 457
- suspending telnet sessions, 455-457
- SVI (Switched Virtual Interfaces), 189, 390
- switches
 - access switches, 137
 - banners, configuring, 185-186
 - CLI
 - accessing with SSH*, 155
 - accessing with Telnet*, 154
 - accessing with the console*, 152-154
 - configuration submodes*, 160-162
 - debug commands*, 159
 - EXEC modes, navigating between*, 156-157
 - help features*, 157-158
 - password security*, 155
 - privileged EXEC mode*, 156
 - See also commands*, 158
 - show commands*, 158-159
 - user EXEC mode*, 156
 - collision domains, 126
 - core switches, 137
 - distribution switches, 137
 - external authentication servers, configuring, 179
 - forward-versus-filter decisions, 128
 - frame forwarding logic
 - flooding*, 129
 - forwarding versus filtering*, 127-128
 - internal switch processing*, 130-131
 - loop avoidance*, 130

- MAC address learning process, 128-129
- inactivity timer, 129
- input errors, 247
- interfaces, 150
 - duplex mismatches, troubleshooting, 246-247*
 - Layer 1 problems, troubleshooting, 247-248*
 - status codes, 243-244*
 - unused, securing, 198*
- IP address
 - configuring, 190*
 - verifying, 191-192*
- Layer 2 switches, 189
- LED status indicators, 150
 - port LEDs, 151*
 - SYST LED, 151*
- MAC address table, Layer 2 forwarding path, 248-251
- memory types, 162
- ports, 150
- port security, 251-252
- reloading, 391
- SSH, configuring, 180-181
- statics access operational state, 256
- time-of-day clocks, synchronizing, 569-570
- VLANs, 135-136, 209
 - access interfaces, 216*
 - configuring, 216-220*
 - forwarding data between, 213-215*
 - verifying state of, 253-254*
 - VTP, 220*
- switching table, 128
- switchport access vlan command, 219, 253
- switchport mode command, 221-222
- switchport mode dynamic auto command, 255
- switchport mode dynamic desirable command, 223
- switchport mode trunk command, 387
- switchport port-security command, 196
- switchport trunk encapsulation interface subcommand, 221

- symmetric speeds, 69
- synchronizing time-of-day clocks with NTP, 568-569
- syntax, access-list command, 533
 - any/all addresses, matching, 536
 - exact IP address, matching, 533
 - matching parameters (extended), 552-553
 - subset of address, matching, 533-534
- SYST LED (2960 Catalyst switches), 151

T

- T1 leased lines, 58
- tagging (VLAN), 210
- TCP (Transmission Control Protocol)
 - comparing with UDP, 101
 - connection establishment, 106
 - connection termination, 106
 - destination ports as packet filtering criteria, 553-555
 - error recovery, 17
 - header fields, 102
 - multiplexing
 - destination port number, 103*
 - dynamic, 103*
 - sockets, 103-104*
 - port numbers, 104-105
 - SEQ, 17
 - source port as packet filtering criteria, 555-556
- TCP segments, 102
- TCP/IP. *See also* TCP/IP networking model
 - applications
 - HTTP, 112*
 - video applications, 109*
 - voice applications, 108*
 - WWW, 109-111*
 - data applications, QoS requirements, 108
 - development of, 14
 - DNS, 105
 - messages, 24-25
 - pre-TCP/IP computer networking, 13
 - SNMP, 105

- TFTP, 105
- WWW, 105
- TCP/IP networking model**
 - application layer, 15-17
 - comparing
 - original and modern versions, 23*
 - with OSI model, 25*
 - encapsulation, 23-25
 - layers, 14
 - link layer, 21-23
 - network layer, 18-20
 - IP addressing, 20*
 - IP routing, 21*
 - RFCs, 14-15
 - transport layer, 17-18, 101
- telcos**
 - COs, 59
 - CSU/DSU, connectors, 60
 - Internet core, 66
 - leased lines, cabling, 59, 356
- Telnet**
 - CLI, accessing, 154
 - restricting access with ACLs, 567
 - resuming suspended sessions, 457
 - suspending sessions, 455-457
- telnet command, verifying connectivity, 455**
- terminal emulators**
 - configuring for console connections, 153-154
 - Zterm Pro, 154
- terminology, NAT, 583-584**
- testing connectivity**
 - with ping command, 93-94, 447-449
 - with telnet command, 455
 - with traceroute command, 451-455
- Testlet questions, preparing for, 721**
- TFTP (Trivial File Transfer Protocol), 105**
- three-area OSPF, 416**
- three-way handshake, 106**
- time needed for exam completion, estimating, 722**
- timed practice exams, 725-726**
- topics of RFCs, searching, 104**
- total networks provisioned for Class A, B, and C networks, 296**
- traceroute command, verifying connectivity, 451-455, 679**
- traceroute6 command, 679-680**
- trailers, 22, 45**
- transferring files with HTTP, 112**
- transparent mode (VTP), 220**
- transport layer (OSI model), 27, 101**
 - TCP
 - connection establishment, 106*
 - connection termination, 106*
 - header fields, 102*
 - multiplexing, 103-104*
 - port numbers, 104*
 - well-known port numbers, 105*
 - TCP/IP networking model
 - adjacent-layer, 18*
 - same-layer, 18*
 - TCP error recovery, 17*
 - UDP
 - header format, 107*
 - multiplexing, 103-104*
 - port numbers, 104*
 - well-known port numbers, 105*
- troubleshooting**
 - with CDP, 239-242
 - duplex mismatches, 246-247
 - interfaces
 - Layer 1 problems, 247-248*
 - speed/duplex issues, 244-246*
 - IPv4 ACLs, 540
 - NAT, 596-597
 - organized troubleshooting process, 236-238
 - problem isolation, 237
 - switches, interface status codes, 243-244
 - trunking, mismatched operational state, 255-256
 - VLANs, 252-253
 - mismatched VLAN-allowed list, 254-255*
- truncating CLI commands, 362**

trunking, 210-211

802.1Q, 212-213

*configuring, 387-390**native VLAN, 213*

administrative mode options, 221-222

allowed VLAN list, 225-227, 255-256, 259

configuring, 221-224

ISL, 212-213

mismatched operational state,
troubleshooting, 255-256mismatched VLAN-allowed list,
troubleshooting, 254-255

subinterfaces, 387

troubleshooting, 252-254

verifying configuration, 225

VTP, 220

TTL Exceeded (Time-to-Live Exceeded)
message, 452**two-phase practice approach, 301-302****Type field**

Ethernet frames, 45

HDLC, 61

U**UDP (User Datagram Protocol), 107**

comparing with TCP, 101

destination ports as packet filtering
criteria, 553-555

header format, 107

multiplexing

*destination port number, 103**dynamic port numbers, 103**sockets, 103-104*

port numbers, 104-105

source port as packet filtering criteria,
555-556**unabbreviated IPv6 addresses**

abbreviating, 617-618

representing, 617

unicast Ethernet addresses, 46**unicast IPv4 addresses, 127, 295, 327,**
629-630**unicast IPv6 addresses**

dynamic unicast, 654

EUI-64, configuring, 651-653

global unicast, 631-639

static unicast, 648-650

unique local unicast, 639-641

verifying configuration, 650

uninteresting octets, calculating subnet
IDs, 339**unique local unicast addresses (IPv6),**
631-632, 639

need for, 640-641

RFC 4193, 640

subnetting, 640

universal/local bit, 652**unknown address, IPv6, 660****unknown unicast frames, 129****unused interfaces, securing, 198****up/up status code, 243****URLs (Uniform Resource Locators), 16,**
109-110**USB ports, console access on Cisco**
switches, 153**user EXEC mode, 156****usernames, configuring on Cisco Catalyst**
switches, 178**UTP (unshielded twisted-pair), 37**

10BASE-T

*crossover cable pinouts, 43**pinouts, selecting, 431-44**straight-through cable pinouts,*
41-42

100BASE-T

*crossover cable pinouts, 43**pinouts, selecting, 41-44**straight-through cable pinouts,*
41-42

1000BASE-T cable pinouts, 44

categories, 138

data transmission on Ethernet LANs, 39

electrical circuits, creating on Ethernet
LANs, 39

EMI, 39

Ethernet links, 39

*connecting, 41**RJ-45 connectors, 40**RJ-45 ports, 40*

V

valid network numbers

- for Class A networks, 296
- for Class B networks, 296
- for Class C networks, 296

verifying

- ARP, 446-447
 - Cisco Catalyst switch IP address, 191-192
 - connectivity
 - with ping command*, 447-451
 - with telnet command*, 455
 - with traceroute command*, 451-455
 - default routers, 445-447
 - DHCP on Cisco routers, 441
 - direction of ACLs, 540
 - dynamic NAT configuration, 592-594
 - IPv4 settings
 - DNS*, 444-445
 - IP address*, 443
 - mask configuration*, 443
 - IPv6 host connectivity, 678-682
 - IPv6 static routes, 693
 - OSPF configuration, 420-423
 - OSPFv3 configuration, 704-708
 - OSPFv3 operation, 703
 - port security, 197
 - router interface IP addresses, 364
 - route summarization, 511
 - state of VLANs, 253-254
 - unicast IPv6 address configuration on routers, 650
 - VLAN trunking configuration, 225
 - VLSM with show ip route command, 496-497
- ### version information of IOS, displaying, 166-168
- ### versions of OSPF routing protocols, comparing, 697-699
- ### video applications, QoS requirements, 109
- ### viewing
- contents of ARP cache, 93
 - IPv6 host neighbor table, 671
- ### virtual terminal lines, 155

VLAN allowed list, troubleshooting mismatches, 254-255

VLAN ID (VLAN identifiers), 210

VLANs, 135-136

- access interfaces, 216
 - administrative mode, 225
 - broadcast domains, design concepts, 209
 - configuring, 216-219
 - allowed VLAN lists*, 225-227, 255-256, 259
 - full configuration*, 217-219
 - shorter configurations*, 219-220
 - trunking configuration*, 223-224
 - forwarding data between, 213-215
 - Layer 2 forwarding path, analyzing, 250
 - Layer 3 switching, configuring, 390-392
 - ROAS, configuring, 387-390
 - state of, verifying, 253-254
 - subinterfaces, 387
 - subnets
 - requirements, calculating*, 275
 - routing between*, 386
 - tagging, 210
 - troubleshooting, 252-254
 - trunking, 210-211
 - 802.1Q*, 212-213
 - allowed VLAN lists*, 225-227, 255-256, 259
 - configuring*, 221-224
 - ISL*, 212-213
 - mismatched operational state*, 255-256
 - verifying configuration*, 225
 - VTP, 220
- ### VLSMs (Variable-Length Subnet Masks), 278
- configuring, 496
 - ip address command, 496
 - overlapping subnets
 - finding*, 497-499
 - practice problems*, 499
 - routing protocols supporting, 409, 495-496
 - subnets, adding, 500-502

voice applications, QoS requirements, 108

VoIP (Voice over IP), 108

VTP (VLAN Trunking Protocol), 213

vtv, 155, 567

W

WANs, 57

cabling

connectors, 60

COs, 59

DCE, 60

DTE, 60

serial cable, 59

comparing with LANs, 56

CPE, 59

CSU/DSU, 59

data link layer protocols, HDLC, 61-63

Ethernet, 63-65

full-duplex operation, 58

Internet access technologies, 67

cable Internet, 69-70

DSL, 68-69

LANs, connecting, 57

leased circuits, 58

leases, 56

links, 58

creating in lab, 60

point-to-point links, 58

private lines, 58

serial links, 58

service providers, 58

subnets, IP address assignment, 274

WC (wildcard) masks

applying to IPv4 ACLs, 533-535

binary wildcard, 535

DDN, 534-535

interleaving 0s and 1s, 543

subnets, matching, 535

web browsers

DNS resolution, 110-111

home page, 15

HTTP, 15-17

URLs, 109-110

web clients, 109, 112

web pages, 109

links, 110

objects, 112

web servers, 109

websites

rfc-editor.org, 104

www.certskills.com, 732

www.potaroo.net, 612

www.rfc-editor.org, 613

well-known port numbers, 104-105

WICs (WAN interface cards), 357

wildcard masks

applying to IPv4 ACLs

binary format, 535

DDN, 535

interleaving 0s and 1s, 543

matching interface IP address with OSPF, 419-420

subnets, matching, 535

Windows OS, ipconfig command, 679

wired LANs, 34

wireless enterprise LANs, 37

wireless LANs, 35-36

write erase command, 165

WWW (world-wide web)

DNS resolution, 110-111

URLs, 109-110

X-Y-Z

zero subnets, 394, 478

Zterm Pro, 154